



	DN	ø D	ø Dh	ø Da	F	Ruuvit		Paino kg
						Kpl	Koko	
						<b>PN 10</b>	200	
	250	395	350	281	26	12	M20	11,2
	300	445	400	333	26	12	M20	12,8
	350	505	460	365	30	16	M20	19,4
	400	565	515	416	32	16	M24	26,4
	450	615	565	467	36	20	M24	32,2
	500	670	620	519	38	20	M24	38,5

	DN	ø D	ø Dh	ø Da	F	Ruuvit		Paino kg
						Kpl	Koko	
						<b>PN 25</b>	200	
	250	425	370	281	35	12	M27	19,4
	300	485	430	333	38	16	M27	25,5
	350	555	490	365	42	16	M30	40,5
	400	620	550	416	48	16	M33	56,1
	450	670	600	467	54	20	M33	67,8
	500	730	660	519	58	20	M33	84,6

	DN	ø D	ø Dh	ø Da	F	Ruuvit		Paino kg
						kpl	Koko	
						<b>PN 16</b>	50	
	65	185	145	81	20	4	M16	3,05
	65	185	145	81	20	8	M16	3,05
	80	200	160	94	20	8	M16	3,48
	100	220	180	120	22	8	M16	4,20
	125	250	210	145	22	8	M16	5,21
	150	285	240	174	24	8	M20	6,89
	200	340	295	226	26	12	M20	9,31
	250	405	355	281	29	12	M24	13,5
	300	460	410	333	32	12	M24	18,0
	350	520	470	365	35	16	M24	27,0
	400	580	525	416	38	16	M27	34,6
	450	640	585	467	42	20	M27	44,6
	500	715	650	519	46	20	M30	62,0

	DN	ø D	ø Dh	ø Da	F	Ruuvit		Paino kg
						Kpl	Koko	
						<b>PN 40</b>	10	
	15	95	65	25	14	4	M12	0,654
	20	105	75	31	16	4	M12	0,909
	25	115	85	38	16	4	M12	1,08
	32	140	100	47	18	4	M16	1,77
	40	150	110	53	18	4	M16	2,02
	50	165	125	65	20	4	M16	2,65
	65	185	145	81	22	8	M16	3,36
	80	200	160	94	24	8	M16	4,18
	100	235	190	120	26	8	M20	5,87
	125	270	220	145	28	8	M24	7,95
	150	300	250	174	30	8	M24	9,97
	200	375	320	226	36	12	M27	17,4
	250	450	385	281	42	12	M30	28,4
	300	515	450	333	52	16	M30	43,6
	350	580	510	365	58	16	M33	64,9
	400	660	585	416	65	16	M36	95,1