



	DN	ø D	ø Dh	ø Da	F	Ruuvit		Paino kg
						Kpl	Koko	
PN 10	200	340	295	221,5	24	8	M20	9,27
	250	395	350	276,5	26	12	M20	11,8
	300	445	400	327,5	26	12	M20	13,6
	350	505	460	359,5	30	16	M20	20,4
	400	565	515	411,0	32	16	M24	27,5
	450	615	565	462,0	36	20	M24	33,6
	500	670	620	513,5	38	20	M24	40,2

	DN	ø D	ø Dh	ø Da	F	Ruuvit		Paino kg
						Kpl	Koko	
PN 25	200	360	310	221,5	32	12	M24	14,3
	250	425	370	276,5	35	12	M27	20,1
	300	485	430	327,5	38	16	M27	26,6
	350	555	490	359,5	42	16	M30	41,8
	400	620	550	411,0	48	16	M33	57,6
	450	670	600	462,0	54	20	M33	69,8
	500	730	660	513,5	58	20	M33	87,0

	DN	ø D	ø Dh	ø Da	F	Ruuvit		Paino kg
						kpl	Koko	
PN 16	50	165	125	61,5	20	4	M16	2,73
	65	185	145	77,5	20	4	M16	3,16
	65	185	145	77,5	20	8	M16	3,16
	80	200	160	90,5	20	8	M16	3,60
	100	220	180	116,0	22	8	M16	4,39
	125	250	210	141,5	22	8	M16	5,41
	150	285	240	170,5	24	8	M20	7,14
	200	340	295	221,5	26	12	M20	9,73
	250	405	355	276,5	29	12	M24	14,2
	300	460	410	327,5	32	12	M24	19,0
	350	520	470	359,0	35	16	M24	28,2
	400	580	525	411,0	38	16	M27	35,9
	450	640	585	462,0	42	20	M27	46,1
	500	715	650	513,5	46	20	M30	64,0

	DN	ø D	ø Dh	ø Da	F	Ruuvit		Paino kg
						Kpl	Koko	
PN 40	10	90	60	18,0	14	4	M12	0,604
	15	95	65	22,0	14	4	M12	0,67
	20	105	75	27,5	16	4	M12	0,936
	25	115	85	34,5	16	4	M12	1,11
	32	140	100	43,5	18	4	M16	1,82
	40	150	110	49,5	18	4	M16	2,08
	50	165	125	61,5	20	4	M16	2,73
	65	185	145	77,5	22	8	M16	3,48
	80	200	160	90,5	24	8	M16	4,32
	100	235	190	116,0	26	8	M20	6,07
	125	270	220	141,5	28	8	M24	8,19
	150	300	250	170,5	30	8	M24	10,30
	200	375	320	221,5	36	12	M27	17,90
	250	450	385	276,5	42	12	M30	29,3
300	515	450	327,5	52	16	M30	45,1	
350	580	510	359,5	58	16	M33	66,7	
400	660	585	411,0	65	16	M36	97,1	