

# **TECHNICAL DATA SHEET**

## HW3571 OAK MOSMAN

### DESIGN FROM HAVWOODS

USAGE: SEE HAVWOODS QUICK REFERENCE GUIDE TO CHOOSING THE CORRECT FLOOR.



The photographs used in this sheet are intended only as illustrations, colours shown are only as accurate as the printing process or device screen will allow. Due to the size of this photograph, it does not provide any indication of grading. Please refer to our separate grading rules. No rights can be derived from them.

#### INSTALLATION METHODS

Fully Bonded	Yes* (Recommended)
Nailed	No
Floated on underlay	No
Over Underfloor Heating	Yes*# (to be installed over Wet Underfloor Heating Systems only. Please see UFH Installation Guidelines for details)

#### **GRADING CRITERIA**

Rustic grade, also known as natural grade, allows a virtually limitless size and number of knots. Heartwood will be used, there will be colour variation, sapwood and filler. You should expect checks (cracks across the growth ring) and possibly some end shake (cracks between the rings). The colour of the filler is carefully selected to compliment the wood rather than to match it exactly and it may vary from batch to batch.

NB: The product grading criteria is an approximation only. Please ask for details. Contact your Havwoods consultant on 1300 428 966.

#### PRODUCT DETAILS

Product Code	HW3571	
Product Range	Design From Havwoods	
Construction	Engineered	
Species	European Oak	
Pattern	Herringbone Pattern	
Process	Sanded	
Finish	Matt Lacquered	
Profile	Tongue and Groove	
Edge Profile	Micro-Bevelled Edge	
Top Layer	3mm European Oak Lamella	
Backing	Multi-layered Plywood	
Thickness	14.5mm	
Width	140mm	
Length	560mm	
Grade	Rustic	
Maintenance	Comprehensive maintenance instructions and materials are available from Havwoods Ltd. for all floors. Contact your Havwoods consultant on 1300 428 966.	

\* Subject to compatible subfloor and correct installation (see Installation Guidelines) including sensors

INSTALLATION AND WARRANTY

#### **TECHNICAL CRITERIA**

Origin	China
Janka Hardness Rating	1,360 lbf (6,000N)
Formaldehyde Emission	0.044 EN 717-1;2004
Slip Testing	P2
Critical Heat Flux (CHF) Mean	4.1 kW/m2

HAVWOODS SYDNEY SHOWROOM 28 Margaret Street Sydney CBD, NSW 2000

HAVWOODS MELBOURNE SHOWROOM 215 Roden Street West Melbourne, VIC 3003

HAVWOODS NEWCASTLE SHOWROOM 150 King Street Newcaslte, NSW 2300

© This technical data sheet was written by Havwoods Limited, Carnforth Business Park, Oakwood Way, Carnforth Lancashire LA5 9FD. At the time of writing and publication of the sheet, all information is specified correctly. The company reserves the right to change the specifications of this product at any time without prior notice to third parties. The photographs used in this sheet are intended only as illustrations, colours shown are only as accurate as the printing process or device screen will allow. No rights can be derived from them.

installed by a competent flooring installer comparable to BS8201 in the UK or equivalent standard worldwide.

# Temperature of top-face must never be allowed to exceed 27 °C. Under Floor Heating (UFH) protocol to control temperature conditions is recommended.

All Havwoods floors must be installed by a competent installer who will have the necessary skills and take

individual site circumstances into account. Havwoods warranty will apply only to floors which have been





1300 428 966 | info@havwoods.com.au www.havwoods.com.au