

TECHNICAL DATA SHEET

HW7362 EUROPEAN OAK

PAR-KY

USAGE: SEE HAVWOODS QUICK REFERENCE GUIDE TO CHOOSING THE CORRECT FLOOR.



The photographs used in this sheet are intended only as illustrations, colours shown are only as accurate as the printing process or device screen will allow. Due to the size of this photograph, it does not provide any indication of grading. Please refer to our separate grading rules. No rights can be derived from them.

INSTALLATION METHODS

Fully Bonded	Yes
Nailed	No
Floated on underlay	Yes* (Recommended)
Over Underfloor Heating	Yes*# (to be installed over Wet Underfloor Heating Systems only. Please see UFH Installation Guidelines for details)

GRADING CRITERIA

Prime grade typically has few, if any knots, and these will be of minimal size. There will also be a minimal amount of sapwood defects and filler, if any at all. Where filler has been used, its colour is carefully selected to compliment the wood rather than to match it exactly and the colour of the filler may vary from batch to batch. There will be a relatively small amount of colour variation in the timber itself for Prime grade.

NB: The product grading criteria is an approximation only. Please ask for details. Contact your Havwoods consultant on 1300 428 966.

PRODUCT DETAILS

Product Code	HW7362	
Product Range	Par-ky	
Construction	Engineered	
Species	European Oak	
Pattern	1-Strip Pattern	
Process	Brushed	
Finish	Matt Lacquered	
Profile	Click System	
Edge Profile	Micro-bevelled Edge	
Top Layer	0.6mm Europ <mark>ean Oak L</mark> amella	
Backing	HDF core with real wood backing	
Thickness	7.2mm	
Width	190mm	
Length	1203mm	
Grade	Prime	
Maintenance	Comprehensive maintenance instructions and materials are available from Havwoods Ltd. for all floors. Contact your Havwoods consultant on 1300 428 966.	

* Subject to compatible subfloor and correct installation (see Installation Guidelines) including sensors

INSTALLATION AND WARRANTY

TECHNICAL CRITERIA

Origin	Europe
Janka Hardness Rating	1,120 lbf (4,980N)
Formaldehyde Emission	E1 (EN 717-1)
Pentachlorophenol Emission	PCP Free
Slip Testing	Р3
Reaction to Fire Certification	Cfl-s1 (EN 13501-1)
Thermal Conductivity	λ 0.230 W/m K

HAVWOODS SYDNEY SHOWROOM 28 Margaret Street Sydney CBD, NSW 2000

HAVWOODS MELBOURNE SHOWROOM 215 Roden Street West Melbourne, VIC 3003

HAVWOODS NEWCASTLE SHOWROOM 150 King Street Newcaslte, NSW 2300

© This technical data sheet was written by Havwoods Limited, Carnforth Business Park, Oakwood Way, Carnforth Lancashire LA5 9FD. At the time of writing and publication of the sheet, all information is specified correctly. The company reserves the right to change the specifications of this product at any time without prior notice to third parties. The photographs used in this sheet are intended only as illustrations, colours shown are only as accurate as the printing process or device screen will allow. No rights can be derived from them.

installed by a competent flooring installer comparable to BS8201 in the UK or equivalent standard worldwide.

Temperature of top-face must never be allowed to exceed 27°C. Under Floor Heating (UFH) protocol to control temperature conditions is recommended.

All Havwoods floors must be installed by a competent installer who will have the necessary skills and take

individual site circumstances into account. Havwoods warranty will apply only to floors which have been

೧১ភPlus



Newcasite, NSW 2300 1300 428 966 | info@havwoods.com.au

www.havwoods.com.au