

Technical Data Sheet

Version 1.1



HW31006

Bayonne

PurePanel



Specification

Pattern	Veneered Panel
Construction	Composite MDF
Top Layer Specie	European Oak Veneer (<i>Quercus robur</i>)
Surface Process	Brushed & Stained
Finish	Matt Lacquered
Connection System	PAR
Edge Profile	Square Edge
Backing	MDF (Reconstituted Veneer)
Wear Layer Thickness	0.6mm
Total Thickness	19mm
Width	1220mm
Length	3050mm
Pack Size	3.78m ²
Grade	Mix Match Quarter Sawn



The mark of
responsible forestry

Key:

* Subject to compatible subfloor and correct installation (see Installation Guidelines) including sensors.

Temperature of top-face must never be allowed to exceed 27°C. UFH protocol to control temperature conditions is recommended.

Installation Methods

Fully Bonded	Yes*
Nailed/Screwed	No

All Havwoods floor must be installed by a competent installer who will have the necessary skills and take individual site circumstances into account. Havwoods warranty will apply only to floors which have been installed by a competent flooring installer comparable to BS8201 in the UK or equivalent standards worldwide.

Grading Criteria

Mix-match production technique ensures each panel is consistent in colour and quality without compromising the solid panel aesthetic. This is accomplished by merging veneers selectively sourced from different trees with various slicing techniques. Quater-sawing produces planks with straighter, more uniform grain patterns and greater stability compared to standard plain-sawn timber.

N.B. The product grading criteria is inspected at each mill visually and should be taken as an approximation only.

Technical Criteria

Origin	Europe
Certification	FSC® Certified (FSC-C009500)
Formaldehyde Emissions	E1 (EN717-1)
Pentachlorophenol Emissions	PCP Free
Reaction to Fire Classification	D-s1-d0 (EN 13501-1)
Thermal Conductivity	0.11 W/m K (EN 12664)



HAVWOODS

For More Information Contact Our Experienced Team:

Tel: +44 (0)1524 737 000 | Fax: +44 (0)1524 737 001
Email: info@havwoods.com

Comprehensive maintenance instructions and materials are available from Havwoods for all floors.



This technical data sheet was written by Havwoods International. At the time of writing and publication, all information is specified correctly. The company reserves the right to change the specifications of this product at any time without prior notice to third parties. The photographs used in this document are intended only as illustrations. No rights can be derived from them.

