



# FIWE

## Semi-automatic Fiber Analyzers

Crude and Detergent Fiber Determination  
according to Official Methods



# Reliable and Convenient

The FIWE is the semi automatic fiber extractor that uses pre-heated reagents for fiber analysis according to Weende, Van Soest and other official methods.

- Total raw fiber extraction using Weende technique
- Neutral & acid detergent fiber with NDF, ADF, Van Soest extractions
- Acid detergent lignin extraction with ADL & Van Soest methods
- Reagent preheating on RC 2 hotplate (included)
- Same crucibles used for weighing, drying & washing – no loss of fiber ensured
- High reproducibility
- Back-pressure pump prevents clogging of crucibles



## INSTRUMENT - CODE

FIWE 3	230 V / 50 Hz	SA30520201
FIWE 3	230 V / 60 Hz	SA30530201
FIWE 3	115 V / 60 Hz	SA30540201
FIWE 6	230 V / 50 Hz	SA30520200
FIWE 6	230 V / 60 Hz	SA30530200
FIWE 6	115 V / 60 Hz	SA30540200

The products are supplied with accessories and parts, including RC 2 Hot Plate, to start operating from day 1 (visit [www.velp.com](http://www.velp.com) for more details).

## TECHNICAL DATA

	FIWE 3	FIWE 6
CONSTRUCTION MATERIAL	Epoxy painted stainless steel structure	Epoxy painted stainless steel structure
TYPE OF EXTRACTIONS	Cold and hot extractions	Cold and hot extractions
NUMBER OF SAMPLES	3 positions	6 positions
SAMPLE	Individually processed	Individually processed
SAMPLE QUANTITY	From 0,5 to 3 g	From 0,5 to 3 g
REPRODUCIBILITY (RSD)	± 1%	± 1%
SAMPLE REMOVAL	Air pump	Air pump
REAGENT DISCHARGE	Peristaltic pump	Peristaltic pump
DIGITAL TIMER	0 - 99 minutes with acoustic signal at the end	0 - 99 minutes with acoustic signal at the end
TEMPERATURE	Electronic regulation	Electronic regulation
REAGENTS AND COOLING WATER	Separated outlets	Separated outlets
POWER	900 W	1200 W
WEIGHT	35 Kg (77 lb)	40 Kg (101.2 lb)
DIMENSIONS (WXHXD)	530x620x390 mm (20.9x24.4x15.4 in)	760x620x390 mm (29.5x24.4x15.4 in)
APPLICATIONS	Raw fiber (Weende, Wjstrom) Neutral or acid detergent treatment fiber (Van Soest) Lignin, Cellulose, Hemicellulose	Raw fiber (Weende, Wjstrom) Neutral or acid detergent treatment fiber (Van Soest) Lignin, Cellulose, Hemicellulose



We reserve the right to make technical alterations  
We do not assume liability for errors in printing, typing or transmission

VELP Official Partner

## DESIGNED AND MANUFACTURED IN ITALY



**ITALY - HQ**  
Via Stazione 16  
20865 Usmate (MB) Italy  
Tel. +39 039 628811  
[velpitalia@velp.com](mailto:velpitalia@velp.com)

**INDIA**  
[velpindia@velp.com](mailto:velpindia@velp.com)

**USA**  
155 Keyland Court, Bohemia  
NY 11716 - U.S.  
Tel. +1 631 573 6002  
[velpusa@velp.com](mailto:velpusa@velp.com)

**CHINA**  
Xinlong Rd Building 28, Lane 1333  
Shanghai city - China  
Tel. +86 18017557329  
[velpchina@velp.com](mailto:velpchina@velp.com)