

General Info

Year	2014
Make	Takeuchi
Model	TB240
Serial Number	124000138
Hour Meter Reading	2519.7
Previous Application (e.g., earth moving, mining, demolition, etc)	Demolition


Dimensions

Measurement Guide	B
A. Length (ft and inches)	17' 8"
B. Width (ft and inches)	5' 9"
C. Height (ft and inches)	8' 2"
Operational Weight (lbs)	4,015lbs

Features and Configuration

Control Station Type	Cab
Bucket	Yes
Bucket Size (in inches)	24
Blade	Yes
Additional Attachment(s)	No
Hydraulic Coupler	No
Auxiliary Hydraulics	Yes
Hydraulic Thumb	Yes
Heat	Yes
A/C	Yes
Radio	Yes
Backup Camera	No
OMM (Operator & Maintenance Manual)	Yes
Telematics	No

Exterior Walkaround Photos





Exterior 360 Walkaround

Instructions

Take photos of the exterior of the piece of equipment. Capture a full 360 degree walk around and all major components.

Must have shots to capture:

- Front 45 degree corner shot of left front
- 45 degree corner shot of right front
- Left side
- Right side


- Rear 45 degree corner shot of left rear - 45 degree corner shot of right rear

Tips for good photos:
- Move the equipment into a open area without any visual distractions or other equipment in the background

Exterior Walkaround Photos
































General Appearance Inspection Points

General Appearance Front 3 - Normal Wear & Tear Front Photos





Rear


3 - Normal Wear & Tear

Rear Photos












Right Photos



















Doors / Canopy Latches

3 - Normal Wear & Tear



Doors / Canopy Latches Photos **Glass Condition** 3 - Normal Wear & Tear **Glass Condition Notes** Glass intact, no visible damage, Other (see comments) Comments small scratches



Glass Condition Photos














Mirrors

Mirrors Photos

3 - Normal Wear & Tear














Control Station Inspection Points































Operator's Seat & Arm Rests

3 - Normal Wear & Tear

Operator's Seat & Arm Rests Condition

Seat(s) in good condition, no stains or tears in upholstery



Operator's Seat & Arm Rests Photos **Seat Belt** 3 - Normal Wear & Tear **Seat Belt Photos** Cabin Lights 4 - Like New, Recently Replaced Cabin lights are installed with all light covers in place, bulbs are installed and working properly **Cabin Lights Condition**



Cabin Lights Photos	
Safety Lock Out / Stop	4 - Like New, Recently Replaced
Safety Lock Out / Stop Condition	Safety lock out device is present, in good condition, and functional
Safety Lock Out / Stop Photos	
Controls & Switches	4 - Like New, Recently Replaced
Controls & Switches Condition	All switches are installed and functional



Controls & Switches Photos	CAUTION CAUTION CONTRACTOR CONTRA
Hour Meter Activity	4 - Like New, Recently Replaced
Hour Meter Condition	Hour meter is functional and in good condition
Hour Meter Activity Photos	
Other Gauge Activity	4 - Like New, Recently Replaced
Other Gauge Condition	All cockpit gauges are functional and in good condition
Heater & A/C	4 - Like New, Recently Replaced



Fans / Vents 4 - Like New, Recently Replaced Fans / Vents Condition Fan vents are functional, in good condition, and move through a full adjustable range of motion Fans / Vents Photos Travel Alarm 3 - Normal Wear & Tear Travel Alarm Condition Other (see comments) unplugged		,
Fans / Vents Condition Fans / Vents Photos Fans /	Heater & A/C Photos	
Fans / Vents Photos Fans / Ve	Fans / Vents	4 - Like New, Recently Replaced
Travel Alarm 3 - Normal Wear & Tear Travel Alarm Condition Other (see comments) Comments unplugged Hom 4 - Like New, Recently Replaced	Fans / Vents Condition	Fan vents are functional, in good condition, and move through a full adjustable range of motion
Travel Alarm Condition Other (see comments) unplugged Horn 4 - Like New, Recently Replaced	Fans / Vents Photos	
Travel Alarm Condition Other (see comments) unplugged Horn 4 - Like New, Recently Replaced		The state of the s
Travel Alarm Condition Other (see comments) unplugged Horn 4 - Like New, Recently Replaced	Travel Alarm	3 - Normal Wear & Tear
Comments unplugged Horn 4 - Like New, Recently Replaced	Travel Alarm Condition	
Horn 4 - Like New, Recently Replaced	Comments	
	Horn	



Fire Extinguisher	0
First Aid Kit	0


Engine Inspection Points

Engine	gine	
Engine Type (Make, Model, Cylinders, Hp)	Yanmar 2.19L 4TNV88C-STB	
Engine Serial Number	02794	
Engine Fuel Type	Diesel	


Engine Photos

























Blow-by (Visual Observation Check)	No
Unusual Noises (Upon Start-up, Idle, Shutdown)	No
Unusual Noise Notes	No unusual noises heard
Engine Smoke (Upon Start-up, Idle, Shutdown)	No
Engine Smoke Notes	No engine smoke issues observed
Engine Exhaust Color	Clear
Battery	3 - Normal Wear & Tear
Battery Condition	Clean & dry appearance, tight connections




Battery Condition Photos	
Radiator	4 - Like New, Recently Replaced
Radiator Condition	Radiator fins & components appear to be in good working order, no signs of damage or leaks
Radiator Photos	
Belts	3 - Normal Wear & Tear
Belt Condition	Belts appear in good condition & alignment with proper tension
Belt Photos	
Hoses	4 - Like New, Recently Replaced
Hose Condition	Firm, pliant hoses with no signs of wear or leaks



Hose Photos	
Water Pump	4 - Like New, Recently Replaced
Water Pump Condition	No unusual pump noises heard
Cooling System Leaks	No
Coolant Color / Appearance	3 - Normal Wear & Tear
Coolant Color/Appearance Notes	Normal Translucent appearance, no visual signs of contamination
Oil Leaks	Yes
Oil Leak Notes	No oil leaks seen, Other (see comments)
Comments	no engine oil leaks present, oil leaks are present on hyd. pump that connects to engine
Oil Leak Photos	











Oil Color / Appearance	3 - Normal Wear & Tear
Oil Color / Appearance Notes	Clean oil appearance, no signs of cross contamination
Fuel Leaks	No
Equipped with DPF (Diesel Particulate Filter)	Yes
DPF Condition	3 - Normal Wear & Tear
DPF Condition Notes	Filter housing is intact with no signs of damage or malfunction, DPF indicator is not illuminated
DDE Photos	

DPF Photos







Requires DEF (Diesel Exhaust Fluid)	No
Overall Engine Appearance	Dusty & dry
Overall Engine Comments	In good condition no leaks on engine present. Engine looks and sounds healthy.

Drivetrain Inspection Points

Diverail inspection Follows	
Drivetrain	
Transmission	0
Clutch	0
Shift Lever	0
Foot Brake	0
Inching Brake	0
Parking Brake	4 - Like New, Recently Replaced
Parking Brake Condition	Good brake function
Parking Brake Photos	











Overall Drivetrain Comments

Hydraulic motors work and sound normal

Chassis Inspection Points

Chaodio mopodadiri din	
Instructions	Evaluate the following on a 4 point scale (leave comments where an explanation is appropriate): 4 = Like New, Recently Replaced 3 = Normal Wear & Tear 2 = Above Average Wear 1 = Service Required
Boom Condition	3 - Normal Wear & Tear
Comments	Boom in great shape with no damages
Stick Condition	3 - Normal Wear & Tear
Comments	stick in good shape
Boom Base Pin & Bushings	3 - Normal Wear & Tear
Boom Base Pin & Bushings Photos	
Boom to Stick Pin & Bushings	4 - Like New, Recently Replaced
Stick to Bucket Pin & Bushings	4 - Like New, Recently Replaced



Stick to Bucket Pin & Bushings Photos	
Turntable Bandan	O. Names I.Wasa 9 Tana
Turntable Bearing	3 - Normal Wear & Tear
Comments	all hardware intact with no signs of excessive play
Turntable Bearing Photos	
Bottom Covers	3 - Normal Wear & Tear
Comments	normal wear and tear, all cover present



Bottom Covers Photos



Overall Chassis 3 - Normal Wear & Tear


Overall Chassis Comments Frame is straight all the way around

Undercarriage Inspection Points


Ondordarnago mopodion	
Instructions	Evaluate the following on a 4 point scale (leave comments where an explanation is appropriate):
	4 = Like New, Recently Replaced 3 = Normal Wear & Tear 2 = Above Average Wear 1 = Service Required
Undercarriage Overall Condition	3 - Normal Wear & Tear
Comments	l/s track on backwards possibly
Undercarriage Overall Photos	1akeuchi

















	The second secon
Tracks	3 - Normal Wear & Tear
Left Side: Link Bushings / Drive Sprocket / Shoe Condition	3 - Normal Wear & Tear
Comments	sprockets okay
Left Side: Upper & Lower Roller / Front Idler Condition	3 - Normal Wear & Tear
Track Condition: Left Front	70%
Track Condition: Left Rear	70%
Undercarriage Left Side Photo Instructions	Take photos of the undercarriage of this piece of equipment. Must have shots to capture: - Roller Frame (left) - Track Tensioner (left) - Track Pads (left) - Grouser Height (left) - Track Links (left) - Track Bushings (left) - Carrier Rollers (left) - Track Rollers (left) - Idler (left) - Sprocket (left)



Undercarriage Left Side Photos





Right Side: Link Bushings / Drive Sprocket / Shoe Condition

3 - Normal Wear & Tear

Right Side: Upper & Lower Roller / Front Idler Condition

3 - Normal Wear & Tear

Track Condition: Right Front

70%

Track Condition: Right Rear

70%

Undercarriage Right Side Photo

Take photos of the undercarriage of this piece of equipment.

Instructions

Must have shots to capture:

- Roller Frame (right) Track Tensioner (right)
- Track Pads (right) - Grouser Height (right)
- Track Links (right)
 Track Bushings (right)
 Carrier Rollers (right)
 Track Rollers (right)

- Idler (right)
- Sprocket (right)

Hydraulics Overall Inspection Points

Hydraulics Overall

Wet or Damp Hydraulic Lines / **Fittings**

Yes



Appearance of Hydraulic Lines / Fittings	3
Hydraulic Lines / Fittings Condition	Dried seepages observed, Active leaks in hoses or fittings observed, Other (see comments)
Comments	hyd. leaks present at quick coupler fittings and at rear main hyd. pump elbow fitting
Appearance of Hydraulic Lines / Fittings Photos	
Unusual Noises (Hydraulic Pump)	No
Hydraulic Pump Notes	No unusual noises heard during operation
External Controls / Levers	0


Hydraulics Cylinders Inspection Points

Boom Cylinder	Check the boom cylinder. Note any wear, pitting, discoloration, etc. Take photos.
Boom Cylinder: Mounting Pin	3
Boom Cylinder: Oil Leaks	No



	10:31
Boom Cylinder Photos	
Stick Cylinder	Check the stick cylinder. Note any wear, pitting, discoloration, etc. Take photos.
Stick Cylinder: Mounting Pin	3
Stick Cylinder: Oil Leaks	No
Stick Cylinder Photos	Takeuchi
	Takeuchi







Blade	Check the blade. Note any wear, pitting, discoloration, etc. Take photos.
Blade	3
Blade Photos	TOTAL CONTROL





Bucket Inspection Points


Bucket Inspection Points	
Instructions	Evaluate the following on a 4 point scale (leave comments where an explanation is appropriate): 4 = Like New, Recently Replaced 3 = Normal Wear & Tear 2 = Above Average Wear 1 = Service Required
Bucket Condition	3 - Normal Wear & Tear
Comments	24" bucket currently on machine with thumb attachment
Bucket Photos	





Bucket Hose & Fittings

Bucket Hose & Fittings Photos







Blade Inspection Points

Blade Condition	3 - Normal Wear & Tear
Comments	Normal wear and tear in good shape
Blade Edge	3 - Normal Wear & Tear
Blade Hose & Fittings	3 - Normal Wear & Tear



Blade Hose & Fittings Photos



Blade Cylinder

3 - Normal Wear & Tear

Blade Cylinder Photos




Additional Attachment Inspection Points

Additional Attachment(s)


Additional Attachments

Attachment Type	hydraulic thumb
Attachment Size / Specs	12",18",24" and 36" buckets are included also a hydraulic breaker and a compaction wheel
Attachment Condition	3 - Normal Wear & Tear
Comments	thumb attachment functions properly, extra buckets included, compaction wheel and breaker included
















Functional Test

i dilottorial i est	
Instructions	Evaluate the following on a 4 point scale (leave comments where an explanation is appropriate):
	4 = Like New, Recently Replaced 3 = Normal Wear & Tear 2 = Above Average Wear 1 = Service Required
	Things to look for: <samir edit="" to=""></samir>
Forward & Reverse	4 - Like New, Recently Replaced
Swing Table Rotation	4 - Like New, Recently Replaced
Boom Lift / Angle / Tilt	4 - Like New, Recently Replaced
Blade Functionality	4 - Like New, Recently Replaced
Operating Video	Click to Download

Overall Assessment

Overall Assessment	
Exterior Rating	4
Interior Rating	4
Safety Rating	4





Quality Rating	4
Functionality Rating	4
Overall Rating	4
What's Great About the Machine	Machine has low hours for the year. Machine is well maintained and all functions work properly. With all the extra buckets, compaction wheel and breaker, this Machine is ready for any type of job.
What Needs Work	Left side track may be on backwards. One light inoperable on boom. Quick couplers leaking oil, hyd. Leaking present on hydraulic pump elbow fitting,
Inspector's Name	Mario Ramirez
Date/Time	08-04-2022