


## Inspection Report (Bulldozer)

### General Info

B&B Stock Number	1
Year	2023
Make	John Deere
Model	700L XLT
Serial Number	1T0700LXHPF445537
Hour Meter Reading	25 Hrs.
Previous Application (e.g., earth moving, mining, demolition, etc)	Landscape/Rock Removal

### Dimensions

Measurement Guide	
A. Length (ft and inches)	16'1"
B. Width (ft and inches)	6'6"
C. Height (ft and inches)	10'4"
D. Attachment Width (ft and inches)	10'1"
Operational Weight (lbs)	32,000 Lbs.



### Features and Configuration

Control Station Type	Cab
Blade	Yes
Blade Type	PAT
Blade Specs	6 way blade, 10'1" Wide
Ripper	Yes
Ripper Specs	3 Ripper Set
Heat	Yes
A/C	Yes
Radio	Yes
Backup Camera	Yes
OMM (Operator & Maintenance Manual)	Yes
Grade Control	No
Telematics	No


## Inspection Report (Bulldozer)

### OMM Specifications

### OMM Specifications

Detail Specifications	Take photos of the detailed spec pages included in the operator's manual																																																															
OMM Spec Photos	 <p><b>Miscellaneous—Specifications</b></p> <p><b>700L PAT XLT Crawler Dozer Dimensions</b></p> <p><i>NOTE: Specifications and design are subject to change without notice. Whenever applicable, specifications are in accordance with ISO and SAE standards. Except where otherwise noted, these specifications are based on standard equipment, roll-over protective structure (ROPS), full fuel tank, and 79 kg (175 lb) operator.</i></p> <table border="1"> <thead> <tr> <th>Item</th> <th>Measurement</th> <th>Specification</th> </tr> </thead> <tbody> <tr> <td>1—Blade</td> <td>Height</td> <td>1322 mm 4 ft 4 in</td> </tr> <tr> <td>2—Blade Lift</td> <td>Height</td> <td>977 mm 3 ft 2 in</td> </tr> <tr> <td>3—Blade Digging</td> <td>Depth</td> <td>536 mm 1 ft 9 in</td> </tr> <tr> <td>4—Blade Cutting Edge</td> <td>Angle (adjustable)</td> <td>51.2—58.3°</td> </tr> <tr> <td>5—Machine</td> <td>Overall Length</td> <td>4906 mm 16 ft 1 in</td> </tr> <tr> <td>6—Tread Depth With Single-Bar Grouser</td> <td>Depth</td> <td>56 mm 0 ft 2 in</td> </tr> <tr> <td>7—Ground</td> <td>Clearance (in dirt)</td> <td>387 mm 1 ft 3 in</td> </tr> <tr> <td>8—Cab</td> <td>Height (to roof)</td> <td>3047 mm 10 ft 0 in</td> </tr> </tbody> </table>	Item	Measurement	Specification	1—Blade	Height	1322 mm 4 ft 4 in	2—Blade Lift	Height	977 mm 3 ft 2 in	3—Blade Digging	Depth	536 mm 1 ft 9 in	4—Blade Cutting Edge	Angle (adjustable)	51.2—58.3°	5—Machine	Overall Length	4906 mm 16 ft 1 in	6—Tread Depth With Single-Bar Grouser	Depth	56 mm 0 ft 2 in	7—Ground	Clearance (in dirt)	387 mm 1 ft 3 in	8—Cab	Height (to roof)	3047 mm 10 ft 0 in																																				
Item	Measurement	Specification																																																														
1—Blade	Height	1322 mm 4 ft 4 in																																																														
2—Blade Lift	Height	977 mm 3 ft 2 in																																																														
3—Blade Digging	Depth	536 mm 1 ft 9 in																																																														
4—Blade Cutting Edge	Angle (adjustable)	51.2—58.3°																																																														
5—Machine	Overall Length	4906 mm 16 ft 1 in																																																														
6—Tread Depth With Single-Bar Grouser	Depth	56 mm 0 ft 2 in																																																														
7—Ground	Clearance (in dirt)	387 mm 1 ft 3 in																																																														
8—Cab	Height (to roof)	3047 mm 10 ft 0 in																																																														
	 <p><b>Miscellaneous—Specifications</b></p> <p><b>700L PAT XLT Crawler Dozer Weights</b></p> <p><i>NOTE: Weights listed for optional equipment are not actual component weights.</i></p> <p>Base operating weight includes all standard equipment, roll-over protective structure (ROPS), full fuel tank, and 79 kg (175 lb) operator.</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Measurement</th> <th>Specification</th> </tr> </thead> <tbody> <tr> <td>Base Operating</td> <td>Weight (approximate)</td> <td>14 016—14 049 kg 30 900—30 973 lb</td> </tr> <tr> <td>Blade</td> <td></td> <td></td> </tr> <tr> <td>Straight Blade</td> <td>Weight (approximate)</td> <td>811 kg 1788 lb</td> </tr> <tr> <td>Straight Blade</td> <td>Weight (approximate)</td> <td>844 kg 1861 lb</td> </tr> <tr> <td>Optional Equipment</td> <td></td> <td></td> </tr> <tr> <td>Cab With Pressurizer and Heater/Air Conditioner</td> <td>Weight (approximate)</td> <td>230 kg 507 lb</td> </tr> <tr> <td>Rear Screen (ROPS canopy)</td> <td>Weight (approximate)</td> <td>26 kg 62 lb</td> </tr> <tr> <td>Rear Screen (cab with air conditioner)</td> <td>Weight (approximate)</td> <td>49 kg 108 lb</td> </tr> <tr> <td>Full Enclosure Screens (cab with air conditioner)</td> <td>Weight (approximate)</td> <td>219 kg 483 lb</td> </tr> <tr> <td>Limb Risers (ROPS canopy and cab)</td> <td>Weight (approximate)</td> <td>182 kg 401 lb</td> </tr> <tr> <td>Heavy Duty Grille</td> <td>Weight (approximate)</td> <td>13 kg 29 lb</td> </tr> <tr> <td>Front Counterweight</td> <td>Weight (approximate)</td> <td>144 kg 317 lb</td> </tr> <tr> <td>Rear Counterweight</td> <td>Weight (approximate)</td> <td>468 kg 1032 lb</td> </tr> <tr> <td>Retrieval Hitch</td> <td>Weight (approximate)</td> <td>31 kg 68 lb</td> </tr> <tr> <td>Extended Rigid Drawbar</td> <td>Weight (approximate)</td> <td>93 kg 205 lb</td> </tr> <tr> <td>Winch</td> <td>Weight (approximate)</td> <td>652 kg 1437 lb</td> </tr> <tr> <td>Winch Fairlead, Four Roller</td> <td>Weight (approximate)</td> <td>85 kg 187 lb</td> </tr> <tr> <td>Full-Length Rock Guards</td> <td>Weight (approximate)</td> <td>155 kg 342 lb</td> </tr> <tr> <td>Maximum Life Undercarriage</td> <td>Weight (approximate)</td> <td>211 kg 465 lb</td> </tr> <tr> <td>Rear Ripper</td> <td>Weight (approximate)</td> <td>1444 kg 3183 lb</td> </tr> </tbody> </table>	Item	Measurement	Specification	Base Operating	Weight (approximate)	14 016—14 049 kg 30 900—30 973 lb	Blade			Straight Blade	Weight (approximate)	811 kg 1788 lb	Straight Blade	Weight (approximate)	844 kg 1861 lb	Optional Equipment			Cab With Pressurizer and Heater/Air Conditioner	Weight (approximate)	230 kg 507 lb	Rear Screen (ROPS canopy)	Weight (approximate)	26 kg 62 lb	Rear Screen (cab with air conditioner)	Weight (approximate)	49 kg 108 lb	Full Enclosure Screens (cab with air conditioner)	Weight (approximate)	219 kg 483 lb	Limb Risers (ROPS canopy and cab)	Weight (approximate)	182 kg 401 lb	Heavy Duty Grille	Weight (approximate)	13 kg 29 lb	Front Counterweight	Weight (approximate)	144 kg 317 lb	Rear Counterweight	Weight (approximate)	468 kg 1032 lb	Retrieval Hitch	Weight (approximate)	31 kg 68 lb	Extended Rigid Drawbar	Weight (approximate)	93 kg 205 lb	Winch	Weight (approximate)	652 kg 1437 lb	Winch Fairlead, Four Roller	Weight (approximate)	85 kg 187 lb	Full-Length Rock Guards	Weight (approximate)	155 kg 342 lb	Maximum Life Undercarriage	Weight (approximate)	211 kg 465 lb	Rear Ripper	Weight (approximate)	1444 kg 3183 lb
Item	Measurement	Specification																																																														
Base Operating	Weight (approximate)	14 016—14 049 kg 30 900—30 973 lb																																																														
Blade																																																																
Straight Blade	Weight (approximate)	811 kg 1788 lb																																																														
Straight Blade	Weight (approximate)	844 kg 1861 lb																																																														
Optional Equipment																																																																
Cab With Pressurizer and Heater/Air Conditioner	Weight (approximate)	230 kg 507 lb																																																														
Rear Screen (ROPS canopy)	Weight (approximate)	26 kg 62 lb																																																														
Rear Screen (cab with air conditioner)	Weight (approximate)	49 kg 108 lb																																																														
Full Enclosure Screens (cab with air conditioner)	Weight (approximate)	219 kg 483 lb																																																														
Limb Risers (ROPS canopy and cab)	Weight (approximate)	182 kg 401 lb																																																														
Heavy Duty Grille	Weight (approximate)	13 kg 29 lb																																																														
Front Counterweight	Weight (approximate)	144 kg 317 lb																																																														
Rear Counterweight	Weight (approximate)	468 kg 1032 lb																																																														
Retrieval Hitch	Weight (approximate)	31 kg 68 lb																																																														
Extended Rigid Drawbar	Weight (approximate)	93 kg 205 lb																																																														
Winch	Weight (approximate)	652 kg 1437 lb																																																														
Winch Fairlead, Four Roller	Weight (approximate)	85 kg 187 lb																																																														
Full-Length Rock Guards	Weight (approximate)	155 kg 342 lb																																																														
Maximum Life Undercarriage	Weight (approximate)	211 kg 465 lb																																																														
Rear Ripper	Weight (approximate)	1444 kg 3183 lb																																																														

## Inspection Report (Bulldozer)



### Exterior Walkaround Photos

### 360 Walkaround & Operating Video

### Walkaround Photos & Operating Video

#### Exterior Walkaround Photos



Inspection Report (Bulldozer)



Inspection Report (Bulldozer)



## Inspection Report (Bulldozer)



Operating Video [Click to Download](#)

Additional Video [Click to Download](#)

## General Appearance Inspection Points

### General Appearance

### Inspection Rating Criteria

#### Inspection Rating Criteria

Rating Scale	Explanation
1 - Service Required	Requires immediate repairs to function as expected.
2 - Above Average Wear & Tear	Exhibits greater wear than expected given age and usage. While operable, further diagnosis may be needed.
3 - Normal Wear & Tear	Exhibits wear that is consistent with age and usage. Operation is normal, and as expected.
4 - Very Light or Minimal Wear	Exhibits very minimal wear. Operation is better than expected given age and usage.
5 - Like New, Recently Replaced	Excellent condition, free of visible wear or damage. Operation is within factory specifications.

## General Appearance Photos

#### Close-up Exterior Photos



Inspection Report (Bulldozer)



Inspection Report (Bulldozer)





Inspection Report (Bulldozer)



Inspection Report (Bulldozer)



Inspection Report (Bulldozer)



Inspection Report (Bulldozer)



Inspection Report (Bulldozer)




Inspection Report (Bulldozer)



Inspection Report (Bulldozer)



## Inspection Report (Bulldozer)



### General Appearance Inspection Points

Body Panels	5 - Like New, Recently Replaced
Doors / Canopy Latches	5 - Like New, Recently Replaced
Steps / Ladders	5 - Like New, Recently Replaced
Handrails	5 - Like New, Recently Replaced
Glass	5 - Like New, Recently Replaced
Mirrors	5 - Like New, Recently Replaced
Exterior Lights	5 - Like New, Recently Replaced

### Control Station Inspection Points

#### Control Station

#### Control Station Photos



### Inspection Report (Bulldozer)

Control Station Photos



Inspection Report (Bulldozer)



Inspection Report (Bulldozer)



Inspection Report (Bulldozer)



Inspection Report (Bulldozer)



Inspection Report (Bulldozer)



Inspection Report (Bulldozer)



Inspection Report (Bulldozer)





Inspection Report (Bulldozer)





Inspection Report (Bulldozer)



Inspection Report (Bulldozer)



## Inspection Report (Bulldozer)

<p>Serial Number Plate</p>	
<p>Hour Meter/Odometer</p>	
<p>Control Station Overall Rating</p>	<p>5 - Like New, Recently Replaced</p>
<p>Operator Seat</p>	<p>5 - Like New, Recently Replaced</p>
<p>Cabin Lights</p>	<p>5 - Like New, Recently Replaced</p>
<p>Safety Lock Out / Stop</p>	<p>5 - Like New, Recently Replaced</p>
<p>Controls &amp; Switches</p>	<p>5 - Like New, Recently Replaced</p>
<p>Hour Meter Activity</p>	<p>5 - Like New, Recently Replaced</p>
<p>Other Gauge Activity</p>	<p>5 - Like New, Recently Replaced</p>
<p>Heater &amp; A/C</p>	<p>5 - Like New, Recently Replaced</p>




## Inspection Report (Bulldozer)

Travel Alarm	5 - Like New, Recently Replaced
Horn	5 - Like New, Recently Replaced
Backup Camera	5 - Like New, Recently Replaced

## Engine Inspection Points

### Engine

### Engine Compartment Photos

<p>Engine Data Plate</p>	
<p>Engine Compartment Photos</p>	
	

Inspection Report (Bulldozer)



Inspection Report (Bulldozer)






Inspection Report (Bulldozer)





### Inspection Report (Bulldozer)

	
	
	
<b>Engine Type (Make, Model, Cylinders, Hp)</b>	John Deere - 6068HT - 6 Cyl. - 135HP
<b>Emissions Tier</b>	Tier 4F
<b>Engine Serial Number</b>	N/A
<b>Engine Fuel Type</b>	Diesel
<b>Blow-by (Visual Observation Check)</b>	No
<b>Unusual Noises (Upon Start-up, Idle, Shutdown)</b>	No




## Inspection Report (Bulldozer)

Engine Smoke (Upon Start-up, Idle, Shutdown)	No
Engine Exhaust Color	Clear
Battery	5 - Like New, Recently Replaced
Battery Condition	Like new, recently replaced
Radiator	5 - Like New, Recently Replaced
Radiator Condition	Radiator fins & components appear to be in good working order, no signs of damage or leaks
Belts	5 - Like New, Recently Replaced
Belt Condition	Belts appear in good condition & alignment with proper tension
Hoses	5 - Like New, Recently Replaced
Hose Condition	Firm, pliant hoses with no signs of wear or leaks
Water Pump	5 - Like New, Recently Replaced
Water Pump Condition	No unusual pump noises heard
Cooling System Leaks	No
Coolant Color / Appearance	5 - Like New, Recently Replaced
Coolant Color/Appearance Notes	Normal Translucent appearance, no visual signs of contamination
Oil Leaks	No
Oil Color / Appearance	5 - Like New, Recently Replaced
Oil Color / Appearance Notes	Clean oil appearance, no signs of cross contamination, Appropriate oil level
Fuel Leaks	No
Equipped with DPF (Diesel Particulate Filter)	Yes
DPF Condition	5 - Like New, Recently Replaced
DPF Condition Notes	Filter housing is intact with no signs of damage or malfunction, DPF indicator is not illuminated
Requires DEF (Diesel Exhaust Fluid)	Yes
DEF Tank	5 - Like New, Recently Replaced
DEF Tank Condition	Area around DEF tank cap is clean, fluid is clear & appears free of contaminants
Overall Engine Rating	5 - Like New, Recently Replaced
Overall Engine Appearance	Clean & dry, Dusty & dry
Overall Engine Comments	Engine has "like new" appearance and runs great, as expected.

## Drivetrain Inspection Points

### Drivetrain

### Inspection Report (Bulldozer)

<p>Drivetrain Photos</p>		
		
		

## Inspection Report (Bulldozer)



Hydrostatic Transmission?	Yes
2 Speed?	Yes
Hydrostatic Drive Configuration	Split Transmission
Transmission Components	5 - Like New, Recently Replaced
Transmission Condition	Good forward and reverse function
Drive Motors	5 - Like New, Recently Replaced
Parking Brake	5 - Like New, Recently Replaced
Parking Brake Function	Good brake function
Overall Drivetrain Comments	Drivetrain in great condition and no issues observed during the inspection.

## Undercarriage Inspection Points

### Track Undercarriage

#### Basic Information

OEM Specific Undercarriage System (Ex. CAT SystemOne)	HD Sealed Grease Lubricated XLT (Extra Long Track)
High Drive Configuration	No
Sealed and Lubricated Track Undercarriage (SALT)?	Yes
Oil Filled?	No
Grease Filled?	Yes
Low Ground Pressure (LGP)?	No
Track Shoe Width (inches)	22"
Length of Track on Ground (ft and inches)	8'7"
Number of Rollers (per side)	7
Number of Shoes (per side)	39

### Undercarriage Photos

### Inspection Report (Bulldozer)

Undercarriage Photos



Inspection Report (Bulldozer)



Inspection Report (Bulldozer)



Inspection Report (Bulldozer)





Inspection Report (Bulldozer)



Inspection Report (Bulldozer)



Inspection Report (Bulldozer)



## Inspection Report (Bulldozer)



### Undercarriage Components

Sprocket Teeth	4 - Very Light or Minimal Wear
Track Bushings	4 - Very Light or Minimal Wear
Track Frames	5 - Like New, Recently Replaced
Pivot Shafts	5 - Like New, Recently Replaced
Equalizer Bar & Joints	5 - Like New, Recently Replaced
Front Idler	4 - Very Light or Minimal Wear
Track Tensioner	5 - Like New, Recently Replaced
Track links	5 - Like New, Recently Replaced
Bottom Rollers	4 - Very Light or Minimal Wear
Carrier Rollers	4 - Very Light or Minimal Wear
Overall Undercarriage	5 - Like New, Recently Replaced
Overall Undercarriage Comments	Great shape, Normal break-in wear.

### Chassis Inspection Points



Inspection Report (Bulldozer)



Inspection Report (Bulldozer)



Inspection Report (Bulldozer)





Inspection Report (Bulldozer)





## Inspection Report (Bulldozer)

	
	
<b>Push Arm / C-Frame Condition</b>	5 - Like New, Recently Replaced
<b>Push Arm Pivot / C-Frame Trunnions Condition</b>	5 - Like New, Recently Replaced
<b>Tilt Linkage Pin &amp; Bushings</b>	5 - Like New, Recently Replaced
<b>Angle Linkage Pin &amp; Bushings</b>	5 - Like New, Recently Replaced
<b>Blade Trunnions / Bushings</b>	5 - Like New, Recently Replaced
<b>Frame Condition</b>	5 - Like New, Recently Replaced
<b>Belly Pans</b>	5 - Like New, Recently Replaced
<b>Overall Chassis</b>	5 - Like New, Recently Replaced
<b>Overall Chassis Comments</b>	Main Frame and Implements in Excellent Condition.

### Hydraulics Overall Inspection Points



#### Hydraulics Overall

### Inspection Report (Bulldozer)

Hydraulic System Photos



## Inspection Report (Bulldozer)

	
	
<b>Wet or Damp Hydraulic Lines / Fittings</b>	No
<b>Appearance of Hydraulic Lines / Fittings</b>	5 - Like New, Recently Replaced
<b>Hydraulic Lines / Fittings Condition</b>	Hydraulic lines & fittings are clean and in good condition
<b>Hydraulic Pump(s)</b>	5 - Like New, Recently Replaced
<b>Unusual Noises (Hydraulic Pump)</b>	No
<b>Hydraulic Pump Notes</b>	No unusual noises heard during operation

### Hydraulics Cylinders Inspection Points

### Inspection Report (Bulldozer)



Hydraulic Cylinder(s) Photos



Inspection Report (Bulldozer)



## Inspection Report (Bulldozer)

	
	
<b>Hydraulic Cylinder(s) Condition</b>	5 - Like New, Recently Replaced
<b>Mounting Pins</b>	5 - Like New, Recently Replaced
<b>Cylinder: Oil Leaks</b>	No

## Attachment Inspection Points

### Attachments

### Additional Attachments

<b>Attachment Type</b>	6 Way Blade
<b>Attachment Make</b>	JD
<b>Attachment Size / Specs</b>	10"W - 4'4"H
<b>Attachment Condition</b>	4 - Very Light or Minimal Wear
<b>Comments</b>	Normal Break-In Wear

### Inspection Report (Bulldozer)

Attachment Photos



Inspection Report (Bulldozer)





## Inspection Report (Bulldozer)



### Functional Test

#### Functionality Assessment

#### Functionality Assessment

Engine	5 - Like New, Recently Replaced
Transmission/Drivetrain	5 - Like New, Recently Replaced
Travel (Forward/Reverse/Steering)	5 - Like New, Recently Replaced
Brakes	5 - Like New, Recently Replaced
Hydraulic System	5 - Like New, Recently Replaced
Electric Operating System	5 - Like New, Recently Replaced
Controls	5 - Like New, Recently Replaced
Safety Systems	5 - Like New, Recently Replaced
Core Functions	5 - Like New, Recently Replaced
Attachments	5 - Like New, Recently Replaced
Overall Functional Test Comments	Machine in "Like New" Condition, with no issues observed during operation.

### Inspection Summary

#### Overall Assessment

## Inspection Report (Bulldozer)

Inspection Rating Criteria	Rating Scale	Explanation
	1 - Service Required	Requires immediate repairs to function as expected.
	2 - Above Average Wear & Tear	Exhibits greater wear than expected given age and usage. While operable, further diagnosis may be needed.
	3 - Normal Wear & Tear	Exhibits wear that is consistent with age and usage. Operation is normal, and as expected.
	4 - Very Light or Minimal Wear	Exhibits very minimal wear. Operation is better than expected given age and usage.
	5 - Like New, Recently Replaced	Excellent condition, free of visible wear or damage. Operation is within factory specifications.
Exterior Rating	5 - Like New, Recently Replaced	
Interior Rating	5 - Like New, Recently Replaced	
Safety Rating	5 - Like New, Recently Replaced	
Quality Rating	5 - Like New, Recently Replaced	
Functionality Rating	5 - Like New, Recently Replaced	
Overall Rating	5 - Like New, Recently Replaced	
What's Great About the Machine	Machine has less than 50 hours and is in Excellent Condition. This Dozer is equipped with the latest Operator CAB ergonomic features, overall visibility upgrades and Performance Increases with JD's bulletproof 6068HT Inline 6 Engine. Dozer has Various Transmission Settings for operator preference.	
What Needs Work	A minor cab cleanup	
Date/Time	06-02-2023	