Issue date: 04.09.2015 Version 1 Revision: 04.09.2015

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
  - · Product name: Automatic Transmission Fluid Cleaner
    - · Part number: 400-0130EU
    - · Application of the substance / the mixture Automatic Transmission fluid Cleaner
- · 1.3 Details of the supplier of the safety data sheet
  - · Manufacturer/Supplier:

Motorvac, division of, CPS Products Canada Ltd.

1324 Blundell Road

Mississauga, ON, L4Y 1M5

Canada

Phone: (905) 615-8620

- · email of person responsible: customerservice@motorvac.com
- 1.4 Emergency telephone number: CHEMTREC International +1 (703) 527-3887 24 hr

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
  - · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
  - · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02 GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

4-methylpentan-2-ol oleic acid, pure

· Hazard statements

H226 Flammable liquid and vapour.

H335 May cause respiratory irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P312 Call a POISON CENTER/doctor if you feel unwell.

P370+P378 In case of fire: Use for extinction: CO2, sand, extinguishing powder.

P405 Store locked up.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

- · 2.3 Other hazards
  - · Results of PBT and vPvB assessment
    - · PBT: Not applicable.

(Contd. on page 2)

### **Product name: Automatic Transmission Fluid Cleaner**

· vPvB: Not applicable.

(Contd. of page 1)

# **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
  - · Description: Mixture: consisting of the following hazardous components.

· Dangerous components:			
CAS: 108-11-2	4-methylpentan-2-ol	10-<25%	
EINECS: 203-551-7	Flam. Liq. 3, H226; STOT SE 3, H335		
	oleic acid, pure	2.5-<10%	
EINECS: 204-007-1	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335		

· Additional information: For the wording of the listed risk phrases refer to section 16.

# **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
  - · After inhalation: Supply fresh air; consult doctor in case of complaints.
  - · After skin contact:

Wash with plenty of soap and water. Remove contaminated clothing. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse.

· After eye contact:

Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

· After swallowing:

Rinse mouth with water.

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If conscious, give small quantities of water to drink.

Stop if victim feels sick.

Do not induce vomitting.

If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

Coughing

May cause respiratory tract irritation.

- · Information for doctor: Treat Symptomatically
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
  - · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
  - · For safety reasons unsuitable extinguishing agents: Water
- · 5.2 Special hazards arising from the substance or mixture

See section 10 for additional information.

- · 5.3 Advice for firefighters
  - · Protective equipment:

Wear full protective firegear including self-containing breathing apparatus operated in the positive pressure mode with full facepiece, coat, pants, gloves and boots. Do not use a water jet.

Issue date: 04.09.2015 Version 1 Revision: 04.09.2015

#### **Product name: Automatic Transmission Fluid Cleaner**

(Contd. of page 2)

#### **SECTION 6: Accidental release measures**

# · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Use respiratory protective device against the effects of fumes/dust/aerosol.

Remove persons from danger area.

Avoid breathing vapor or mist.

Do not touch or walk through spilled material.

#### · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.

Prevent from spreading (e.g. by damming-in or oil barriers).

#### · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Do not flush with water or aqueous cleansing agents

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Avoid contact with the eyes and skin.

Avoid contact with clothing.

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Keep in the original containers.

See section 8 for personal protective equipment.

Do not reuse container.

#### · Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep away from ignition sources and high temperature materials.

## · 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
  - · Requirements to be met by storerooms and receptacles:

See section 10 for incompatible materials.

· Information about storage in one common storage facility:

Store away from water.

Store in a cool dry place in tightly closed containers.

- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

Issue date: 04.09.2015 Version 1 Revision: 04.09.2015

### **Product name: Automatic Transmission Fluid Cleaner**

(Contd. of page 3)

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

### 108-11-2 4-methylpentan-2-ol (10-<25%)

WEL Short-term value: 170 mg/m³, 40 ppm Long-term value: 106 mg/m³, 25 ppm

· Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

- · Personal protective equipment:
  - · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

Remove all soiled and contaminated clothing.

· Respiratory protection:

In case of brief exposure or low pollution use repiratory filter device. In case of intensive or longer exposure use respirator protective device that is independent of circulating air.

Protection of hands:



Chemical resistant protective gloves (EN 374)

· Eye protection:



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

# **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties · General Information · Appearance: · Form: Fluid · Colour: Red · Odour: Mild · Odour threshold: Not determined. · pH-value: Not determined. · Change in condition · Melting point/Melting range: Undetermined. 131 °C · Boiling point/Boiling range: 45 °C · Flash point: · Flammability (solid, gaseous): Not applicable. 305 °C · Ignition temperature: · Decomposition temperature: Not determined.

(Contd. on page 5)

Issue date: 04.09.2015 Version 1 Revision: 04.09.2015

### **Product name: Automatic Transmission Fluid Cleaner**

	(Contd. of page			
· Self-igniting:	Product is not selfigniting.			
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.			
· Explosion limits:				
· Lower:	1.0 Vol %			
· Upper:	5.5 Vol %			
· Vapour pressure at 20 °C:	7 hPa			
· Density:	Not determined.			
· Relative density	Not determined.			
· Vapour density	Not determined.			
· Evaporation rate	Not determined.			
· Solubility in / Miscibility with				
· water:	Not miscible or difficult to mix.			
· Partition coefficient (n-octanol/v	· Partition coefficient (n-octanol/water): Not determined.			
· Viscosity:				
· Dynamic:	Not determined.			
· Kinematic:	Not determined.			
· Solvent content:				
· Organic solvents:	0.0 %			
· 9.2 Other information	No further relevant information available.			

# **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
  - Thermal decomposition / conditions to be avoided:

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid Heat, open flames, sparks.
- · 10.5 Incompatible materials: Strong Oxidizers
- 10.6 Hazardous decomposition products: May include, and are not limited to: oxides of carbon.

# **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
  - · Acute toxicity

·L	· LD/LC50 values relevant for classification:			
108-11-2 4-methylpentan-2-ol				
		2590 mg/kg (rat)		
Dermal	LD50	3560 mg/kg (rabbit)		
	112-80-1 oleic acid, pure			
Oral	LD50	74000 mg/kg (rat)		

- · Primary irritant effect:
  - · Skin corrosion/irritation May cause mild skin irritation.

(Contd. on page 6)

Issue date: 04.09.2015 Version 1 Revision: 04.09.2015

### **Product name: Automatic Transmission Fluid Cleaner**

(Contd. of page 5)

### · Serious eye damage/irritation

May cause eye irritation. Symptons may include discomfort or pain, excessive blinking and tear production, with possible redness and swelling.

· Inhalation:

May cause respiratory tract irritation. coughing

· Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
  - · Germ cell mutagenicity Based on available data, the classification criteria are not met.
  - · Carcinogenicity Based on available data, the classification criteria are not met.
  - · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
  - · Aquatic toxicity:

112-80-1 oleic acid, pure

LC50 (96 h) 205 mg/L (fish)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential

108-11-2 4-methylpentan-2-ol

Bioaccumulation LogPow 1.43 (-) (potential low)

112-80-1 oleic acid, pure

Bioaccumulation LogPow 7.73 (-) (potential high)

- 12.4 Mobility in soil No further relevant information available.
  - · Additional ecological information:
    - · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
  - · **PBT**: Not applicable.
  - · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
  - · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Issue date: 04.09.2015 Version 1 Revision: 04.09.2015

# **Product name: Automatic Transmission Fluid Cleaner**

(Contd. of page 6)

- Uncleaned packaging:
   Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number · ADR, IMDG, IATA	UN2053
14.2 UN proper shipping name · ADR	UN2053 METHYL ISOBUTYL CARBINOI mixture
· IMDG, IATA	METHYL ISOBUTYL CARBINOL mixture
14.3 Transport hazard class(es)	
· ADR	
3	
· Class	3 (F1) Flammable liquids.
· Label	3
· IMDG, IATA	
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
<ul> <li>Danger code (Kemler):</li> <li>EMS Number:</li> </ul>	30 F-E,S-D
14.7 Transport in bulk according to Anne	·
of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1
	Maximum net quantity per inne packaging: 30 ml
	Maximum net quantity per oute packaging: 1000 ml
Transport category	3
· Tunnel restriction code	D/E

Issue date: 04.09.2015 Version 1 Revision: 04.09.2015

#### **Product name: Automatic Transmission Fluid Cleaner**

(Contd. of page 7)

· IMDG

Limited quantities (LQ)Excepted quantities (EQ)5LCode: E1

Maximum net quantity per inner

packaging: 30 ml

Maximum net quantity per outer

packaging: 1000 ml

· UN "Model Regulation": UN2053, METHYL ISOBUTYL CARBINOL

mixture, 3, III

# **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No REACH Annex XVII restrictions

Contains no REACH candidate substance

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Issue Date: September 4, 2015
  - · Relevant phrases

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

- · Contact: Engineering Department
  - · Revision Changes: v 1.0 original SDS release (September 4, 2015)
  - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids, Hazard Category 3 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3