

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 09/30/2015

v 1

Last Revision Date: 09/30/2015

1 Identification

- **Product identifier**

- **Trade name: Optima eBOOST AC/R Moisture Remover**

- **Part number: OPEBM6S**

- **Application of the substance / the mixture** air conditioning additive

- **Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

CPS Products

1010 East 31st Street,

Hialeah, Florida, 33013

U.S.A.

Tel: 305-687-4121, 1-800-277-3808

E-mail: info@cpsproducts.com

- **Emergency telephone number:**

CHEMTREC International +1 (703) 527-3887 (outside the US), 1-800-424-9300 (in the US) 24 hr

2 Hazard(s) identification

- **Classification of the substance or mixture**

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02 GHS07

- **Signal word** Danger

- **Hazard-determining components of labeling:**

propan-2-ol

- **Hazard statements**

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

- **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Avoid breathing vapours.

Wear protective gloves/protective clothing/eye protection/face protection.

Use explosion-proof electrical/ventilating/lighting/equipment.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Store in a well-ventilated place. Keep cool.

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 09/30/2015

v 1

Last Revision Date: 09/30/2015

Trade name: Optima eBOOST AC/R Moisture Remover

(Contd. of page 1)

- **Classification system:**
 - **NFPA ratings (scale 0 - 4)**



Health = 1
Fire = 3
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 1
Fire = 3
Reactivity = 0

- **Other hazards**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
 - **Description:** Mixture: consisting of the following hazardous components.

· **Chemical components:**

67-63-0	propan-2-ol	25-50%
---------	-------------	--------

4 First-aid measures

- **Description of first aid measures**
 - **After inhalation:** Supply fresh air; consult doctor in case of complaints.
 - **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
 - **After eye contact:**
Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.
 - **After swallowing:** Rinse out mouth. Do not induce vomiting. If symptoms persist consult doctor.
 - **Information for doctor:**
 - **Most important symptoms and effects, both acute and delayed**
Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
See section 11.
 - **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
 - **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** See section 10 for additional information.

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 09/30/2015

v 1

Last Revision Date: 09/30/2015

Trade name: Optima eBOOST AC/R Moisture Remover

(Contd. of page 2)

- **Advice for firefighters**
 - **Protective equipment:**
Wear full protective firegear including self-containing breathing apparatus operated in the positive pressure mode with full facepiece, coat, pants, gloves and boots. Do not use a water jet.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Prevent seepage into sewage system, workpits and cellars.
Dilute with plenty of water.
Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
 - **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
See section 8 for personal protective equipment.
 - **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:**
See section 10 for incompatible materials.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:**
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

67-63-0 propan-2-ol (25-50%)

PEL	Long-term value: 980 mg/m ³ , 400 ppm
REL	Short-term value: 1225 mg/m ³ , 500 ppm
	Long-term value: 980 mg/m ³ , 400 ppm

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 09/30/2015

v 1

Last Revision Date: 09/30/2015

Trade name: Optima eBOOST AC/R Moisture Remover

(Contd. of page 3)

TLV	Short-term value: 984 mg/m ³ , 400 ppm Long-term value: 492 mg/m ³ , 200 ppm BEI
-----	--

· **Ingredients with biological limit values:**

67-63-0 propan-2-ol (25-50%)

BEI	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)
-----	---

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Chemical resistant protective gloves

· **Eye protection:**



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Liquid
· Color:	Amber colored
· Odor:	Characteristic
· Odour threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	82 °C

· **Flash point:** 13 °C

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 425 °C

· **Decomposition temperature:** Not determined.

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 09/30/2015

v 1

Last Revision Date: 09/30/2015

Trade name: Optima eBOOST AC/R Moisture Remover

(Contd. of page 4)

· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
· Lower:	2.0 Vol %
· Upper:	12.0 Vol %
· Vapor pressure at 20 °C:	43 hPa
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
· Solvent content:	
· Organic solvents:	30.0 %
· VOC content:	30.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
 - **Thermal decomposition / conditions to be avoided:**
Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Heat, open flames, sparks.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** May include, and are not limited to: oxides of carbon.

11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

Inhalative	LC50/4 h (vapor)	100 mg/L (rat)
67-63-0 propan-2-ol		
Oral	LD50	5045 mg/kg (rat)
Dermal	LD50	12800 mg/kg (rabbit)
Inhalative	LC50/4 h (vapor)	30 mg/L (rat)

(Contd. on page 6)

US

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 09/30/2015

v 1

Last Revision Date: 09/30/2015

Trade name: Optima eBOOST AC/R Moisture Remover

(Contd. of page 5)

- **Primary irritant effect:**
 - **on the skin:**
May cause mild skin irritation. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis.
 - **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

67-63-0	propan-2-ol	3
---------	-------------	---

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
 - **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
 - **Bioaccumulative potential** No further relevant information available.
 - **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
 - **General notes:** Not known to be hazardous to water.
- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
 - **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
 - **Recommendation:** Disposal must be made according to official regulations.
 - **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|---------------------|--------|
| · UN-Number | |
| · DOT | UN1993 |
| · IMDG, IATA | UN1219 |

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS



Issue date: 09/30/2015

v 1

Last Revision Date: 09/30/2015

Trade name: Optima eBOOST AC/R Moisture Remover

(Contd. of page 6)

<ul style="list-style-type: none"> · UN proper shipping name · IMDG, IATA 	<p>ISOPROPANOL (ISOPROPYL ALCOHOL) solution</p>
<ul style="list-style-type: none"> · Transport hazard class(es) · DOT 	
	
<ul style="list-style-type: none"> · Class · Label 	<p>3 Flammable liquids 3</p>
<ul style="list-style-type: none"> · IMDG, IATA 	
	
<ul style="list-style-type: none"> · Class · Label 	<p>3 Flammable liquids 3</p>
<ul style="list-style-type: none"> · Packing group · DOT, IMDG, IATA 	<p>II</p>
<ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: 	<p>No</p>
<ul style="list-style-type: none"> · Special precautions for user · Danger code (Kemler): · EMS Number: 	<p>Warning: Flammable liquids 33 F-E,S-D</p>
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	<p>Not applicable.</p>
<ul style="list-style-type: none"> · Transport/Additional information: 	
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) 	<p>1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml</p>
<ul style="list-style-type: none"> · Size/package type: 	<p>LTD QTY, Consumer Commodity, ORM-D (42 mL/syringe)</p>
<ul style="list-style-type: none"> · UN "Model Regulation": 	<p>UN1219, Isopropanol (Isopropyl alcohol), solution, 3, II</p>

US

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 09/30/2015

v 1

Last Revision Date: 09/30/2015

Trade name: Optima eBOOST AC/R Moisture Remover

(Contd. of page 7)

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

All ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

67-63-0 propan-2-ol

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02 GHS07

· **Signal word** Danger

· **Hazard-determining components of labeling:**

propan-2-ol

· **Hazard statements**

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Avoid breathing vapours.

Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 09/30/2015

v 1

Last Revision Date: 09/30/2015

Trade name: Optima eBOOST AC/R Moisture Remover

(Contd. of page 8)

Use explosion-proof electrical/ventilating/lighting/equipment.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Store in a well-ventilated place. Keep cool.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Contact:** Engineering Department

· **Issue Date** September 30, 2015

· **Revision Changes:** v 1.0 - original SDS release (September 30, 2015)

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

US