Issue date: 13.08.2015

Version 1

Revision: 13.08.2015

 1.1 Product Identifier Product name: Cooling System Sealant Part number: 202230 Application of the substance / the mixture automotive radiator sealant 1.3 Details of the subplier of the safety data sheet Manufacturer/Supplier: Terraclean, division of, CPS Products Canada Ltd. 1324 Blundel Road Mississauga, ON, L4Y 1M5 Canada Phome: (905) 615-8620 email of person responsible: customerservice@terraclean.net 1.4 Emergency telephone number: CHEMTREC International +1 (703) 527-3887 24 hr SECTION 2: Hazards identification 3.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction. Carc. 2 H351 Suspected of causing cancer. 3.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard plotgrams Www. 2.2" (hexatyndron-1,3,5-triazine-1,3,5-triyl)thiethanol titanium dioxide Hazard statements Hazard statements H317 May cause an allergic skin reaction. H327 (Hexatyndron-1,3,5-triyl)thiethanol titanium dioxide Hazard statements H317 May cause an allergic skin reaction. H337 Suspected of causing cancer. P202 Do not handle until all safety precautions have been read and understood. P332-P331 Fish initration or rash occurs: Get medical advice/attention. P304 P303 His in initation or rash occurs: Get medical advice/attention. P304 P303 Bis in initiation or	SECTION 1: Identification of the substance/mixture and of the company/ undertaking
Part number:Part number:• Application of the substance / the mixture automotive radiator sealant• Application of the subplier of the safety data sheet• Manufacturer/Supplier:Terraclean, division of, CPS Products Canada Ltd.1324 Blundel RoadMississauga, ON, L4Y 1M5CanadaPhone:(905) 615-8620• email of person responsible: customerservice@terraclean.net• 1.4 Emergency telephone number: CHEMTREC International +1 (703) 527-3887 24 hrSECTION 2: Hazards IdentificationSECTION 2: Hazards IdentificationCassification of the substance or mixture• Classification according to Regulation (EC) No 1272/2008Kin Sens. 1H317 May cause an allergic skin reaction.Care. 2H351 Suspected of causing cancer.• 21 Label elements• Labelling according to Regulation (EC) No 1272/2008The product is classified and labelled according to the CLP regulation.• Hazard othermining components of labelling:• 2:2".checkatydor-1,3.5-triazine-1,3.5-trijyl)triethanol• Hazard determining components of labelling:• 2:2".checkatydor-1,3.5-triazine-1,3.5-trijyl)triethanol• H317 May cause an allergic skin reaction.• H331 Suspected of causing cancer.• H321 May cause an allergic skin reaction.• H332 Suspected of causing cancer.• H331 May cause an allergic skin reaction.• H331 May cause an allergic skin reaction.H331 May cause an allergic skin reaction.H331 May cause an allergic skin reaction.H331 May cause an alle	· 1.1 Product identifier
• Application of the substance / the mixture automotive radiator sealant • Application of the supplier of the safety data sheet • Manufacturer/Supplier: Terraclean, division of, CPS Products Canada Ltd. 1324 Blundel Road Mississauga, ON, L4Y 1MS Canada Phone: (905) 615-8620 • email of person responsible: customerservice@terraclean.net • 1.4 Emergency telephone number: CHEMTREC International +1 (703) 527-3887 24 hr SECTION 2: Hazards identification • Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction. Car. 2 H351 Suspected of causing cancer. • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. • Hazard pictograms • Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. • Hazard determining components of labelling: 2.2.2 "(nexatydynci-1.3.5-triazine-1.3.5-trijyl)triethanol titanium dioxide • Hazard determining components of labelling: 2.2.2 "(nexatydynci-1.3.5-triazine-1.3.5-trijyl)triethanol titanium dioxide • Hazard statements H317 May cause an allergic skin reaction. H331 Suspected of causing cancer. • Procutionary statements P202 Do not handle until all safety precautions have been read and understood. P302-P352 IF ON SKIN: Wash with plenty of soap and water. P405 Store lockd up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. • 23 Other hazards • Results of PET and VPVB assessment • PEN: Not applicable.	· Product name: Cooling System Sealant
$\label{eq:second} \begin{array}{l} \mbox{Manufacturer/Supplier:} \\ Terraclean, division of, CPS Products Canada Ltd. \\ 1324 Blundel Road \\ Mississauga, ON, L4Y 1145 \\ Canada \\ Phone: (905) 615-8620 \\ \mbox{email of person responsible: customerservice@terraclean.net \\ \mbox{Id emergency telephone number: CHEMTREC International +1 (703) 527-3887 24 hr \\ \mbox{Id Emergency telephone number: CHEMTREC International +1 (703) 527-3887 24 hr \\ \mbox{Id Emergency telephone number: CHEMTREC International +1 (703) 527-3887 24 hr \\ \mbox{Id Emergency telephone number: CHEMTREC International +1 (703) 527-3887 24 hr \\ \mbox{Id Emergency telephone number: CHEMTREC International +1 (703) 527-3887 24 hr \\ \mbox{Id Emergency telephone number: CHEMTREC International +1 (703) 527-3887 24 hr \\ \mbox{Id Emergency telephone number: CHEMTREC International +1 (703) 527-3887 24 hr \\ \mbox{Id Emergency telephone number: CHEMTREC International +1 (703) 527-3887 24 hr \\ \mbox{Id Emergency telephone number: CHEMTREC International (EC) No 1272/2008 \\ \mbox{Skin Sens. 1 H317 May cause an allergic skin reaction. \\ \mbox{Id Eard Id Id Bacelled an coording to the CLP regulation. \\ \mbox{Id Eard Id Id Bacelled and labelled according to the CLP regulation. \\ \mbox{Itariant dioxide } \\ \mbox{Id Eard Id Edemtrining components of labelling: \\ \mbox{2.2/2". (hexahydro-1,3,5-triazine-1,3,5-triy)(briethanol titarium dioxide \\ \mbox{Itariant dioxide } \\ Id Eard Id Emergence International international regulation or rash occurs: Get medical advice/attention. \\ \mbox{P32.H313 If skin irritation or rash occurs: Get medical advice/attention. \\ \mbox{P32.H323 If Skin irritation or rash occurs: Get $	
 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction. Carc. 2 H351 Suspected of causing cancer. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms Ójóv GHS07 GHS08 Signal word Warning Hazard-determining components of labelling: 2.2'.2"-(hexahydro-1,3,5-trizine-1,3,5-triyl)triethanol titanium dioxide Hazard statements H317 May cause an allergic skin reaction. H318 Usage an allergic skin reaction. H317 May cause an allergic skin reaction. H317 May cause an allergic skin reaction. H318 Usage and allergic skin reaction. H318 Usage and allergic skin reaction. H318 Usage an allergic skin reaction. H318 Usage and the until all safety precautions have been read and understood. P33+P313 If skin irritation or rash occurs: Get medical advice/attention. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards PB1: Not applicable. 	Manufacturer/Supplier: Terraclean, division of, CPS Products Canada Ltd. 1324 Blundel Road Mississauga, ON, L4Y 1M5 Canada Phone: (905) 615-8620
 • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction. Carc. 2 H351 Suspected of causing cancer. • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. • Hazard pictograms • GHS07 GHS08 • Signal word Warning • Hazard-determining components of labelling: 2,2,2" (hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol titanium dioxide • Hazard statements H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. • Precautionary statements P202 Do not handle until all safety precautions have been read and understood. P333-P313 If skin intration or rash occurs: Get medical advice/attention. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. •2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable. 	• 1.4 Emergency telephone number: CHEMTREC International +1 (703) 527-3887 24 hr
 • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction. Carc. 2 H351 Suspected of causing cancer. • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. • Hazard pictograms • GHS07 GHS08 • Signal word Warning • Hazard-determining components of labelling: 2,2,2" (hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol titanium dioxide • Hazard statements H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. • Precautionary statements P202 Do not handle until all safety precautions have been read and understood. P333-P313 If skin intration or rash occurs: Get medical advice/attention. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. •2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable. 	
 Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction. Carc. 2 H351 Suspected of causing cancer. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms Signal word Warning Hazard-determining components of labelling: 2,2',2'' (hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol titanium dioxide Hazard statements H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. Precautionary statements P202 Do not handle until all safety precautions have been read and understood. P333-P313 If skin irritation or rash occurs: Get medical advice/attention. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. *2.3 Other hazards Results of PBT and VPVB assessment PBT: Not applicable. 	SECTION 2: Hazards identification
 For a statements Precautionary statements P202 Do not handle until all safety precautions have been read and understood. P33+P313 If skin irritation or rash occurs: Get medical advice/attention. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards PBT: Not applicable. 	 Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction. Carc. 2 H351 Suspected of causing cancer. Cabel elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
 Hazard-determining components of labelling: 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol titanium dioxide Hazard statements H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. Precautionary statements P202 Do not handle until all safety precautions have been read and understood. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment · PBT: Not applicable. 	GHS07 GHS08
· PBT: Not applicable.	 Hazard-determining components of labelling: 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol titanium dioxide Hazard statements H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. Precautionary statements P202 Do not handle until all safety precautions have been read and understood. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. * 2.3 Other hazards
(Collu. of page 2)	

Issue date: 13.08.2015

Version 1

Revision: 13.08.2015

Product name: Cooling System Sealant

(Contd. of page 1)

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture: consisting of the following hazardous components.

· Dangerous components:

	CAS: 4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	2.5-<10%
	EINECS: 225-208-0	Acute Tox. 4, H302; Skin Sens. 1, H317	
	CAS: 13463-67-7	titanium dioxide	2.5-<10%
	EINECS: 236-675-5	Carc. 2, H351	
_	Additional information. For the condition of the Patrol of the second of the second of the second of the second		

• Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.

· After eye contact:

Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

· After swallowing:

DO NOT INDUCE VOMITING. Get immediate medical attention.

Rinse out mouth and then drink plenty of water.

• 4.2 Most important symptoms and effects, both acute and delayed

Dizziness

Gastric or intestinal disorders

Allergic reactions

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents:

- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture See section 10 for additional information.

5.3 Advice for firefighters

· Protective equipment:

Recommend wearing self-contained breathing apparatus. Water may cause splattering.

(Contd. on page 3)

Issue date: 13.08.2015

Version 1

Revision: 13.08.2015

Product name: Cooling System Sealant

(Contd. of page 2)

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Particular danger of slipping on leaked/spilled product. Avoid eye contact. Avoid repeated or prolonged skin contact.

• 6.2 Environmental precautions: No special measures required.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles:
- See section 10 for incompatible materials.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 4)

Issue date: 13.08.2015

Version 1

Revision: 13.08.2015

Product name: Cooling System Sealant

(Contd. of page 3)

· Protection of hands:



Chemical resistant protective gloves (EN 374)

· Eye protection:



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and • General Information	chemical properties
· Appearance:	
· Form:	Viscous
· Colour:	Grey
· Odour:	Odourless
 Odour threshold: 	Not determined.
· pH-value at 20 ℃:	9.5
· Change in condition	
 Melting point/Melting range: 	Undetermined.
 Boiling point/Boiling range: 	100 ℃
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
 Danger of explosion: 	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 ℃:	1.01 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
 Evaporation rate 	Not determined.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
	(Contd. on pa

Issue date: 13.08.2015

Version 1

Revision: 13.08.2015

Product name: Cooling System Sealant

		(Contd. of page
 Partition coefficient (n-octar 	ol/water): Not determined.	
· Viscosity:		
· Dynamic:	Not determined.	
· Kinematic:	Not determined.	
· Solvent content:		
 Organic solvents: 	0.0 %	
· Solids content:	9.0 %	
 9.2 Other information 	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
 - · Thermal decomposition / conditions to be avoided:
 - No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** Strong acids. Oxidizing agents.
- 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects
 Acute toxicity

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimate	s)
------------------------------	----

Oral	LD50	5556 mg/kg
Inhalative	LC50/4 h	75.8 mg/l (rat)

_				
	4719-04-4 2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol			
	Oral	LD50	500 mg/kg (ATE)	
	13463-67-7 titanium dioxide			
	Oral	LD50	>20000 mg/kg (rat)	
	Dermal	LD50	>10000 mg/kg (rabbit)	
	Inhalative	LC50/4 h	>6.82 mg/l (rat)	
	. Drimary irritant offoot			

· Primary irritant effect:

- · Skin corrosion/irritation May cause mild skin irritation.
- · Serious eye damage/irritation
- Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

GB

Issue date: 13.08.2015

Version 1

Revision: 13.08.2015

Product name: Cooling System Sealant

(Contd. of page 5)

Carcinogenicity

Suspected of causing cancer.

• Reproductive toxicity Based on available data, the classification criteria are not met.

- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

• Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	on	
· 14.1 UN-Number		
· ADR, IMDG, IATA	Not Regulated	
 14.2 UN proper shipping name 		
· ADR	Not Regulated	
· IMDG, IATA	Not Regulated	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA		
Class	Not Regulated	
		(Contd. on page

Issue date: 13.08.2015

Version 1

Revision: 13.08.2015

Product name: Cooling System Sealant

		(Contd. of page 6)
 14.4 Packing group ADR, IMDG, IATA 	Not Regulated	
· 14.5 Environmental hazards:	Not applicable.	
 14.6 Special precautions for user 	Not applicable.	
 14.7 Transport in bulk according to Ann Marpol and the IBC Code 	ex II of Not applicable.	
· UN "Model Regulation":	Not Regulated	

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No REACH Annex XVII restrictions Contains no REACH candidate substance

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Issue Date: August 13, 2015

· Relevant phrases

H302 Harmful if swallowed.

- H317 May cause an allergic skin reaction.
- H351 Suspected of causing cancer.
- Contact: Engineering Department
 - Revision Changes: v 1.0 original SDS release (August 13, 2015)

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Carc. 2: Carcinogenicity, Hazard Category 2

GB -