

Safety data sheet  
according to Regulation (EU) No. 453/2010

Issue date: 24.06.2015

Version 1


Revision: 24.06.2015


## SECTION 1: Identification of the substance/mixture and of the company/undertaking


- **1.1 Product identifier**
  - **Product name: Engine Oil Cleaner**
    - **Part number:** 206210
    - **Application of the substance / the mixture** engine crankcase cleaner
- **1.3 Details of the supplier of the safety data sheet**
  - **Manufacturer/Supplier:**  
Terraclean, division of, CPS Products Canada Ltd.  
1324 Blundell Road  
Mississauga, ON, L4Y 1M5  
Canada  
Phone: (905) 615-8620
  - **email of person responsible:** customerservice@terraclean.net
- **1.4 Emergency telephone number:** CHEMTREC International +1 (703) 527-3887 24 hr

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
  - **Classification according to Regulation (EC) No 1272/2008**  
Flam. Liq. 3 H226 Flammable liquid and vapour.  
Acute Tox. 4 H332 Harmful if inhaled.  
Muta. 1B H340 May cause genetic defects.  
Carc. 1B H350 May cause cancer.  
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.
- **2.2 Label elements**
  - **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
    - **Hazard pictograms**  

  
GHS02

  
GHS07

  
GHS08
    - **Signal word** Danger
    - **Hazard-determining components of labelling:**  
Solvent naphtha (petroleum), light arom.  
2-butoxyethanol  
Solvent naphtha (petroleum), heavy arom.  
Distillates (petroleum), hydrotreated heavy naphthenic
    - **Hazard statements**  
H226 Flammable liquid and vapour.  
H332 Harmful if inhaled.  
H340 May cause genetic defects.  
H350 May cause cancer.  
H304 May be fatal if swallowed and enters airways.
    - **Precautionary statements**  
P201 Obtain special instructions before use.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

Safety data sheet  
according to Regulation (EU) No. 453/2010

Issue date: 24.06.2015

Version 1

Revision: 24.06.2015

**Product name: Engine Oil Cleaner**

(Contd. of page 1)

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P331 Do NOT induce vomiting.

P405 Store locked up.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

Restricted to professional users.

Restricted to professional users.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture: consisting of the following hazardous components.

· **Dangerous components:**

CAS: 64742-94-5 EINECS: 265-198-5	Solvent naphtha (petroleum), heavy arom. Asp. Tox. 1, H304	25-50%
CAS: 64742-95-6 EINECS: 265-199-0	Solvent naphtha (petroleum), light arom. Flam. Liq. 3, H226; Muta. 1B, H340; Carc. 1B, H350; Asp. Tox. 1, H304	25-50%
CAS: 64742-52-5 EINECS: 265-155-0	Distillates (petroleum), hydrotreated heavy naphthenic Carc. 1B, H350	10-<25%
CAS: 108-11-2 EINECS: 203-551-7	4-methylpentan-2-ol Flam. Liq. 3, H226; STOT SE 3, H335	2.5-<10%
CAS: 111-76-2 EINECS: 203-905-0	2-butoxyethanol Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	2.5-<10%

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

### SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Immediately rinse with water. Immediately remove all contaminated clothing. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse.

· **After eye contact:**

Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

· **After swallowing:**

DO NOT INDUCE VOMITING. Get immediate medical attention.

A person vomiting while laying on their back should be turned onto their side.

· **4.2 Most important symptoms and effects, both acute and delayed**

Coughing

Harmful if swallowed. May be fatal if swallowed and enters airways. Swallowing a small quantity of this material will result in serious health hazard.

(Contd. on page 3)

Safety data sheet  
according to Regulation (EU) No. 453/2010

Issue date: 24.06.2015

Version 1

Revision: 24.06.2015

**Product name: Engine Oil Cleaner**

(Contd. of page 2)

May cause respiratory tract irritation.

May cause eye irritation. Symptoms may include discomfort or pain, excessive blinking and tear production, with possible redness and swelling.

· **4.3 Indication of any immediate medical attention and special treatment needed**

Treat Symptomatically

## SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.

· **For safety reasons unsuitable extinguishing agents:** Water

· **5.2 Special hazards arising from the substance or mixture**

See section 10 for additional information.

· **5.3 Advice for firefighters**

· **Protective equipment:**

Wear full protective firegear including self-containing breathing apparatus operated in the positive pressure mode with full facepiece, coat, pants, gloves and boots. Do not use a water jet.

## SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Avoid breathing vapors.

Avoid eye contact. Avoid repeated or prolonged skin contact.

Do not touch or walk through spilled material.

· **6.2 Environmental precautions:**

Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Open and handle receptacle with care.

Avoid contact with the eyes and skin.

Avoid contact with clothing.

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

See section 8 for personal protective equipment.

· **Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

(Contd. on page 4)

Safety data sheet  
according to Regulation (EU) No. 453/2010

Issue date: 24.06.2015

Version 1

Revision: 24.06.2015

**Product name: Engine Oil Cleaner**

(Contd. of page 3)

Protect against electrostatic charges.  
Keep respiratory protective device available.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

See section 10 for incompatible materials.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry, dark place, away from direct sunlight.

· **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· **Additional information about design of technical facilities:** No further data; see item 7.

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**108-11-2 4-methylpentan-2-ol (3-<10%)**

WEL	Short-term value: 170 mg/m <sup>3</sup> , 40 ppm
	Long-term value: 106 mg/m <sup>3</sup> , 25 ppm
	Sk

**111-76-2 2-butoxyethanol (3-<10%)**

WEL	Short-term value: 246 mg/m <sup>3</sup> , 50 ppm
	Long-term value: 123 mg/m <sup>3</sup> , 25 ppm
	Sk, BMGV

· **Ingredients with biological limit values:**

**111-76-2 2-butoxyethanol (3-<10%)**

BMGV	240 mmol/mol creatinine
	Octanol-Water: urine
	0.1: post shift
	7.3: butoxyacetic acid

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Store protective clothing separately.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Protection of hands:**



Chemical resistant protective gloves (EN 374)

(Contd. on page 5)

GB

Safety data sheet  
according to Regulation (EU) No. 453/2010

Issue date: 24.06.2015

Version 1

Revision: 24.06.2015

**Product name: Engine Oil Cleaner**

(Contd. of page 4)

· **Eye protection:**



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

· **Body protection:** Protective work clothing

## SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

- **Form:** Liquid
- **Colour:** Amber coloured

- **Odour:** Characteristic
- **Odour threshold:** Not determined.

· **pH-value at 20 °C:** 7.8

· **Change in condition**

- **Melting point/Melting range:** Undetermined.
- **Boiling point/Boiling range:** Undetermined.

· **Flash point:** 45 °C

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 240 °C

- **Decomposition temperature:** Not determined.

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· **Explosion limits:**

- **Lower:** 0.7 Vol %
- **Upper:** 7.5 Vol %

· **Vapour pressure at 20 °C:** 5 hPa

- **Density at 20 °C:** 0.885 g/cm<sup>3</sup>
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

- **water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

- **Dynamic:** Not determined.
- **Kinematic:** Not determined.

· **Solvent content:**

- **Organic solvents:** 40.0 %

(Contd. on page 6)

Safety data sheet  
according to Regulation (EU) No. 453/2010

Issue date: 24.06.2015

Version 1

Revision: 24.06.2015

**Product name: Engine Oil Cleaner**

(Contd. of page 5)

- **9.2 Other information** No further relevant information available.

## SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
  - **Thermal decomposition / conditions to be avoided:**  
Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat, open flames, sparks.
- **10.5 Incompatible materials:** Strong Oxidizers
- **10.6 Hazardous decomposition products:** May include, and are not limited to: oxides of carbon.

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
  - **Acute toxicity**

- **LD/LC50 values relevant for classification:**

### ATE (Acute Toxicity Estimates)

Oral	LD50	5304 mg/kg (rat)
Dermal	LD50	3288 mg/kg
Inhalative	LC50/4 h	15.2 mg/l (rat)

### 64742-95-6 Solvent naphtha (petroleum), light arom.

Oral	LD50	>6800 mg/kg (rat)
Dermal	LD50	>3400 mg/kg (rab)
Inhalative	LC50/4 h	>10.2 mg/l (rat)

### 108-11-2 4-methylpentan-2-ol

Oral	LD50	2590 mg/kg (rat)
Dermal	LD50	3560 mg/kg (rabbit)

### 111-76-2 2-butoxyethanol

Oral	LD50	470 mg/kg (rat)
Dermal	LD50	400 mg/kg (rab)
Inhalative	LC50/4 h	2.2 mg/l (rat)

- **Primary irritant effect:**

- **Skin corrosion/irritation**

May cause mild skin irritation. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis.

- **Serious eye damage/irritation** May cause eye irritation.

- **Inhalation:**

Do not inhale, can cause respiratory system irritation.  
Serious effects may be delayed after exposure.

- **Ingestion:**

May be harmful if swallowed. May cause stomach distress, nausea or vomiting.  
May be fatal if swallowed and enter airways.

- **Respiratory or skin sensitisation** No sensitising effects known.

- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 7)

Safety data sheet  
according to Regulation (EU) No. 453/2010

Issue date: 24.06.2015

Version 1

Revision: 24.06.2015

**Product name: Engine Oil Cleaner**

Carcinogenic.

(Contd. of page 6)

## SECTION 12: Ecological information

### · 12.1 Toxicity

#### · Aquatic toxicity:

#### 111-76-2 2-butoxyethanol

EC50 (48 h)	>1000 mg/L (daphnia)
LC50 (96 h) (static)	1490 mg/l (Lepomis macrochirus)

### · 12.2 Persistence and degradability

No further relevant information available.

### · 12.3 Bioaccumulative potential

#### 108-11-2 4-methylpentan-2-ol

Bioaccumulation	LogPow 1.43 (-) (potential low)
-----------------	---------------------------------

### · 12.4 Mobility in soil

No further relevant information available.

#### · Additional ecological information:

##### · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

### · 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

### · 12.6 Other adverse effects

No further relevant information available.

## SECTION 13: Disposal considerations

### · 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### · Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

## SECTION 14: Transport information

### · 14.1 UN-Number

· ADR, IMDG, IATA

UN1993

### · 14.2 UN proper shipping name

· ADR

UN1993 FLAMMABLE LIQUID, N.O.S. (Solvent naphtha (petroleum), light arom., METHYL ISOBUTYL CARBINOL)

· IMDG, IATA

FLAMMABLE LIQUID, N.O.S. (Solvent naphtha (petroleum), light arom., METHYL ISOBUTYL CARBINOL)

(Contd. on page 8)

Safety data sheet  
according to Regulation (EU) No. 453/2010

Issue date: 24.06.2015

Version 1

Revision: 24.06.2015

**Product name: Engine Oil Cleaner**

(Contd. of page 7)

· **14.3 Transport hazard class(es)**

· ADR



· Class 3 (F1) Flammable liquids.  
· Label 3

· IMDG, IATA



· Class 3 Flammable liquids.  
· Label 3

· **14.4 Packing group**

· ADR, IMDG, IATA III

· **14.5 Environmental hazards:**

· Marine pollutant: No

· **14.6 Special precautions for user**

Warning: Flammable liquids.

· Danger code (Kemler): 30

· EMS Number: F-E,S-E

· **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**

· ADR

· Limited quantities (LQ) 5L  
· Transport category 3  
· Tunnel restriction code D/E

· IMDG

· Limited quantities (LQ) 5L  
· Excepted quantities (EQ) Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":** UN1993, FLAMMABLE LIQUID, N.O.S. (Solvent naphtha (petroleum), light arom., METHYL ISOBUTYL CARBINOL), 3, III

## SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

No REACH Annex XVII restrictions

Contains no REACH candidate substance

(Contd. on page 9)

GB



Safety data sheet  
according to Regulation (EU) No. 453/2010

Issue date: 24.06.2015

Version 1

Revision: 24.06.2015

**Product name: Engine Oil Cleaner**

(Contd. of page 8)

- **Directive 2012/18/EU**
  - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**
  - **Information about limitation of use:**  
Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Issue Date:** June 24, 2015
  - **Relevant phrases**
    - H226 Flammable liquid and vapour.
    - H302 Harmful if swallowed.
    - H304 May be fatal if swallowed and enters airways.
    - H312 Harmful in contact with skin.
    - H315 Causes skin irritation.
    - H319 Causes serious eye irritation.
    - H332 Harmful if inhaled.
    - H335 May cause respiratory irritation.
    - H340 May cause genetic defects.
    - H350 May cause cancer.
- **Contact:** Engineering Department
  - **Revision Changes:** v 1.0 - original release (June 24, 2015)
  - **Abbreviations and acronyms:**
    - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
    - IMDG: International Maritime Code for Dangerous Goods
    - IATA: International Air Transport Association
    - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
    - EINECS: European Inventory of Existing Commercial Chemical Substances
    - ELINCS: European List of Notified Chemical Substances
    - CAS: Chemical Abstracts Service (division of the American Chemical Society)
    - LC50: Lethal concentration, 50 percent
    - LD50: Lethal dose, 50 percent
    - Flam. Liq. 3: Flammable liquids, Hazard Category 3
    - Acute Tox. 4: Acute toxicity, Hazard Category 4
    - Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
    - Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
    - Muta. 1B: Germ cell mutagenicity, Hazard Category 1B
    - Carc. 1B: Carcinogenicity, Hazard Category 1B
    - STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
    - Asp. Tox. 1: Aspiration hazard, Hazard Category 1

GB