Issue date:	11/23/2015
-------------	------------

1 Identification

· Product identifier

· Trade name: Air Intake Cleaner

· Part number: 201285, 201286

 \cdot Application of the substance / the mixture air intake cleaner

\cdot Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Terraclean, division of, CPS Products Canada Ltd. 1324 Bllundell Road Mississauga, ON, L4Y 1M5 Canada Phone: (905) 615-8620 email: customerservice@terraclean.net

· Emergency telephone number:

CHEMTREC International +1 (703) 527-3887 (outside the US), 1-800-424-9300 (in the US) 24 hr

2 Hazard(s) identification

Classified according to the criteria of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS), OSHA Hazardous Communication Standard (29 CFR 1910.1200) and the Canadian Controlled Products Regulations.

· Classification of the substance or mixture

Flam. Aerosol 1	H222	Extremely flammable aerosol.
Press. Gas	H280	Contains gas under pressure; may explode if heated.
Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2A	H319	Causes serious eye irritation.
Repr. 2	H361	Suspected of damaging fertility or the unborn child.
STOT SE 3	H336	May cause drowsiness or dizziness.
STOT RE 2	H373	May cause damage to organs through prolonged or repeated exposure.
Asp. Tox. 1	H304	May be fatal if swallowed and enters airways.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



GHS02 GHS04 GHS07 GHS08

· Signal word Danger

- Hazard-determining components of labeling: toluene
- acetone
- · Hazard statements
- Extremely flammable aerosol.

Contains gas under pressure; may explode if heated.

- Causes skin irritation.
- Causes serious eye irritation.

Suspected of damaging fertility or the unborn child. May cause drowsiness or dizziness.

(Contd. on page 2)

Safety Data Sheet

Issue	date:	11/23/2015
-------	-------	------------

v 2

Last Revision Date: 05/25/2015

Trade name: Air Intake Cleaner

(Contd. of page
May cause damage to organs through prolonged or repeated exposure.
May be fatal if swallowed and enters airways.
· Precautionary statements
Obtain special instructions before use.
Do not breathe dust/fume/gas/mist/vapors/spray.
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Do not pierce or burn, even after use.
Wash thoroughly after handling.
Do not spray on an open flame or other ignition source.
Wear protective gloves / eye protection / face protection.
IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses
present and easy to do. Continue rinsing.
Take off contaminated clothing and wash it before reuse.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Store locked up.
Protect from sunlight. Store in a well-ventilated place.
Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Dispose of contents/container in accordance with local/regional/national/internation
regulations.
dditional information: For Professional Use Only
r hazards
esults of PBT and vPvB assessment
• PBT: Not applicable.
· vPvB: Not applicable.

• **Description:** Mixture: consisting of the following hazardous components.

•		
· Chemic	cal components:	
67-64-1	acetone	25-50%
108-88-3	toluene	20-<25%
1330-20-7	xylene	20-<25%
123-42-2	4-hydroxy-4-methylpentan-2-one	1-≤2.5%
74-98-6	propane	1-≤2.5%
75-28-5	isobutane	1-≤2.5%
124-38-9	carbon dioxide	1-≤2.5%
A	nal information: For the wording of the listed rick phrases refer to eastion 16	

• Additional information: For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Wash with soap and water for 20 minutes or until chemical is removed. Immediately remove all contaminated clothing. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse and discard leather articles saturated with the material.

(Contd. on page 3)

NA

Last Revision Date: 05/25/2015

Trade name: Air Intake Cleaner

(Contd. of page 2)

• After eye contact: Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor: Most important symptoms and effects, both acute and delayed
- Headache
 Dizziness
 Frost bites
 Coughing
 Nausea
 Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
 Harmful if swallowed. May be fatal if swallowed and enters airways. Swallowing a small quantity of this material will result in serious health hazard.
 Cause nose, throat, and lung irritation.
 Skin irritant
 Indication of any immediate medical attention and special treatment needed
 Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

5 Fire-fighting measures

- · Extinguishing media
 - Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
 For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture
- See section 10 for additional information.
- Advice for firefighters
 - Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.

- Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13.
 Ensure adequate ventilation.
 Do not flush with water or aqueous cleansing agents
 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 4)

Issue date:	11/23/2015
-------------	------------

 Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Pressurized container: protect from sunlight and do not expose to temperatures °C, i.e. electric lights. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Observe official regulations on storing packagings with pressurized containers. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. 	
 Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Observe official regulations on storing packagings with pressurized containers. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. 	
• Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.	
• Specific end use(s) No further relevant information available	
epoint and use(s) no farmer relevant information available.	
8 Exposure controls/personal protection	
· Control parameters	
• Components with limit values that require monitoring at the workplace:	
67-64-1 acetone (25-50%)	
PEL (USA) TWA: 2400 mg/m ³ , 1000 ppm	
REL (USA) TWA: 590 mg/m ³ , 250 ppm	
TLV (USA) STEL: 1187 mg/m ³ , 500 ppm TWA: 594 mg/m ³ , 250 ppm BEI	
EL (Canada) STEL: 500 ppm TWA: 250 ppm	
EV (Canada) STEL: 750 ppm TWA: 500 ppm	
108-88-3 toluene (20-<25%)	
PEL (USA) TWA: 200 ppm CEV: 300; 500* ppm *10-min peak per 8-hr shift	
REL (USA) STEL: 560 mg/m ³ , 150 ppm TWA: 375 mg/m ³ , 100 ppm	
TLV (USA) TWA: 75 mg/m ³ , 20 ppm BEI	
EL (Canada) TWA: 20 ppm R	
EV (Canada) TWA: 20 ppm	
1330-20-7 xylene (20-<25%)	
PEL (USA) TWA: 435 mg/m ³ , 100 ppm	
REL (USA) STEL: 655 mg/m ³ , 150 ppm TWA: 435 mg/m ³ , 100 ppm	

Last Revision Date: 05/25/2015

Trade name: Air Intake Cleaner

	(Contd. of page 4)
TLV (USA)	STEL: 651 mg/m ³ , 150 ppm
	TWA: 434 mg/m³, 100 ppm
	BEI
EL (Canada)	STEL: 150 ppm
	TWA: 100 ppm
EV (Canada)	STEL: 650 mg/m ³ , 150 ppm
102 40 0 4 h	TWA: 435 mg/m³, 100 ppm ydroxy-4-methylpentan-2-one (0.1-≤2.%)
```	TWA: 240 mg/m ³ , 50 ppm
· ,	TWA: 240 mg/m ³ , 50 ppm
	TWA: 238 mg/m ³ , 50 ppm
· · · · ·	TWA: 50 ppm
EV (Canada)	STEL: 360 mg/m ³ , 75 ppm
	TWA: 240 mg/m ³ , 50 ppm
	ane (0.1-≤2.%)
. ,	TWA: 1800 mg/m ³ , 1000 ppm
· ,	TWA: 1800 mg/m³, 1000 ppm
	refer to Appendix F inTLVs and BEIs book
· · /	TWA: 1000 ppm
· · /	TWA: 1,000 ppm
	utane (0.1- <u>≤</u> 2.%)
· · ·	STEL: 2370 mg/m³, 1000 ppm
	TWA: 800 ppm
124-38-9 carl	bon dioxide (0.1-≤2.%)
PEL (USA)	TWA: 9000 mg/m³, 5000 ppm
REL (USA)	STEL: 54,000 mg/m³, 30,000 ppm TWA: 9000 mg/m³, 5000 ppm
TLV (USA)	STEL: 54,000 mg/m ³ , 30,000 ppm
· · ·	TWA: 9000 mg/m ³ , 5000 ppm
EL (Canada)	STEL: 15000 ppm
	TWA: 5000 ppm
EV (Canada)	STEL: 54,000 mg/m ³ , 30,000 ppm
	TWA: 9,000 mg/m ³ , 5,000 ppm
	istillates (petroleum), hydrotreated light (0.1-≤2.%)
EL (Canada)	TWA: 200 mg/m³ Skin
· Ingr	redients with biological limit values:
67-64-1 aceto	one (25-50%)
BEI (USA) 50	
	edium: urine
	me: end of shift
	arameter: Acetone (nonspecific) (Contd. on page 6)

(Contd. on page 7)

NA

· Odor:

v 2

## Trade name: Air Intake Cleaner

	(Contd. of page 5
	oluene (20-<25%)
BEI (USA)	0.02 mg/L
	Medium: blood
	Time: prior to last shift of workweek
	Parameter: Toluene
	0.03 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Toluene
	0.3 mg/g creatinine
	Medium: urine
	Time: end of shift
	Parameter: o-Cresol with hydrolysis (background)
1330-20-7	xylene (20-<25%)
	1.5 g/g creatinine
	Medium: urine
	Time: end of shift
	Parameter: Methylhippuric acids
. Add	<b>itional information:</b> The lists that were valid during the creation were used as basis.
Avoi · <b>Brea</b> In ca long	ediately remove all soiled and contaminated clothing. d contact with the eyes and skin. athing equipment: ase of brief exposure or low pollution use respiratory filter device. In case of intensive o er exposure use respiratory protective device that is independent of circulating air. ection of hands:
<b>W</b>	Chemical resistant protective gloves
·Eye	protection:
	Safety glasses. If potential for splash or mist exists, wear chemical goggles of faceshield.
9 Physical	and chemical properties
· Genera	n on basic physical and chemical properties I Information earance:
	orm: Aerosol
	Clear

hydrocarbon

Last Revision Date: 05/25/2015

## Trade name: Air Intake Cleaner

	(Contd. of page 6)
· Odor threshold:	Not determined.
· pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 55 °C
· Flash point:	-17 °C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	465 °C
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits: Lower: Upper:	1.1 Vol % 13.0 Vol %
· Vapor pressure at 20 °C:	233 hPa
Density at 20 °C: Relative density Vapor density Evaporation rate	0.802 g/cm ³ Not determined. Not determined. Not applicable.
<ul> <li>Solubility in / Miscibility with</li> <li>Water:</li> </ul>	Not miscible or difficult to mix.
<ul> <li>Partition coefficient (n-octanol/wa</li> </ul>	ter): Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: Organic solvents: Other information	87.5 % No further relevant information available.

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

- · Thermal decomposition / conditions to be avoided:
- Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Heat, open flames, sparks.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: May include, and are not limited to: oxides of carbon.

(Contd. on page 8)

(Contd. of page 7)

v 2

Trade name: Air Intake Cleaner

			(Conta. of page )
Acute toxicity:       -         LD/LC50 values that are relevant for classification:         ATE (Acute Toxicity Estimates)         Oral       LD50       10780 mg/kg (rat)         Dermal       LD50       5800 mg/kg (rat)         Dermal       LD50       20000 mg/kg (rat)         Dermal       LD50       20000 mg/kg (rat)         Dermal       LD50       5000 mg/kg (rat)         Dermal       LD50       5000 mg/kg (rat)         Dermal       LD50       12124 mg/kg (rat)         Dermal       LD50       12124 mg/kg (rat)         Inhalative       LC50/4 h       5320 mg/ (mouse)         1330-207       xylene	1 Toxicolo	ogical in	iformation
Acute toxicity:       -         LD/LC50 values that are relevant for classification:         ATE (Acute Toxicity Estimates)         Oral       LD50       10780 mg/kg (rat)         Dermal       LD50       5800 mg/kg (rat)         Dermal       LD50       20000 mg/kg (rat)         Dermal       LD50       20000 mg/kg (rat)         Dermal       LD50       5000 mg/kg (rat)         Dermal       LD50       5000 mg/kg (rat)         Dermal       LD50       12124 mg/kg (rat)         Dermal       LD50       12124 mg/kg (rat)         Inhalative       LC50/4 h       5320 mg/ (mouse)         1330-207       xylene	· Informatio	on on tox	icological effects
ATE (Acute Toxicity Estimates)           Oral         LD50         10780 mg/kg (rat)           Dermal         LD50         10000 mg/kg (rabbit)           G7-64-1 acetone	· Acute	toxicity:	
Oral         LD50         10780 mg/kg (rat)           Dermal         LD50         10000 mg/kg (rabbit)           67-64-1 acetone            Oral         LD50         5800 mg/kg (rat)           Dermal         LD50         20000 mg/kg (rabbit)           108-88-3 toluene             Oral         LD50         5000 mg/kg (rat)           Dermal         LD50         5000 mg/kg (rat)           Dermal         LD50         12124 mg/kg (rabbit)           Inhalative         LC50/4 h         5320 mg/l (mouse)           1330-20-7 xylene             Oral         LD50         4300 mg/kg (rat)           Dermal         LD50         4000 mg/kg (rat)           Dermal         LD50         4000 mg/kg (rat)           Inhalative         LC50/4 h         6700 mg/l (rat)           123-42-2 4-hydroxy-4-methylpentan-2-one             Oral         LD50         13630 mg/kg (rat)           Dermal         LD50         13630 mg/kg (rat)           Dermal         LD50         13630 mg/kg (rat)           Dermal         LD50         13630 mg/kg (rat)           Inhalation:          non the s			
Dermal       LD50       10000 mg/kg (rabbit)         67-64-1 actore       5800 mg/kg (rat)         Oral       LD50       5800 mg/kg (rat)         Dermal       LD50       5000 mg/kg (rabbit)         108-88-3 toleene       Oral       LD50         Oral       LD50       5000 mg/kg (rat)         Dermal       LD50       12124 mg/kg (rabbit)         Inhalative       LC50/4 h       5320 mg/l (mouse)         1330-20-7 xylene       Oral       LD50         Oral       LD50       4300 mg/kg (rat)         Dermal       LD50       2000 mg/kg (rat)         Inhalative       LC50/4 h       6700 mg/l (rat)         123-42-2       -hydroxy-4-methylpentan-2-one       Oral         Oral       LD50       13630 mg/kg (rat)         Dermal       LD50	•		· · ·
Oral       LD50       5800 mg/kg (rat)         Dermal       LD50       20000 mg/kg (rabbit) <b>108-88-3 toluene</b> Oral       LD50       5000 mg/kg (rat)         Dermal       LD50       5000 mg/kg (rat)       Inhalative       LC50/4 h         Jabe       LD50       12124 mg/kg (rabbit)       Inhalative       LC50/4 h       5320 mg/lt (mouse)         Jabe       LD50       4300 mg/kg (rat)       Demal       LD50       2000 mg/kg (rabbit)         Inhalative       LC50/4 h       6700 mg/lt (rat)       Demal       LD50       2000 mg/kg (rabbit)         Inhalative       LC50/4 h       6700 mg/kg (rat)       Demal       LD50       4000 mg/kg (rat)         Dermal       LD50       4000 mg/kg (rat)       Demal       LD50       4000 mg/kg (rat)         Dermal       LD50       4000 mg/kg (rat)       Demal       Dso       ration mg/kg (rat)         Dermal       LD50       4000 mg/kg (rat)       Demal       LD50       13630 mg/kg (rat)         Dermal       LD50       4000 mg/kg (rat)       Demal       Dso       not the skin: Irritant to skin and mucous membranes.       on the skin: Irritant to skin and mucous membranes.       on the skin: Irritant os ensitizing effect.       inhalatoxicological information:       Nestot			
OralLD505800 mg/kg (rat)DermalLD5020000 mg/kg (rabbit)108-88-3 tolueneOralLD505000 mg/kg (rat)DermalLD5012124 mg/kg (rabbit)InhalativeLC50/4 h5320 mg/l (mouse)1330-20-7 xyleneOralLD504300 mg/kg (rat)DermalLD502000 mg/kg (rat)DermalLD502000 mg/kg (rabbit)InhalativeLC50/4 h6700 mg/l (rat)1234-2:4-hydroxy-4-methylpentan-2-oneOralLD504000 mg/kg (rat)DermalLD504000 mg/kg (rat)DermalLD5013630 mg/kg (rat)DermalLD5013630 mg/kg (rat)OralLD504000 mg/kg (rat)DermalLD5013630 mg/kg (rat)Do not inhalte, can cause respiratory system irritation. asphysiation· Inflation: Do not inhalte, can cause respiratory system irritation. asphysiation: No sensitizing effects known.· Additional toxicological information: The product shows the following dangers according to internally approved calculation methor for preparations: Harmful Irritant· NTP (National Agency for Research on Cancer)108-88-3toluene1330-20-7 </td <td>Dermal</td> <td>LD50</td> <td>10000 mg/kg (rabbit)</td>	Dermal	LD50	10000 mg/kg (rabbit)
Dermal       LD50       20000 mg/kg (rabbit)         108-88-3 toluene       5000 mg/kg (rat)         Oral       LD50       12124 mg/kg (rabbit)         Inhalative       LC50/4 h       5320 mg/l (mouse)         1330-20-7 xylene	67-64-1 ad	cetone	
108-88-3 toluene         Oral       LD50       5000 mg/kg (rat)         Dermal       LD50       12124 mg/kg (rabbit)         Inhalative       LC50/4 h       5320 mg/l (mouse)         1330-20-7 xylene       Oral       LD50       4300 mg/kg (rat)         Dermal       LD50       4300 mg/kg (rat)       Inhalative         Darmal       LD50       4000 mg/kg (rat)       Inhalative         123-42-2       4-hydroxy-4-methylpentan-2-one       Oral       LD50       13630 mg/kg (rat)         Dermal       LD50       13630 mg/kg (rat)       Inhalative       Inhalation:       Inhalation:         Oral       LD50       13630 mg/kg (rat)       Inhalation:       Inhalation:       Inhalation:         Do not inhale, can cause respiratory system irritation.       asphyxiation       Ingestion: Result in central nervous system depression       Sensitization: No sensitizing effects known.         · Additional toxicological information:       The product shows the following dangers according to internally approved calculation methor for preparations:         Harmful       Irritant       · Carcinogenic categories       International Agency for Research on Cancer)         108-88-3       toluene       Indexes-3       toluene         1330-20-7       xylene       · OSHA-Ca (Occupational Safet	Oral	LD50	5800 mg/kg (rat)
Oral       LD50       5000 mg/kg (rat)         Dermal       LD50       12124 mg/kg (rabbit)         Inhalative       LC50/4 h       5320 mg/l (mouse)         1330-20-7       xylene         Oral       LD50       4300 mg/kg (rat)         Dermal       LD50       2000 mg/kg (rabbit)         Inhalative       LC50/4 h       6700 mg/l (rat)         123-42-2       4-hydroxy-4-methylpentan-2-one       123-42-2         Oral       LD50       4000 mg/kg (rat)         Dermal       LD50       13630 mg/kg (rab)         Oral       LD50         JD50       13630 mg/kg (rab)         Oral LD50         VD50       13630 mg/kg (rab)         • Primary irritant effect:         • on the skin: Irritant oskin and mucous membranes.       • on the skin: Irritant oskin and mucous membranes.         • on the skin: Irritant oskin and mucous membranes.       • on the eye: Irritating effect.         • Inhalation:       Do not inhale, can cause respiratory system irritation.         asphyxiation       • Ingestion: Result in central nervous system depression         • Sensitization: No sensitizing effects known.       • Additional toxicological information:         The product shows the following dangers according to internally appr	Dermal	LD50	20000 mg/kg (rabbit)
Dermal       LD50       12124 mg/kg (rabit)         Inhalative       LC50/4 h       5320 mg/l (mouse)         1330-20-7 xylene           Oral       LD50       4300 mg/kg (rat)         Dermal       LD50       2000 mg/kg (rabbit)         Inhalative       LC50/4 h       6700 mg/l (rat)         1234-24 - Hydroxy-4-methylpentan-2-one          Oral       LD50       4000 mg/kg (rat)         Dermal       LD50       13630 mg/kg (rab)         • Primary irritant effect:         • on the extin: Irritant to skin and mucous membranes.       • on the extin: Irritant offect.         • Inhalation:       Do not inhale , can cause respiratory system irritation.         asphyxiation       • Ingestion: Result in central nervous system depression         • Sensitization: No sensitizing effects known.       •         • Additional toxicological information:       The product shows the following dangers according to internally approved calculation methor for preparations:         Harmful       Irritant       •         108-88-3       toluene         1330-20-7       xylene         • NTP (National Toxicology Program)         None of the ingredients is listed.         • OSHA-Ca (Occupational Safety & Health Administration)	108-88-3 t	oluene	
Inhalative       LC50/4 h       5320 mg/l (mouse)         1330-20-7 xylene	Oral	LD50	5000 mg/kg (rat)
1330-20-7 xylene         Oral       LD50       4300 mg/kg (rat)         Dermal       LD50       2000 mg/kg (rabbit)         Inhalative       LC50/4 h       6700 mg/l (rat)         123-42-2 4-hydroxy-4-methylpentan-2-one       123-42-2 4-hydroxy-4-methylpentan-2-one         Oral       LD50       4000 mg/kg (rat)         Dermal       LD50       13630 mg/kg (rab)         • Primary irritant effect:         • on the skin:       Irritant effect.         • on the skin:       Irritating effect.         • Inhalation:       Do not inhale , can cause respiratory system irritation.         asphyxiation       Neesitization: No sensitizing effects known.         • Additional toxicological information:       The product shows the following dangers according to internally approved calculation methor for preparations:         Harmful       Irritant       • Carcinogenic categories         • IARC (International Agency for Research on Cancer)       108-88-3         108-88-3       toluene       1330-20-7         1330-20-7       xylene	Dermal	LD50	12124 mg/kg (rabbit)
Oral       LD50       4300 mg/kg (rat)         Dermal       LD50       2000 mg/kg (rabbit)         Inhalative       LC50/4 h       6700 mg/l (rat) <b>123-42-2 4-hydroxy-4-methylpentan-2-one</b> 4000 mg/kg (rat)         Dermal       LD50       13630 mg/kg (rat)         Dermal       LD50       13630 mg/kg (rat)         Dermal       LD50       13630 mg/kg (rat)         Oral       LD50       13630 mg/kg (rat)         Dermal       LD50       13630 mg/kg (rat)         Oral       LD50       13630 mg/kg (rat)         Dermal       LD50       13630 mg/kg (rat)         Oral       LD50       13630 mg/kg (rat)         Dermal       LD50       13630 mg/kg (rat)         Oral       LD50       13630 mg/kg (rat)         Dermal       LD50       13630 mg/kg (rat)         Oral       LD50       13630 mg/kg (rat)         Oral       LD50       13630 mg/kg (rat)         Dermal       LD50       13630 mg/kg (rat)         Dermal       Intertation of the skin: Irritant to skin and mucous membranes.         • On the skin: Irritant       Respection: Result in central nervous system depression         • Sensitization: No sensitizing effects known.       Addit	Inhalative	LC50/4 h	5320 mg/l (mouse)
Dermal       LD50       2000 mg/kg (rabbit)         Inhalative       LC50/4 h       6700 mg/l (rat)         123-42-2 4-hydroxy-4-methylpentan-2-one       Image: Constraint of the set of the	1330-20-7	xylene	
Inhalative       LC50/4 h       6700 mg/l (rat)         123-42-2 4-hydroxy-4-methylpentan-2-one         Oral       LD50       4000 mg/kg (rat)         Dermal       LD50       13630 mg/kg (rab)         • Primary irritant effect:       • on the skin: Irritant to skin and mucous membranes.         • on the skin: Irritant offect.       • Inhalation:         Do not inhale , can cause respiratory system irritation.         asphyxiation         • Ingestion: Result in central nervous system depression         • Sensitization: No sensitizing effects known.         • Additional toxicological information:         The product shows the following dangers according to internally approved calculation metho for preparations:         Harmful         Irritant         • Carcinogenic categories         • IARC (International Agency for Research on Cancer)         108-88-3       toluene         1330-20-7       xylene         • NTP (National Toxicology Program)         None of the ingredients is listed.         • OSHA-Ca (Occupational Safety & Health Administration)			
123-42-2       4-hydroxy-4-methylpentan-2-one         Oral       LD50       4000 mg/kg (rat)         Dermal       LD50       13630 mg/kg (rab)         • Primary irritant effect:       • on the skin: Irritant to skin and mucous membranes.         • on the skin: Irritant offect.       • Inhalation:         Do not inhale , can cause respiratory system irritation.       asphyxiation         • Ingestion:       Result in central nervous system depression         • Sensitization:       No sensitizing effects known.         • Additional toxicological information:       The product shows the following dangers according to internally approved calculation metho for preparations:         Harmful       Irritant         • Carcinogenic categories       • IARC (International Agency for Research on Cancer)         108-88-3       toluene         1330-20-7       xylene         • NTP (National Toxicology Program)         None of the ingredients is listed.         • OSHA-Ca (Occupational Safety & Health Administration)			
Oral       LD50       4000 mg/kg (rat)         Dermal       LD50       13630 mg/kg (rat)         Dermary irritant effect:       • on the skin: Irritant to skin and mucous membranes.         • on the skin:       Irritating effect.         • Inhalation:       Do not inhale , can cause respiratory system irritation.         asphyxiation       • Ingestion: Result in central nervous system depression         • Sensitization:       No sensitizing effects known.         • Additional toxicological information:       The product shows the following dangers according to internally approved calculation metho for preparations:         Harmful       Irritant         • Carcinogenic categories       • IARC (International Agency for Research on Cancer)         108-88-3       toluene         1330-20-7       xylene         • NTP (National Toxicology Program)         None of the ingredients is listed.         • OSHA-Ca (Occupational Safety & Health Administration)			
Dermal       LD50       13630 mg/kg (rab)         • Primary irritant effect:       • on the skin: Irritant to skin and mucous membranes.         • on the eye:       Irritant to skin and mucous membranes.         • on the eye:       Irritant offect.         • Inhalation:       Do not inhale , can cause respiratory system irritation.         asphyxiation       Ingestion: Result in central nervous system depression         • Sensitization:       No sensitizing effects known.         • Additional toxicological information:       The product shows the following dangers according to internally approved calculation methor for preparations:         Harmful       Irritant         • Carcinogenic categories       •         • IARC (International Agency for Research on Cancer)         108-88-3       toluene         1330-20-7       xylene         • NTP (National Toxicology Program)         None of the ingredients is listed.         • OSHA-Ca (Occupational Safety & Health Administration)	123-42-2 4		-4-methylpentan-2-one
<ul> <li>Primary irritant effect:         <ul> <li>on the skin: Irritant to skin and mucous membranes.</li> <li>on the eye: Irritating effect.</li> <li>Inhalation:</li></ul></li></ul>	Oral		
<ul> <li>on the skin: Irritant to skin and mucous membranes.</li> <li>on the eye: Irritating effect.</li> <li>Inhalation:         <ul> <li>Do not inhale , can cause respiratory system irritation.</li> <li>asphyxiation</li> <li>Ingestion: Result in central nervous system depression</li> <li>Sensitization: No sensitizing effects known.</li> </ul> </li> <li>Additional toxicological information:         <ul> <li>The product shows the following dangers according to internally approved calculation metho for preparations:             <ul></ul></li></ul></li></ul>			
Harmful Irritant · Carcinogenic categories · IARC (International Agency for Research on Cancer) 108-88-3 toluene 1330-20-7 xylene · NTP (National Toxicology Program) None of the ingredients is listed. · OSHA-Ca (Occupational Safety & Health Administration)	ن ا ا Sen Additio	on the ski on the eye nhalation Do not inha asphyxiation ngestion: usitization onal toxic	<ul> <li>in: Irritant to skin and mucous membranes.</li> <li>i: Irritating effect.</li> <li>i: ale , can cause respiratory system irritation.</li> <li>on</li> <li>: Result in central nervous system depression</li> <li>i: No sensitizing effects known.</li> <li>: cological information:</li> </ul>
· IARC (International Agency for Research on Cancer)         108-88-3       toluene         1330-20-7       xylene         · NTP (National Toxicology Program)         None of the ingredients is listed.         · OSHA-Ca (Occupational Safety & Health Administration)	Harmfu Irritant	I	c categories
1330-20-7       xylene         · NTP (National Toxicology Program)         None of the ingredients is listed.         · OSHA-Ca (Occupational Safety & Health Administration)		-	-
NTP (National Toxicology Program) None of the ingredients is listed.     OSHA-Ca (Occupational Safety & Health Administration)	108-88-3	toluene	
None of the ingredients is listed. OSHA-Ca (Occupational Safety & Health Administration)	1330-20-7	xylene	3
· OSHA-Ca (Occupational Safety & Health Administration)	· N	NTP (Natio	onal Toxicology Program)
	None of th	e ingredie	ents is listed.
None of the ingredients is listed.	· (	<b>DSHA-Ca</b>	(Occupational Safety & Health Administration)
	None of th	e ingredie	ents is listed.

(Contd. on page 9)

## Trade name: Air Intake Cleaner

(Contd. of page 8)

## 12 Ecological information

- · Toxicity
  - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
  - · Bioaccumulative potential No further relevant information available.
  - Mobility in soil No further relevant information available.
- · Additional ecological information:
  - · General notes:
    - Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

### · Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

## 13 Disposal considerations

### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

### · Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

UN1950	
UN1950	
Aerosols, flammable	
0.4	
2.1 2.1	
	Aerosols, flammable Aerosols, flammable AEROSOLS AEROSOLS, flammable 2.1

## Safety Data Sheet

Issue date: 11/23/2015

v 2

Last Revision Date: 05/25/2015

## Trade name: Air Intake Cleaner

	(Contd. of page
· TDG	
· Class	2.1
· IMDG, IATA	
· Class	2.1
· Label	2.1
<ul> <li>Packing group</li> <li>DOT, IMDG, IATA</li> <li>TDG</li> </ul>	Not Regulated Not Regulated
Environmental hazards: Marine pollutant:	No
· Special precautions for user	Warning: Gases
<ul> <li>Danger code (Kemler):</li> </ul>	-
· EMS Number:	F-D,S-U
<ul> <li>Transport in bulk according to Annex MARPOL73/78 and the IBC Code</li> </ul>	t II of Not applicable.
· Transport/Additional information:	
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	1L Code: E0 Not permitted as Excepted Quantity
· Size/package type:	LTD QTY, ORM-D (Comes in: (114 g / can) ar (418 g / can))

# **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

### · Sara

· S	Section 355 (extremely hazardous substances):
	e ingredients is listed.
	Section 313 (Specific toxic chemical listings):
108-88-3	toluene
1330-20-7	xylene
· TSC	A (Toxic Substances Control Act):
All ingredie	ents are listed.
· Prop	position 65
· C	Chemicals known to cause cancer:
None of the	e ingredients is listed.
· C	Chemicals known to cause reproductive toxicity for females:
108-88-3 t	oluene
·	(Contd. on page 1

## Safety Data Sheet

Issue	date [.]	11	/23/2015	
13300	uaic.		12012010	,

v 2

Trade name: Air Intake Cleaner

Traue fiame.		
	(Contd. of pa	ge 10)
· (	Chemicals known to cause reproductive toxicity for males:	
None of th	e ingredients is listed.	
· (	Chemicals known to cause developmental toxicity:	
108-88-3	toluene	
· Car	cinogenic categories	
	EPA (Environmental Protection Agency)	
	acetone	I
	toluene	Ш
1330-20-7	xylene	Ι
	FLV (Threshold Limit Value established by ACGIH)	
	acetone	A4
108-88-3		A4
1330-20-7	xylene	A4
	NIOSH-Ca (National Institute for Occupational Safety and Health)	
	e ingredients is listed.	
	nadian substance listings:	
	Canadian Domestic Substances List (DSL)	
All ingredi	ents are listed.	
	Canadian Ingredient Disclosure list (limit 0.1%)	
None of th	e ingredients is listed.	
· (	Canadian Ingredient Disclosure list (limit 1%)	
67-64-1	acetone	
108-88-3	toluene	
	4-hydroxy-4-methylpentan-2-one	
	carbon dioxide	
	IS02 GHS04 GHS07 GHS08	
· Sig	nal word Danger	
tolu ace	tone	
	rand statements remely flammable aerosol.	
	itains gas under pressure; may explode if heated.	
	ises skin irritation.	
	ises serious eye irritation.	
	pected of damaging fertility or the unborn child. / cause drowsiness or dizziness.	
May	v cause damage to organs through prolonged or repeated exposure.	
	/ be fatal if swallowed and enters airways.	
	cautionary statements ain special instructions before use.	
	not breathe dust/fume/gas/mist/vapors/spray.	
	(Contd. on pa	ge 12)

### Trade name: Air Intake Cleaner

(Contd. of page 11)

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not pierce or burn, even after use. Wash thoroughly after handling. Do not spray on an open flame or other ignition source. Wear protective gloves / eye protection / face protection. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take off contaminated clothing and wash it before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Store locked up. Protect from sunlight. Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container in accordance with local/regional/national/international regulations.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact: Engineering Department

· Issue Date November 23, 2015

- · Revision Changes:
- v 1.0 original SDS release (May 25, 2015)

v 2.0 - added new part number (November 23, 2015)

#### · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Flam. Aerosol 1: Flammable aerosols, Hazard Category 1 Press. Gas: Gases under pressure: Compressed gas Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Repr. 2: Reproductive toxicity, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Asp. Tox. 1: Aspiration hazard, Hazard Category 1