Issue date: 08/24/2015	
------------------------	--

Revision Date: 08/24/2015

1 Identification

· Product identifier

· Trade name: Universal Synthetic Power Steering Fluid and Conditioner

- · Part number: 207225
- · Application of the substance / the mixture automobile hydraulic fluid for power steering

\cdot Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Terraclean, divsion of, CPS Products Canada Ltd. 1324 Blundell Road Mississauga, ON, L4Y 1M5 Canada Phone: (905) 615-9620 email: customerservice@terraclean.net

· Emergency telephone number:

CHEMTREC International +1 (703) 527-3887 (outside the US), 1-800-424-9300 (in the US) 24 hr

2 Hazard(s) identification

Classified according to the criteria of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS), OSHA Hazardous Communication Standard (29 CFR 1910.1200) and the Canadian Controlled Products Regulations.

Classification of the substance or mixture

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements
- Harmful to aquatic life with long lasting effects.
- Precautionary statements
- Avoid release to the environment.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture: consisting of the following hazardous components.

 Chemical 	l components:	
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	>90%
		<0.5%
	Skin Corr. 1B, H314; Eye Dam. 1, H318	
	(Contd. d	on page 2)

Revision Date: 08/24/2015

Trade name: Universal Synthetic Power Steering Fluid and Conditioner

	(Cont	td. of page 1)
108-88-3		<0.1%
	Flam. Liq. 2, H225; Repr. 2, H361; STOT RE 2, H373; Asp. Tox. 1, H304; Skin Irrit. 2, H315; STOT SE 3, H336	
122-39-4	diphenylamine	<0.1%
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
· Addition	nal information: For the wording of the listed risk phrases refer to section 16.	

4 First-aid measures

· Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Wash with plenty of soap and water. Remove contaminated clothing. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse.

· After eye contact:

Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

• After swallowing: Rinse out mouth. Do not induce vomiting. If symptoms persist consult doctor.

Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet

• Special hazards arising from the substance or mixture See section 10 for additional information.

- · Advice for firefighters
 - · Protective equipment:

Recommend wearing self-contained breathing apparatus. Water may cause splattering.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
 Particular danger of slipping on leaked/spilled product.
 Avoid eye contact. Avoid repeated or prolonged skin contact.

 Environmental precautions:
 Inform respective authorities in case of seepage into water course or sewage system.
 Take precautions to avoid release to the environment. Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.

 Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

 Reference to other sections
 See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Revision Date: 08/24/2015

(Contd. of page 2)

Trade name: Universal Synthetic Power Steering Fluid and Conditioner

See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Personal protective equipment must be worn. Avoid contact with skin, eyes or clothing.
- · Information about protection against explosions and fires:

Keep away from ignition sources and high temperature materials.

- \cdot Conditions for safe storage, including any incompatibilities
 - · Storage:
 - · Requirements to be met by storerooms and receptacles:
 - See section 10 for incompatible materials.
 - · Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: None.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
 - · Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- Clean skin thoroughly immediately after handling the product.
- Do not store food in the working area.
- Do not inhale dust / smoke / mist.
- Protection of hands:



Chemical resistant protective gloves

· Eye protection:



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
 - · General Information
 - · Appearance:
 - · Form: · Color:

Liquid Red

(Contd. on page 4)

Revision Date: 08/24/2015

Trade name: Universal Synthetic Power Steering Fluid and Conditioner

	(Contd. of page 3)
· Odor:	Mild
· Odour threshold:	Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. Undetermined.
· Flash point:	249 °C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: · Lower: · Upper:	Not determined. Not determined.
· Vapor pressure:	Not determined.
 Density: Relative density Vapour density Evaporation rate 	7.17 lbs/gal@15 Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wa	ater): Not determined.
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.
Solvent content: Organic solvents:	0.1 %
Solids content: Other information	0.1 % No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Heat, open flames, sparks.
- Incompatible materials: No further relevant information available.

(Contd. on page 5)

Trade name: Universal Synthetic Power Steering Fluid and Conditioner

(Contd. of page 4)

3

11	OVICO		Intor	mation	
	IUAIGU	Uuuuai		Induon	

Information on toxicological effects

· Acute toxicity:

· Primary irritant effect:

on the skin:

May cause mild skin irritation. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis.

- on the eye: May cause eye irritation.
- Sensitization: No sensitizing effects known.

· Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

108-88-3 toluene

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
 - Aquatic toxicity: Harmful to aquatic life with long lasting effects.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
 - · Bioaccumulative potential No further relevant information available.
 - · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
 - · Remark: Harmful to fish
- · Additional ecological information:
 - · General notes:
 - Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.
- · Other adverse effects Avoid release to the environment.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Issue date: 08/24/2015

v 1

Revision Date: 08/24/2015

Trade name: Universal Synthetic Power Steering Fluid and Conditioner

(Contd. of page 5)

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

Transport information		
· UN-Number		
· DOT, IMDG, IATA	Not Regulated	
· TDG	Not Regulated	
· UN proper shipping name		
· DOT, IMDG, IATA	Not Regulated	
· TDG	Not Regulated	
· Transport hazard class(es)		
· DOT, IMDG, IATA		
· Class	Not Regulated	
· TDG		
· Class	Not Regulated	
· Packing group		
· DOT, IMDG, IATA	Not Regulated	
·TDG	Not Regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	Not Regulated	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Sara	
 Section 355 (extremely hazardous substances): 	
None of the ingredients is listed.	
 Section 313 (Specific toxic chemical listings): 	
108-88-3 toluene	
122-39-4 diphenylamine	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
 Chemicals known to cause cancer: 	
None of the ingredients is listed.	
 Chemicals known to cause reproductive toxicity for females: 	
108-88-3 toluene	
	(Contd. on page 7)

Trade name: Universal Synthetic Power Steering Fluid and Conditioner

	(Contd. of p	age
	Chemicals known to cause reproductive toxicity for males:	
None of t	he ingredients is listed.	
•	Chemicals known to cause developmental toxicity:	
108-88-3	toluene	
· Ca	rcinogenic categories	
•	EPA (Environmental Protection Agency)	
108-88-3	toluene	I
•	TLV (Threshold Limit Value established by ACGIH)	
108-88-3	toluene	A4
122-39-4	diphenylamine	A4
•	NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of t	he ingredients is listed.	
	nadian substance listings:	
	Canadian Domestic Substances List (DSL)	
All ingred	ients are listed.	
	Canadian Ingredient Disclosure list (limit 0.1%)	
None of t	he ingredients is listed.	
	Canadian Ingredient Disclosure list (limit 1%)	
None of t	he ingredients is listed.	
The pi • Ha • Sig • Ha Ha	abel elements roduct is classified and labeled according to the Globally Harmonized System (GHS). zard pictograms Not Applicable nal word Not Applicable zard statements rmful to aquatic life with long lasting effects. ecautionary statements	
Av Dis	bid release to the environment. Spose of contents/container in accordance with local/regional/national/international	tiona

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapor.
- H301 Toxic if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H331 Toxic if inhaled.
- H336 May cause drowsiness or dizziness.
- H361 Suspected of damaging fertility or the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- Contact: Engineering Department

(Contd. on page 8)

NA

Issue date: 08/24/2015

Revision Date: 08/24/2015

Trade name: Universal Synthetic Power Steering Fluid and Conditioner

(Contd. of page 7) · Issue Date August 24, 2015 · Revision Changes: v 1.0 - original SDS release (August 24, 2015) · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids, Hazard Category 2 Acute Tox. 3: Acute toxicity, Hazard Category 3 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Repr. 2: Reproductive toxicity, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Asp. Tox. 1: Aspiration hazard, Hazard Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3