

Maximum reliability. Minimum fuss.



# Safety Data Sheet

---

Construction Wipes

**Sealing Products**

## Section 1: Identification of the article and the company

**1.1. Identification:** Construction Wipes

**1.2. Use:** For cleaning wet silicone.

**1.3. Details of the supplier of the safety data sheet:**

Fixfast Ltd  
Merlin House  
Seven Mile Lane  
Borough Green  
Sevenoaks  
Kent  
TN15 8QY

**Email of Competent person responsible for SDS:** quality@fixfast.com

**1.4. Emergency telephone:** +44 (0) 800 304 7616 (Monday - Friday, normal office hours only)

## Section 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification under CHIP:**

This product has no classification under CHIP

**Classification under CLP:**

This product has no classification under CLP

### 2.2 Label elements

**Precautionary statements:**

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

### 2.3 Other hazards:

Not applicable

**PBT:** This product is not identified as a PBT/uPvB substance.

### Section 3: Composition/information on ingredients

**3.1 Substance:** Not applicable.

**3.2 Mixtures:**

#### Hazardous ingredients

PROPAN-2-OL

EINECS	CAS	CHIP Classification	CLP Classification	%
200-661-7	67-63-0	F: R11; Xi: R36; -: R67	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336	1-10%

C9-11 ALCOHOL ETHOXYLATE 6-8 MOLES EO

EINECS	CAS	CHIP Classification	CLP Classification	%
-	68439-46-3	Xn: R22; Xi: R41	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%

### Section 4: First aid measures

#### 4.1 Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Wash out mouth with water. Consult a doctor.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

#### 4.2 Most important symptoms and effects both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** here may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Eye bathing equipment should be available on the premises.

### Section 5: Fire-fighting measures

- 5.1 Extinguishing Media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.
- 5.2 Special Hazards:** In combustion emits toxic fumes.
- 5.3 Advice for firefighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

- 6.1: Personal precautions** Refer to section 8 of SDS for personal protection details.
- 6.2: Environmental precautions** Do not discharge into drains or rivers. Contain the spillage using bunding.
- 6.3: Clean up procedures** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.
- 6.4: Reference to other sections** Refer to section 8 of SDS.

## Section 7: Handling and storage

- 7.1. Precautions for safe handling: Handling requirements** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.
- 7.2. Conditions for safe storage, including any incompatibilities: Storage conditions** Store in a cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.
- Suitable packaging** No applicable.
- 7.3. Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters:

Hazardous ingredients

PROPAN-2-OL

Workplace exposure limits:

State	8 hour TWA	15 min STEL	8 hour TWA	15 min. STEL
UK	999 mg/m <sup>3</sup>	1250 mg/m <sup>3</sup>	-	-

- 8.2. Exposure controls: Engineering Measures:** Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids.
- Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.
- Hand protection:** Protective gloves.
- Eye protection:** Safety glasses. Ensure eye bath is to hand.
- Skin protection:** Protective clothing.
- Environmental:** No special requirement.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties:

State	Liquid
Colour	Colourless
Odour	Characteristic odour
Evaporation rate	No data available
Oxidising	No data available
Solubility in water	Highly soluble
Boiling point/range °C	>35
Flammability limits % lower	No data available
Flash point °C	>93
Autoflammability °C	No data available
Relative density	No data available
VOC g/l	No data available
Melting point/range °C	No data available
upper	No data available
Part.coeff.n-octanol/water	No data available
Vapour pressure	No data available
pH	Approx. 7

### 9.2. Other information:

Not applicable.

## Section 10: Stability and reactivity

### 10.1. Reactivity:

Stable under recommended transport or storage conditions.

### 10.2 Chemical stability:

Stable under normal conditions.

### 10.3 Possibility of Hazardous reactions:

Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

### 10.4 Conditions to avoid:

Heat.

### 10.5 Incompatible materials:

Strong oxidising agents. Strong acids.

### 10.6 Hazardous decomposition products:

In combustion emits toxic fumes.

## Section 11: Toxicological information

### 11.1 Information on Toxicological effects.

#### Hazardous ingredients:

PROPAN-2-OL

IV	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

C9-11 ALCOHOL ETHOXYLATE 6-8 MOLES EO

DERMAL	RAT	LD50	>2000	mg/kg
--------	-----	------	-------	-------

**Toxicity values:** No data available.

#### Symptoms/routes of exposure:

##### Skin contact:

There may be irritation and redness at the site of contact.

##### Eye contact:

There may be irritation and redness. The eyes may water profusely.

##### Ingestion:

There may be soreness and redness of the mouth and throat.

##### Inhalation:

There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

#### Delayed/immediate effects :

Immediate effects can be expected after short-term exposure.

#### Other Information:

Information is based on Dermatological testing and Safety Assessment, in accordance with the Cosmetic Regulation (REGULATION (EC) No 1223/2009)

## Section 12: Ecological information

### 12.1. Toxicity:

Hazardous ingredients

C9-11 ALCOHOL ETHOXYLATE 6-8 MOLES EO

Daphnia magna	EC50LD50	>5.3	mg/L
---------------	----------	------	------

### 12.2. Persistence and degradability:

Not biodegradable

### 12.3. Bio accumulative potential:

Bioaccumulation potential.

### 12.4. Mobility:

Readily absorbed into soil.

### 12.5. Results of PBT & vPvB assessment:

This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects:

Toxic to aquatic organisms. Toxic to soil organisms.

## Section 13: Disposal considerations

### 13.1 Waste treatment methods

Disposal operations:

Transfer to a suitable container and arrange for collection by specialised disposal company

Recovery operations:

Not applicable.

Disposal of packaging

Not applicable.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal

## Section 14: Transport information

**Transport class:** This product does not require classification for transport.

## Section 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: REGULATION (EC) No 1223/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 30 November 2009 on cosmetic products.

**15.2 Chemical safety assessment** No additional information available

## Section 16: Other information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

\* indicates text in the SDS which has changed since the last revision.

REGULATION (EC) No 1223/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 30 November 2009 on cosmetic products

### Phrases used in s.2 and s.3:

H225: Highly flammable liquid and vapour.  
H302: Harmful if swallowed.  
H318: Causes serious eye damage.  
H319: Causes serious eye irritation.  
H336: May cause drowsiness or dizziness.  
R11: Highly flammable.  
R22: Harmful if swallowed.  
R36: Irritating to eyes.  
R41: Risk of serious damage to eyes.  
R67: Vapours may cause drowsiness and dizziness.

### Legal disclaimer:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.



Merlin House  
Seven Mile Lane  
Borough Green  
Sevenoaks  
Kent  
TN15 8QY

**Enquiries**

0800 304 7616

**International**

+44 (0) 1732 882387

**Fax**

0845 450 7486

**Email**

info@fixfast.com



Certificate number 10905  
ISO 9001, ISO 14001  
OHSAS 18001