

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

McCulloch 4-Stroke Oil 10W-40

of the mixture

Registration number -

Synonyms None.

**Product code** 577 61 64-26 (1.4L), 577 61 64-21 (0.08L)

**Issue date** 19-February-2015

Version number 0°
Revision date Supersedes date -

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Lubrication of 4-stroke engine.

**Uses advised against**Use in accordance with supplier's recommendations.

1.3. Details of the supplier of the safety data sheet

Manufacturer/SupplierHusqvarna ABAddressDrottninggatan 2Telephone+46 (0)36-14 65 00Contact personAccessory DepartmentE-mailsds.info@husqvarna.se

1.4. Emergency telephone

+1-760-476-3961 (Access code 333721)

number

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

### Classification according to Directive 67/548/EEC or 1999/45/EC as amended

This preparation is not classified as dangerous according to Directive 1999/45/EC and its amendments.

# Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

**Hazard summary** 

Physical hazards Not classified for physical hazards.

Health hazards Not classified for health hazards.

**Environmental hazards** Not classified for hazards to the environment.

**Specific hazards**May form vapours or oil mists during mechanical action or at elevated temperatures which may be

irritating to respiratory tract. Prolonged exposure to oil mist may cause pulmonary disease such as chronic inflammation. Prolonged and repeated contact with used oil may cause serious skin diseases, such as dermatitis and skin cancer. Direct contact with eyes may cause temporary

irritation.

May cause eye irritation on direct contact. Defatting of the skin. Dermatitis. Ingestion may cause

irritation and malaise. In high concentrations, mists/vapors may irritate throat and respiratory

system and cause coughing.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.
Signal word None.

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

PreventionNot assigned.ResponseNot assigned.StorageNot assigned.DisposalNot assigned.

McCulloch 4-Stroke Oil 10W-40 SDS UK

906401 Version #: 01 Revision date: - Issue date: 19-February-2015

**Supplemental label information** Contains Calcium sulfonate. May produce an allergic reaction.

EUH210 - Safety data sheet available on request.

**2.3. Other hazards**Not a PBT or vPvB substance or mixture.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

**General information** 

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Distillates (petroleum), solvent-dewaxed heavy paraffinic		80 - 90	64742-65-0 265-169-7	-	649-474-00-6	
Classification:	DSD:	-				L
•	CLP:	-				L
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts		0.5 - 1.0 alts	68649-42-3 272-028-3	-	-	
Classification:	DSD:	Xi;R38-41, N;R5	51/53			
	CLP:	Skin Irrit. 2;H315, Eye Dam. 1;H318, Aquatic Chronic 2;H411				
Calcium sulfonates		0.1 - 0.3	Unknown	-	-	
Classification:	DSD:	R43	-			
	CLP:	Skin Sens. 1B;H317				

### List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC.

#: This substance has been assigned Community workplace exposure limit(s).

**Composition comments** 

The full text for all R- and H-phrases is displayed in section 16. All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### **SECTION 4: First aid measures**

**General information** If you feel unwell, seek medical advice (show the label where possible).

## 4.1. Description of first aid measures

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Call a physician if symptoms develop or

persist.

Skin contact Wash with soap and water. In case of rashes, wounds or other skin disorders: Seek medical

attention and bring along these instructions. If high pressure injection under the skin occurs,

always seek medical attention.

Eye contact Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open

eyelids wide apart. If irritation persists: Continue flushing during transport to hospital. Take along

these instructions.

**Ingestion** Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If vomiting

occurs, keep head low so that stomach content doesn't get into the lungs. Get immediate medical

attention.

4.2. Most important symptoms and effects, both acute and

delayed

Irritation of eyes and mucous membranes. Defatting of the skin. Dermatitis. Ingestion may cause irritation and malaise. In high concentrations, mists/vapors may irritate throat and respiratory system and cause coughing.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. Symptoms may be delayed. HIGH PRESSURE SKIN INJECTION: Physician must be familiar with local procedures for treatment of this type of wound; incision, irrigation, removal of all necrotic tissue and open wound dressing.

### **SECTION 5: Firefighting measures**

General fire hazards Heating may generate vapors which may form explosive vapor/air mixtures. Material will float and

can be re-ignited on surface of water.

5.1. Extinguishing media

Suitable extinguishing Foam. Dry powder. Carbon dioxide (CO2). Water fog.

media

McCulloch 4-Stroke Oil 10W-40 SDS UK

906401 Version #: 01 Revision date: - Issue date: 19-February-2015

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture By heating and fire, irritating vapours/gases may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

Special fire fighting procedures

Move container from fire area if it can be done without risk. Use water spray to cool unopened containers. Cool containers exposed to flames with water until well after the fire is out.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear protective clothing as described in section 8 of this safety data sheet. In case of spills, beware of slippery floors and surfaces.

For emergency responders

Keep unnecessary personnel away. Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not allow to enter drains, sewers or watercourses. Environmental manager must be informed of all major releases.

6.3. Methods and material for containment and cleaning up

Remove sources of ignition. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.

Large Spills: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Wash area with soap and water.

Small Spills: Wipe up spilled material and place in a suitable container for disposal. Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Wear protective clothing as described in Section 8 of this safety data sheet. Use only in well-ventilated areas. Avoid inhalation of oil mist and contact with skin and eves. Do not eat, drink or smoke when using the product. Be aware of potential for surfaces to become slippery. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from ignition, flame and heat sources. Store in a cool, dry, well-ventilated place. Store away from incompatible materials.

7.3. Specific end use(s)

Lubrication of 4-stroke engine.

# **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

No exposure limits noted for ingredient(s). Occupational exposure limits

**Biological limit values** 

Recommended monitoring procedures

Follow standard monitoring procedures.

No biological exposure limits noted for the ingredient(s).

Derived no-effect level (DNEL)

Not available. Not available.

Predicted no effect concentrations (PNECs)

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation and minimise the risk of inhalation of vapours and oil mist. Use explosion-proof equipment. Provide easy access to water supply and eye wash facilities.

### Individual protection measures, such as personal protective equipment

**General information** Personal protective equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eye/face protection

Skin protection

Wear safety glasses with side shields (or goggles).

Wear protective gloves. Nitrile gloves are recommended, but be aware that the liquid may - Hand protection

penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended by the

glove supplier.

- Other Wear appropriate clothing to prevent repeated or prolonged skin contact.

In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with Respiratory protection

combination filter (type A2/P2) can be used. Wear air-supplied mask in confined areas. Seek

advice from local supervisor.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using, do not eat, drink or smoke. Launder contaminated clothing before reuse. Private clothes and working clothes should be kept

**Environmental exposure** 

controls

Environmental manager must be informed of all major spillages.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Oily liquid. **Appearance** Physical state Liquid. **Form** Liquid. Colour Brown. Odour Not available. **Odour threshold** Not available.

Melting point/freezing point Initial boiling point and boiling

range

pН

Not available. Not available.

Not available.

Flash point > 200.0 °C (> 392.0 °F) (ASTM D93, P-M)

Not available. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available

(%)

Not available. Vapour pressure Not available. Vapour density Relative density 880 kg/m3 (15°C) Solubility(ies) Negligible.

Partition coefficient (n-octanol/water)

Not available.

**Auto-ignition temperature** 

Not available. Not available.

**Decomposition temperature Viscosity** Not available. Not available. **Explosive properties Oxidizing properties** Not oxidizing.

9.2. Other information No relevant additional information available.

# **SECTION 10: Stability and reactivity**

The product is non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

Material is stable under normal conditions. 10.2. Chemical stability 10.3. Possibility of hazardous Hazardous polymerisation does not occur.

10.4. Conditions to avoid Heat, sparks, flames, elevated temperatures. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

By heating and fire, irritating vapours/gases may be formed. Carbon oxides. 10.6. Hazardous

decomposition products

reactions

## **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

McCulloch 4-Stroke Oil 10W-40 SDS UK Information on likely routes of exposure

**Inhalation** Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory

system and provoke coughing.

**Skin contact** Prolonged or repeated contact may dry skin and cause dermatitis.

**Eye contact** Direct contact with eyes may cause temporary irritation.

Ingestion Ingestion may cause irritation and malaise. Ingestion may result in vomiting; aspiration (breathing)

of vomitus into lungs must be avoided as even small quantities may result in aspiration

pneumonitis.

**Symptoms** May cause eye irritation on direct contact. Defatting of the skin. Dermatitis. Ingestion may cause

irritation and malaise. In high concentrations, mists/vapors may irritate throat and respiratory

system and cause coughing.

11.1. Information on toxicological effects

Acute toxicity May irritate and cause stomach pain, vomiting, diarrhoea and nausea. Human evidence indicates

that the product has very low acute oral, dermal or inhalation toxicity. However, it can produce severe injury if taken into the lung as a liquid, and there may be profound central nervous system

Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

depression following prolonged exposure to high levels of vapour.

Skin corrosion/irritation

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

**Respiratory sensitisation** No data available.

**Skin sensitisation**The product contains a small amount of sensitising substance which may provoke an allergic

reaction among sensitive individuals.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classified.

Reproductive toxicity No data available.

Specific target organ toxicity -

single exposure

High concentrations: May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

No data available.

Aspiration hazard Not classified, however droplets of the product may be aspirated into the lungs through ingestion

or vomiting and may cause a serious chemical pneumonia.

Mixture versus substance

information

Not available.

Other information Prolonged and repeated contact with used oil may cause serious skin diseases, such as

dermatitis and skin cancer.

**SECTION 12: Ecological information** 

**12.1. Toxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and

degradability

Expected to biodegrade slowly.

**12.3. Bioaccumulative potential** The product contains potentially bioaccumulating substances.

Partition coefficient

Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF)

Not available.

**12.4. Mobility in soil** Not considered mobile.

Mobility in general The product is insoluble in water. It will spread on the water surface while some of the components

will eventually sediment in water systems. The volatile components of the product will spread in the

atmosphere.

12.5. Results of PBT

and vPvB assessment

Not a PBT or vPvB substance or mixture.

**12.6. Other adverse effects**Oil spills are generally hazardous to the environment.

**SECTION 13: Disposal considerations** 

13.1. Waste treatment methods

McCulloch 4-Stroke Oil 10W-40

**Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

906401 Version #: 01 Revision date: - Issue date: 19-February-2015

The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

# **SECTION 14: Transport information**

**ADR** 

Not regulated as dangerous goods.

**RID** 

Not regulated as dangerous goods.

**ADN** 

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Code

Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Not applicable.

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

# Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed

### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not listed.

## Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work Not listed.

McCulloch 4-Stroke Oil 10W-40 SDS UK

## Directive 94/33/EC on the protection of young people at work

Not listed.

Other regulations The product is classified and labelled in accordance with EC directives or respective national laws.

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations 15.2. Chemical safety

assessment

Follow national regulation for work with chemical agents. No Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

List of abbreviations

DNEL: Derived No-Effect Level.

PNEC: Predicted No-Effect Concentration.
PBT: Persistent, bioaccumulative and toxic.
vPvB: Very Persistent and very Bioaccumulative.

References HSDB® - Hazardous Substances Data Bank

Registry of Toxic Effects of Chemical Substances (RTECS) ESIS (European chemical Substances Information System)

Information on evaluation method leading to the classification of mixture

The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if

available. For details, refer to Sections 9, 11 and 12.

Full text of any statements or R-phrases and H-statements under Sections 2 to 15

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

**Training information** 

Follow training instructions when handling this material.

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently

available.

McCulloch 4-Stroke Oil 10W-40 SDS UK