



# Textural Effects

Tactile Infusion Thematic Thread



Awaken your senses with the down-to-earth comfort, soft textures and bulky yarns of Textural Effects modular planks. This elegant collection features soft organic groundcover visuals with added tactility and humanity to sustain all types of spaces. The two plank styles were inspired by woven fabric and handcrafts: Thematic Thread, a tweed pattern with an irregular loomed fabric quality and Tactile Infusion, a larger scale with a cozy, sweater-like textural aesthetic.





Tactile Infusion 739 Diorite, Thematic Thread 739 Diorite, 667 Olivine, Secoya 878 Woodland (Basketweave Installation)

# Transparency SUSTAINABLE LEADERSHIP

GH Commercial fully embraces sustainability with the Mohawk Group brand and is leading the industry in product transparency, which is at the core of programs like the Living Building Challenge. We hold current and relevant certifications and labels that illustrate our commitment to transparency and healthy indoor environments.



## OUR COMMITMENT

As a local sponsor of the Living Future Institute of Australia (LFIA), we are committed to revolutionary programs that are redefining the green building movement. These include the LFIA's Living Building Challenge and Declare programs.

Declare Labels are a 'nutrition label' for the building industry, providing ingredients, source and manufacturing locations. This eliminates the mystery of product ingredients, giving you total product transparency.









# Duracolor<sup>®</sup> Tricolor FIBRE

Building upon the trusted Duracolor promise with over 90 million metres installed worldwide since 1992, new Duracolor Tricolor delivers unsurpassed stain resistance, colourfastness, durability, colour clarity and enhanced soil performance. Carpet made with Duracolor Tricolor is recyclable, easy to maintain and features inherent stain resistance with water-only stain removal.

## STAIN RESISTANT

- The high-performance shape of the modified delta improves resilience and reduces surface wear of carpet
- Duracolor<sup>®</sup> Tricolor fibre has a negative charge that repels 99% of negatively charged, common staining substances
- Single Triangular Hole provides the best soil hiding capability and controlled light diffusion for clearer, brighter colours
- Most common stains removed with just water
- Passes AATCC Test Method 175 combined with pre-abrasion

## BEAUTIFUL

- Exceptional colourfastness to light and atmospheric contaminants so colours resist fading and stay bright
- Unmatched design flexibility without compromising colour retention or stain resistance

## SUSTAINABLE

- Made with a minimum of 30% recycled content\*\*
- Most common stains clean with just water, reducing chemical usage
- Declare Red List Free: Duracolor fibre is Declare Red List Free
- Design to look better for longer, reducing the impact to your bottom line and to the environment
- Carpet tiles made with Duracolor Tricolor are recyclable under the GH Commercial product stewardship program



\*\*Recycled content claim third party verified by SCS Global Services

## Heathered Hues CARPET FIBRE

Textural Effects' fabric aesthetic is created with Heathered Hues, Mohawk Group's new high performance colour yarn system available in both Duracolor® and ColorStrand® technologies. This highly sustainable, solution dyed fibre creates high styling and vivid colour for all market segments, projects and budgets. Heathered Hues fibre is textured and blended in a desirable palette of warm and cool neutrals with vibrant colour accents. Heathered yarns provide visual texture and dimension when tufted, allowing for a variegated wool-like appearance for warmth and sophistication. Designed to do more with less, the yarn is dematerialised for a low environmental impact, and no water is used in production.





# Enviro Bac<sup>®</sup> CARPET TILE BACKING SYSTEM

Enviro Bac<sup>®</sup> is a dimensionally stable, breathable carpet tile backing system offering exceptional performance features. Made locally in Australia, Enviro Bac<sup>®</sup> is a healthier carpet backing solution that has been trusted in commercial buildings around the country for over 20 years.

## PERFORMANCE


- Trusted for over 20 years in commercial applications
- Provides exceptional dimensional stability, preventing the carpet tile from stretching, shrinking or curling
- Works with the carpet tile to provide outstanding performance in high foot traffic spaces
- Breathable backing system with a good Moisture Vapour Emission Rate (MVER). Suitable for slabs with higher RH%.
- Assists with high strength tuft bind to resist edge ravelling

## SUSTAINABILITY

- Enviro Bac<sup>®</sup> is a healthier carpet backing system, featuring no harmful chemicals
  - No PVC, BPA or Phthalates
- Carpet tiles featuring our Enviro Bac<sup>®</sup> backing system are recyclable through our product stewardship program

## INSTALLATION

- Greatly reduces sub-floor moisture concerns and saves money on mitigation
- Worry free installation with no visible moisture present using our FlexLok<sup>®</sup> tab System
- Quality construction offers reliability for the life of your installation



1. Yarn
2. Primary Backing
3. Pre-Coat  
(latex binding layer adding tuft strength)
4. Enviro Bac<sup>®</sup>
5. Secondary Scrim

# Specifications

## Textural Effects Collection Tactile Infusion, Thematic Thread Carpet Plank

### DESIGN

Country of Origin	Australia
Size	304.8mm x 914.4mm (12" x 36")
Surface Appearance	Textured Patterned Loop
Fibre Type	Duracolor® Tricor Premium Nylon
Dye Method	Solution Dyed
Installation Methods	
Tactile Infusion	Half-Lap / Plank Half-Lap / Herringbone
Thematic Thread	Monolithic / Half-Lap / Brick Ashlar / Random / BasketWeave / Plank Half-Lap / Monolithic Stepping / Random / Herringbone
Colours Available	9 (in each product)
Available Options†	Enviro Bac Plus® (Cushion Backed)

### PERFORMANCE

Construction	Tufted
Gauge	1/12th Gauge (47/10cm)
Stain Release Technology	Permanent, Built into the Fibre
Soil Release Technology	EcoSentry Soil Protection
Backing Material	Enviro Bac®
Flammability & Smoke Density#	Meets the requirements of NCC Spec. C1.10 relating to fire hazard properties for flooring in Class 2-9 buildings Meets the requirements of the New Zealand Building Code Section C3 - Fire Affecting Areas Beyond The Fire Source.
Static Propensity	AATCC 134 < 3.5kV at 21°C & 20% Relative Humidity


### SUSTAINABILITY

PVC Minimisation	PVC Free
Indoor Air Quality#	Green Building Council Compliant for VOC Emission Rate Limits
Product Stewardship	This product is recyclable and qualifies for takeback at the end of life under our product stewardship program
Product Transparency	Declare Red List Free
Accreditation	Manufactured under a quality, environmental and health and safety system certified and complying with ISO 9001, ISO 14001 and AS 4801 by an accredited certification body.

### GUARANTEES/WARRANTIES\*

Australia	15 Years guarantee available on request*
New Zealand	Comprehensive warranties available. All warranties are issued on a project by project basis. Please contact us to discuss your requirements further.

Installation Instructions:



**These patterns contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics should be given when selecting an installation method.**

All carpet tiles and planks must be installed in accordance with AS2455 Parts 1 & 2 (latest version) and the GH Commercial Carpet Tile/Plank Installation Instructions.  
Chair pads are recommended under office chairs with roller castors to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling.  
Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, specifications may be changed or colours deleted without notice. For current and complete specifications please visit ghcommercial.com

Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference. While all care is taken, product images may vary in colour due to possible printing process and/or light variations.

\*Test results are available on request.  
\*Minimum order quantity may apply. Contact your GH Commercial Account Manager for information.  
\*These guarantees/warranties are in addition to any rights consumers may have under Australian and/or New Zealand consumer laws.  
\*Terms and conditions apply - for full information in respect to the scope of the warranty please contact your GH Commercial Account Manager or our Head Office.





Mohawk Group



Australia

Godfrey Hirst Australia Pty Ltd  
(ABN 58 000 849 758)  
1300 444 778  
[ghcommercial.com](http://ghcommercial.com)

New Zealand

Godfrey Hirst New Zealand Limited  
0800 500 210  
[ghcommercial.com](http://ghcommercial.com)