L O U N G E S E A T I N G

LIST PRICES EFFECTIVE

F E B R U A R Y 1 , 2 0 2 4

## LOUNGE SEATING



STATE OF SOUTH CAROLINA

## BF LOUNGE SEATING | TABLE OF CONTENTS

Mailing Address: HBF PO Box 8 Hickory NC 28603-0008

Shipping Address: HBF

900 - 12th Street Drive NW Hickory NC 28601-4763 Contact:

Phone: 1.855.HBF.2020 828.328.2064

Fax: 828.485.2690 Info: hbfservice@hbf.com

www.hbf.com

**Order Processing:** 

Phone: 1.855.HBF.2020 828.328.2064

Fax: 828.485.2690 hbforders@hbf.com

#### GENERAL INFORMATION PAGE ANSI/BIFMA e3-2014e Furniture Sustainability......5 COM Ordering Requirements......3 Combinations of Upholstery Applications .......4 Dimension Guide ......5 GSA......6 High Performance Products......6 Indoor Advantage™ Gold certified......5 Special Code Compliance – CAL 117......4 Spring Down Cushions......6 Veneer Options......6

#### LOUNGE SEATING

Asa	13
Brentwood	14
Charlotte	20
Conexus	25
Dialogue	31
Fulton	
Max	38
Max Modular	51
Morgan	83
November	96
Perfect Pitch	98
Salon	100
Scoop	103
Ski	105
Social	107
Trestle	109
Triscape	111
Westwood	113



#### Coverings

All upholstered items may be ordered using HBF Textiles, HBF Leathers, or coverings provided by the customer. **Prices listed as COM refer to Customer's Own Material, which includes textiles and leather.** Prices listed as GRADE refer to HBF Textiles and/or HBF Leather.

Yardage requirements shown in the price list are based on non-directional 54" wide material. The following conversion chart should be used to determine yardage requirements when COM textile is 54" wide or less and/or has a repeat of 2" or more. Add together the vertical and horizontal repeat to determine which column should be used as a reference.

Fabric Width	Plain Fabric		11"-20" Repeat			31"-35" Repeat	36"-40" Repeat	41"-45" Repeat
54"	+ 0%	+10%	+15%	. +20%	.+25%	. +30%	+35%	. +40%
51"-53"	15%	20%	25%	30%	35%	40%	45%	50%
48"-50"	30%	35%	40%	45%	50%	55%	60%	65%
45"-47"	45%	50%	55%	60%	65%	70%	75%	80%
36"-44"	60%	65%	70%	75%	80%	85%	90%	95%

To determine the possibility of reduced yardage requirements for orders of thirty (30) or more units, please contact The HBF Client Experience Team. HBF reserves the right to request additional yardage of COM at customer expense based on repeat and/or pattern size, and number of rolls.

All COM's must be approved for application before the purchase order is submitted to HBF. Please contact The HBF Client Experience Team at hbfservice@hbf.com to verify that your COM fabric has been approved. If it has not, please request COM approval testing via www.hbf.com under COM Request. Failure to submit a COM for testing may result in additional expenses or rejection of COM. For any repeat and/or pattern size not listed, please contact The HBF Client Experience Team for a yardage requirement quotation.

HBF cannot be held responsible for performance, color accuracy, or weaving of COM materials. All responsibility for COM shipments is between the purchaser and the textile/leather source. HBF reserves the right to reject any COM. HBF assumes no responsibility for suitability or wearability of COM. Difficult COM may be subject to additional charge if additional labor costs are incurred. HBF assumes no responsibility for the flame retardance of any COM. Customers are solely responsible for making sure that COM complies with all applicable codes and regulations. Orders specifying COM will not be scheduled for production until all approved COM(s) are received by HBF. To ensure proper COM expediting, please tag fabric/leather roll(s) with the following information: 1. Purchasing dealer name and purchase order number 2. HBF acknowledge ment number, if available 3. Other pertinent information which will enable proper COM identification.

When sending COM leather for use on one of our upholstered pieces, please send eighteen (18) square feet of leather for each yard of 54" plain fabric required for that item.

2

#### Coverings (Continued)

#### **COM ORDERING REQUIREMENTS:**

Prior to acceptance of order specifying COM, a memo sample must be submitted to HBF for determination of suitability. All COM's must be rolled separately, on individual tubes. Multiple materials rolled on the same tube will not be accepted.

For ease of expediting your COM order, we require the following information:

1. Material description Shipping Address: HBF

2. Material source

900 12th Street Drive NW

3. Order line, product name or number

Hickory, NC 28601-4763

- 4. Material color
- 5. A swatch of the covering
- 6. Special application instructions, if any

If COM is of a type requiring choices of seam placement, face side, position of design or repeat; these instructions must be clearly stated on the original order.

HBF cannot be held responsible for performance, color accuracy, or weaving of COM materials. All responsibility for COM shipments is between the purchaser and the textile/leather source.

HBF reserves the right to reject any COM. HBF assumes no responsibility for suitability or wearability of COM. Difficult COM may be subject to additional charge if additional labor costs are incurred.

HBF assumes no responsibility for the flame retardance of any COM. Customers are solely responsible for making sure that COM complies with all applicable codes and regulations.

Orders specifying COM will not be scheduled for production until all approved COM is received by HBF.

To ensure proper COM expediting, please tag textile/leather with the following information:

- 1. Purchasing dealer name and purchase order number
- 2. HBF acknowledgement number, if available
- 3. Other pertinent information which will enable proper COM identification

3

## Combination of Upholstery Applications

All seating ordered with combination upholstery application (fabric, leather) that **is not** offered as standard is subject to a \$103 List Upholstery upcharge and will be entered and processed as a special model, in addition to the following pricing conditions:

- 1. Combinations using HBF Textiles and COM will be priced at the COM price. The cost of the portion of the HBF Textiles used, will be entered as a miscellaneous charge on the furniture order.
- 2. Combinations using HBF Textiles and HBF Leathers, or COM and HBF Leathers, will be priced at the appropriate Leather I-V price.
- 3. Combinations using two HBF Textiles will be invoiced at higher grade price.
- 4. When specifying combination of upholstery applications, a sketch indicating placement of textiles and direction of applications must accompany the purchase order.

#### Special Code Compliance

#### California #117-2013

Unless otherwise specified, foam used in all HBF seating products complies with these guidelines.

#### Boston Fire Code New York Port Authority

Please contact the HBF Client Experience Team if compliance is required for these special codes.



#### ANSI/BIFMA e3-2014e LEVEL® Furniture Sustainability Standard Certification

A majority of HBF's products have met the necessary qualifications to achieve LEVEL® certification. LEVEL® is the multi-attribute sustainability certification based on the ANSI/BIFMA e3 Furniture Sustainability Standard. The standard and certification were created to deliver the most open and transparent means of evaluating and communicating the environmental and social impacts of furniture products in the built environment. Taking into account a company's social actions, energy usage, material selection and human and ecosystem health impacts, LEVEL® addresses how a product is sustainable from multiple perspectives. The organization, facilities, and products are audited on an annual basis to ensure ongoing compliance and improvement.

With LEVEL\*, customers can make informed choices about sustainable commercial office furniture. The LEVEL\* mark identifies that a product has been vetted by an independent third party certifier and its numeric marking of 1, 2, or 3 indicates the threshold of certification the product has achieved. A majority of HBF's seating, occasional tables, and conference lines are LEVEL\* certified. Please download the certificates from our product pages for the complete details. For more information about the ANSI/BIFMA LEVEL\* standard, visit www.levelcertified.org.

### ANSI/BIFMA Performance Standards

Our seating products meet or exceed ANSI/BIFMA weight performance standards of 275 lbs. (124.7 kg.) unless otherwise noted.

#### Indoor Advantage™ Gold certified

All HBF seating products are Indoor Advantage™ Gold Certified.

SCS Global Services, a reputable third-party certification and assessment body of environmental, sustainability and safety claims since 1984, has developed internationally recognized standards and certification programs to assist businesses with improving their environmental efforts, social accountability and product performance.


The advantages of holding Indoor Air Quality certification are substantial: in addition to improving indoor working environments and meeting qualifications for the LEED-CI EQ 4.5 credit for office furniture as well as the BIFMA Standard for Low-Emitting Office Furniture Systems & Seating M-7.1, there is the added assurance of knowing that the company's entire breadth of products is held to such rigorous standards.

For more information regarding Indoor Advantage<sup>™</sup>, please visit: http://www.scsglobalservices.com.

Please contact the HBF Client Experience Team for pricing and lead time information.

5

#### **Dimension Guide**



#### **GSA/Federal Contract Information**

#### GSA Contract Number 47QSMA22D08P9

Model numbers identified with the following verbiage "When purchased separately without a configurable TAA compliant end product, not on GSA contract" is to mean that these configurable parts or components:

- Have no functionality or capability without being integrated into an end product; and
- Are considered Open Market if purchased without a configurable TAA compliant end product.

#### HBF High Performance Products

HBF and HBF Textiles have long been leaders in contract furnishings and known for industry-leading product design coupled with the highest quality construction, comfort and aesthetic beauty.

Now these same principals are the cornerstones of HBF Healthcare high performance products. We have consulted with healthcare designers and clients to provide products and options for interiors that will provide quality sustainable design solutions for the future. These effective solutions will address the unique interactions required by any high-use facility. Visit www.hbf.com for additional high performance product information.

Seating Product High Performance Options:

• Guest and Lounge Seating

• Arm Caps

• Moisture Barrier

• Wipe Out - Clean Out

• Tandem Seating

• Wall Saver Legs

• Replaceable Components

• Upholstery Products from HBF Textiles

#### **Spring Down Cushions**

Optional spring down cushions are available on most loose cushion HBF lounge seating. List upcharges are:

Chair \$108 Loveseat \$194 Sofa \$297

#### Veneer and Finishes

Wood owes its inherent beauty to variations in color, grain, and texture; therefore, these variations are not considered defects. Due to the natural color and grain variances of wood substance the final finish color, texture and grain may vary from one furniture piece to another even though they are finished at the same time. Exposure to light and the aging process will cause changes in surface color of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. HBF does not guarantee the exact matching of grain, pattern and color.

An upcharge of **5% Net** COM per seating unit, with a minimum upcharge of **\$500 Net** per order, will apply for any custom wood finish.

Refer to the following page for product material options.

6



#### ASH: (AH) FINISHES



7

Screen images are intended as a guide only and should not be regarded as absolutely correct. For exact color/texture, please visit www.hbf.com to request an actual sample.



#### OAK: (RK) FINISHES



RK310 Smoke Opaque



RK400 Clear



RK402 Black Opaque



RK403 Grey Opaque



RK404 Warm White Opaque



RK405 Mist Opaque



RK406 Denim Opaque



RK407 Pewter Opaque



RK408 Peppercorn Opaque



RK901 Amber



RK902 Designer White Opaque



RK911 Warm Brick



RK929 Nutmeg



RK937 Bark



RK984 Dark Roast



RK993 Sumatra

8

Screen images are intended as a guide only and should not be regarded as absolutely correct. For exact color/texture, please visit www.hbf.com to request an actual sample.



#### WALNUT: (NT) FINISHES



NT310 Smoke Opaque



NT400 Clear



NT402 Black Opaque



NT403 Grey Opaque



NT404 Warm White Opaque



NT405 Mist Opaque



NT406 Denim Opaque



NT407 Pewter Opaque



NT408 Peppercorn Opaque



NT902 Designer White Opaque

9



NT911 Warm Brick



NT929 Nutmeg



NT937 Bark



NT984 Dark Roast



NT993 Sumatra

Screen images are intended as a guide only and should not be regarded as absolutely correct. For exact color/texture, please visit www.hbf.com to request an actual sample.

#### MAPLE: (NE) CORE FINISHES Note: Exclusively available for the Andaz Collection.







NE402 Black Opaque



NE406 Denim Opaque



NE902 Designer White Opaque

#### MAPLE: (NE) CURATED FINISHES Note: Exclusively available for the Andaz Collection.



NE150 Conifer Opaque



NE152 Cameo Opaque



NE153 Cordovan Opaque

#### MAPLE: (NE) Note: Only available on the following collection: Westwood



NE215 Medium Brown Cherry



NE331 Dark Rift Oak



NE615 Coffee Walnut



NE629 Nutmeg Walnut



NE637 Charcoal Grey



NE684 Dark Roast Walnut



NE693 Sumatra Walnut

Screen images are intended as a guide only and should not be regarded as absolutely correct. For exact color/texture, please visit www.hbf.com to request an actual sample.

#### POWDER COATS:







WI White



LG Light Grey



SP Satin Pewter



P8X Solar Black

#### METALS:



POL Polished Chrome



BSS Brushed Stainless



PSS Polished Stainless

#### ${\tt ACRYLICS:}\ \textit{Note: Exclusively available for the Brentwood Collection.}$



SAW Alabaster White



SDW1 Designer White

Screen images are intended as a guide only and should not be regarded as absolutely correct. For exact color/texture, please visit www.hbf.com to request an actual sample.



Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
Blink Denim Wash* Walkabout Zippy	Look-see Remember Rush*	Caddy Corner* Checkmate Cuddle Up Picnic Plaid Upbeat	Chenille Striae Crumpled Paper Dot Grid Habu Poppy Skim Coat	Fourfold* Uptown	All Terrain Bunny Cloverleaf Comfort Zone Happy Camper Here & There Knitwork Laugh Lines Moody Moss Notable Grain Sherpa Well-Loved

Grade G	Grade H	Grade J	Grade K	Grade L	Grade M
Beetle Curtain Wall Dashing Equation* Folded Lines High Rise Honest* Inherent Matriarch Pebbled Scribble XS Stardust Upscale	Air Mail* Captain Bubble Crafted Felt Chubby Baby Intersection Lawn Chair Madam Dottie Soft Angles 2.0 Upstart Uptick	Abito Argyle Boucle Belgian Meadow Brushed Canvas Digital Bloom 2.0 Enriched Boucle Glint Lava Rock Quill Scribble XL Sir Stripe-a-lot Tattoo Toile Tessellations Tête-à-Tête Tickled Herring Twist	Afghan Cherished Knit Complex Crosstweed Double Stitch Gather Grateful Grid Heartfelt Merci Boucle Moving Blanket Moving Forward Night Earth Pepper Blend Polygone Quilted Comfort Sideways Sister Solid	Agate Stripe Goosebumps Hipster Landscape Blur Ms. Quilty 2.0 Smart* Sweater Velvet Mix Woven Memory	Crafted Cloud Eccentric Flirt Poodle

Leather I	Leather II	Leather III	Leather IV	Leather V	Leather VI
Clutch	Vivace II	Aviator	Free Way	Wild West	Modern Patina Upper Crust




## Asa Specifications Collection Details Lounge Chair Upholstered Frame Finishes Black Powder Coat | White Powder Coat | Polished Stainless Steel

	List Prices		Sq.Ft.	Yards	Dimensions	
Asa HLL413-011						
	Grade A         2875         Grade H         3140         Leather II         35           Grade B         2905         Grade J         3175         Leather III         41           Grade C         2940         Grade K         3240         Leather IV         44           Grade D         2975         Grade L         3340         Leather V         46           Grade E         3005         Grade M         3475         Leather VI         49	700 940 180 420 660 900	54	3	OW 27½ OD 28½ SH 16½	AH WBA DED DEW R
	Grade F <b>3045</b>				11 0 0	45 26

Fully Upholstered Back, Seat, and Arms | Metal Frame - Black Powder Coat

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage^{rs}\ certified}$ 

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLL413-011. Fabric. Flammability. Base

Example: HLL413-011.950-88.U.BL

13



#### **Brentwood Specifications**

Collection Details Lounge Chair | Loveseat | Sofa

Upholstered

**Wood Options** Frame available in Ash.

Refer to HBF Standard Ash finishes for color selection. Finish selection must be noted on order.

	List Prices						Sq.Ft.	Yards	Dime	ensions		
Brentwood HLB294-011												
	Grade B Grade C Grade D Grade E	3030 3090 3145 3200	Grade G Grade H Grade J Grade K Grade L Grade M	3475 3530	Leather I Leather II Leather III Leather IV Leather V Leather VI	4410 4810 5210 5610 6010 6410	90	5	OH OW OD SH SD Shipp Cube	34½ 25½ 27¾ 17¾ 20	AH WBA DED DEW R	24½ 19

Fully Upholstered | Plain Back | Ash Frame

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

PLEASE SPECIFY THE FOLLOWING TO ORDER:

HLB294-011.Fabric.Flammability.Wood.Arm

Example: HLB294-011.950-88.U.AH400.N

14



List Prices					Sq.Ft.	Yards	Dime	ensions		
Grade A 2825 Grade B 2885 Grade C 2940 Grade D 2995	Grade H Grade J Grade K Grade L	3270 3325 3440 3605	Leather II Leather IV Leather V	4205 4605 5005 5405 5805 6205	90	5		34½ 25½ 27¾ 17¾ 20	DED DEW R	24½ 19
	COM/COL 2940 Grade A 2825 Grade B 2885 Grade C 2940 Grade D 2995 Grade E 3050	COM/COL         2940         Grade G           Grade A         2825         Grade H           Grade B         2885         Grade J           Grade C         2940         Grade K           Grade D         2995         Grade L           Grade E         3050         Grade M	COM/COL         2940         Grade G         3195           Grade A         2825         Grade H         3270           Grade B         2885         Grade J         3325           Grade C         2940         Grade K         3440           Grade D         2995         Grade L         3605           Grade E         3050         Grade M         3825	COM/COL         2940         Grade G         3195         Leather I           Grade A         2825         Grade H         3270         Leather II           Grade B         2885         Grade J         3325         Leather III           Grade C         2940         Grade K         3440         Leather IV           Grade D         2995         Grade L         3605         Leather V           Grade E         3050         Grade M         3825         Leather VI	COM/COL         2940         Grade G         3195         Leather I         4205           Grade A         2825         Grade H         3270         Leather II         4605           Grade B         2885         Grade J         3325         Leather III         5005           Grade C         2940         Grade K         3440         Leather IV         5405           Grade D         2995         Grade L         3605         Leather V         5805           Grade E         3050         Grade M         3825         Leather VI         6205	COM/COL       2940       Grade G       3195       Leather I       4205       90         Grade A       2825       Grade H       3270       Leather II       4605         Grade B       2885       Grade J       3325       Leather III       5005         Grade C       2940       Grade K       3440       Leather IV       5405         Grade D       2995       Grade L       3605       Leather V       5805         Grade E       3050       Grade M       3825       Leather VI       6205	COM/COL       2940       Grade G       3195       Leather I       4205       90       5         Grade A       2825       Grade H       3270       Leather II       4605         Grade B       2885       Grade J       3325       Leather III       5005         Grade C       2940       Grade K       3440       Leather IV       5405         Grade D       2995       Grade L       3605       Leather V       5805         Grade E       3050       Grade M       3825       Leather VI       6205	COM/COL         2940         Grade G         3195         Leather I         4205         90         5         OH           Grade A         2825         Grade H         3270         Leather II         4605         OW           Grade B         2885         Grade J         3325         Leather III         5005         OD           Grade C         2940         Grade K         3440         Leather IV         5405         SH           Grade B         3050         Grade L         3605         Leather V         5805         SD           Grade E         3050         Grade M         3825         Leather VI         6205	COM/COL         2940         Grade G         3195         Leather I         4205         90         5         OH         34½           Grade A         2825         Grade H         3270         Leather II         4605         OW         25½           Grade B         2885         Grade J         3325         Leather III         5005         OD         27¾           Grade C         2940         Grade K         3440         Leather IV         5405         SH         17¾           Grade D         2995         Grade L         3605         Leather V         5805         SD         20           Grade E         3050         Grade M         3825         Leather VI         6205         Shipping Weight	COM/COL 2940 Grade G         3195 Leather I         4205 90         90         5 OH 34½ AH         AH           Grade A         2825 Grade H         3270 Leather II         4605 OW 25½ WBA           Grade B         2885 Grade J         3325 Leather III 5005 OD 27¾ DED           Grade C         2940 Grade K         3440 Leather IV 5405 SH 17¾ DEW           Grade D         2995 Grade L         3605 Leather V         5805 SD 20 R           Grade E         3050 Grade M         3825 Leather VI         6205           Grade F         3115         Shipping Weight         63


ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Fully Upholstered | X Back with Button | Ash Frame

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:

901 = Amber 902 = Designer White Opaque 911 = Warm Brick 929 = Nutmeg 937 = Bark 984 = Dark Roast 993 = Sumatra	NUMBER 1	TEXTILES Indicate fabric choice:  See options for fabrics at www.hbftextiles.com	FLAMMABILITY Indicate flammability:  U = Cal 117	902 = Designer White Opaque 911 = Warm Brick 929 = Nutmeg 937 = Bark 984 = Dark Roast	•
---	----------	--	--	---	---

HLB294-021.Fabric.Flammability.Wood.Arm Example: HLB294-021.950-88.U.AH400.N



ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Fully Upholstered | Plain Back | Ash Frame

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER  Indicate fabric choice:  See options for fabrics at www.hbftextiles.com  Indicate flammability:  See options for fabrics at www.hbftextiles.com  Indicate flammability:  U = Cal 117  SPECIES & FINISH  Options for wood finishes: AH = Ash  310 = Smoke Opaque 400 = Clear 402 = Black Opaque 403 = Grey Opaque 404 = Warm White Opaque 405 = Mist Opaque 406 = Denim Opaque 407 = Pewter Opaque 408 = Peppercorn Opaque 901 = Amber 902 = Designer White Opaque 911 = Warm Brick 929 = Nutmeg 937 = Bark 984 = Dark Roast 993 = Sumatra	OPTIONS FOR ARMS (CAPS)  ACW = Wood Arm Cap - Traditional +\$200  N = No Arm Cap  Options for acrylic arm caps:  ACA = Acrylic Arm Caps  Options for acrylic colors:  Acrylic Standard Color: +\$244  AW = Alabaster White  Acrylic Premium Color: +\$488  DWI = Designer White
---	---

16

HLB294-012.Fabric.Flammability.Wood.Arm Example: HLB294-012.950-88.U.AH400.N

	List Prices						Sq.Ft.	Yards	Dime	ensions		
Brentwood HLB294-022												
	COM/COL Grade A Grade B Grade C Grade D Grade E Grade F	3945 4025 4100 4180	Grade G Grade H Grade J Grade K Grade L Grade M	4460 4570 4645 4800 5035 5345	Leather I Leather II Leather III Leather IV Leather V Leather VI	5875 6435 6995 7555 8115 8675	126	7	OH OW OD SH SD Shipp Cube	34½ 52½ 27¾ 17¾ 19% oing Weight	AH WBA DED DEW R 103 55.3	24½ 46½

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage^{rss}\ certified}$ 

Fully Upholstered | X Back with Button | Ash Frame

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:

www.hbfrextiles.com  400 = Clear 402 = Black Opaque 403 = Grey Opaque 404 = Warm White Opaque 405 = Mist Opaque 406 = Denim Opaque 408 = Peppercorn Opaque 408 = Peppercorn Opaque 901 = Amber 902 = Designer White Opaque 911 = Warm Brick 929 = Nutmeg 937 = Bark 984 = Dark Roast 993 = Sumatra  Options for acrylic arm caps:  ACA = Acrylic Arm Cap Options for acrylic rarm caps:  ACA = Acrylic Arm Cap Options for acrylic rarm caps:  ACA = Acrylic Arm Cap Options for acrylic rarm caps:  ACA = Acrylic Arm Cap Options for acrylic rarm caps:  ACA = Acrylic Arm Cap Options for acrylic rarm caps:  ACA = Acrylic Arm Cap Options for acrylic rarm caps:  ACA = Acrylic Arm Cap Options for acrylic rarm caps:  ACA = Acrylic Arm Cap Options for acrylic rarm caps:  ACA = Acrylic Arm Cap Options for acrylic rarm caps:  ACA = Acrylic Arm Cap Options for acrylic rarm caps:  ACA = Acrylic Arm Cap Options for acrylic rarm caps:  ACA = Acrylic Arm Cap Options for acrylic arm caps:  ACA = Acrylic Arm Cap Options for acrylic arm caps:  ACA = Acrylic Arm Cap Options for acrylic arm caps:  ACA = Acrylic Arm Cap
---

HLB294-022.Fabric.Flammability.Wood.Arm Example: HLB294-022.950-88.U.AH400.N

	List Prices						Sq.Ft.	Yards	Dime	ensions		
Brentwood HLB294-013												
	COM/COL Grade A Grade B Grade C Grade D Grade E Grade F	5370 5170 5270 5370 5470 5570 5690	Grade G Grade H Grade J Grade K Grade L Grade M	5830 5970 6070 6270 6570 6970	Leather I Leather II Leather III Leather IV Leather V Leather VI	7650 8370 9090 9810 10,530 11,250	162	9	OH OW OD SH SD Shipp Cube	34½ 74½ 28 175⁄8 19¾ sing Weight	AH WBA DED DEW R 139 66.5	24½ 68¾

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Fully Upholstered | Plain Back | Ash Frame

PLEASE SPECIFY THE FOLLOWING TO ORDER:

|--|

HLB294-013.Fabric.Flammability.Wood.Arm Example: HLB294-013.950-88.U.AH400.N



	List Prices					Sq.Ft.	Yards	Dime	ensions		
Brentwood HLB294-023											
	Grade B 5075 Grade C 5175 Grade D 5275	Grade G Grade H Grade J Grade K Grade L Grade M	5635 5775 5875 6075 6375 6775	Leather I Leather II Leather III Leather IV Leather V Leather VI	7455 8175 8895 9615 10,335 11,055	162	9	OH OW OD SH SD Shipp Cube	34½ 74½ 28 175% 19¾ sing Weight	AH WBA DED DEW R	24½ 68¾

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Fully Upholstered | X Back with Button | Ash Frame

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	TEXTILES Indicate fabric choice:  See options for fabrics at www.hbfiextiles.com	FLAMMABILITY Indicate flammability:  U = Cal 117	SPECIES & FINISH  Options for wood finishes: AH = Ash  310 = Smoke Opaque  400 = Clear  402 = Black Opaque  403 = Grey Opaque  404 = Warm White Opaque  405 = Mist Opaque  406 = Denim Opaque  407 = Pewter Opaque  408 = Peppercorn Opaque  901 = Amber  902 = Designer White Opaque  911 = Warm Brick  929 = Nutmeg	OPTIONS FOR ARMS (CAPS)  ACW = Wood Arm Cap - Traditional +\$200  N = No Arm Cap  Options for acrylic arm caps:  ACA = Acrylic Arm Caps  Options for acrylic colors:  Acrylic Standard Color: +\$244  AW = Alabaster White  Acrylic Premium Color: +\$488  DWI = Designer White
				DW1 = Designer white

HLB294-023.Fabric.Flammability.Wood.Arm Example: HLB294-023.950-88.U.AH400.N



#### **Charlotte Specifications**

Collection Details Lounge Chair | Sofa Wood Frame | Upholstered

Wood Options Frame available in Oak | Walnut.

Refer to HBF Standard finishes for color selection. Finish selection must be noted on order.

	List Prices		Sq.Ft.	Yards	Dimensions		
Charlotte HLD205-011							
	Grade A 4085 Grade H 45 Grade B 4145 Grade J 40 Grade C 4205 Grade K 47 Grade D 4270 Grade L 45	490       Leather I       5600         575       Leather II       6040         635       Leather III       6480         755       Leather IV       6920         940       Leather V       7360         185       Leather VI       7800	99	51/2	OH 30½ OW 33½ OD 29½ SH 18¼ SD 22½ Shipping Weight Cube	AH WBA DED DEW R 80 38.9	30 21½

Fully Upholstered | Oak Frame

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified Indoor Advantage™ certified

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:

408 = Peppercorn Opaque 901 = Amber 902 = Designer White Opaque 911 = Warm Brick 929 = Nutmeg 937 = Bark 984 = Dark Roast 993 = Sumatra	NUMBER Indic	cate fabric choice:  ptions for fabrics at  hbftextiles.com	FLAMMABILITY Indicate flammability:  U = Cal 117	902 = Designer White Opaque 911 = Warm Brick 929 = Nutmeg 937 = Bark 984 = Dark Roast
---	--------------	---	--	---

HLD205-011.Fabric.Flammability.Wood

Example: HLD205-011.950-88.U.RK400

20



	List Prices						Sq.Ft.	Yards	Dime	ensions		
Charlotte HLD205-013												
	Grade B 6 Grade C 6 Grade D 6 Grade E 6	5290 5380 5475 5570 5665	Grade G Grade H Grade J Grade K Grade L Grade M	7140 7325	Leather I Leather II Leather IV Leather V Leather VI	8630 9310 9990 10,670 11,350 12,030	153	8½	OH OW OD SH SD	32½ 87¾ 33 18¼ 23½	AH WBA DED DEW R	32 73
	Grade F 6	5780							Shipp Cube	ing Weight	174 75.8	

Fully Upholstered | Oak Frame

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	SPECIES & FINISH
	Indicate fabric choice:	Indicate flammability:	Options for wood finishes: RK = Oak
	See options for fabrics at www.hbftextiles.com	U = Cal 117	310 = Smoke Opaque
			400 = Clear
			402 = Black Opaque
			403 = Grey Opaque
			404 = Warm White Opaque
			405 = Mist Opaque
			406 = Denim Opaque
			407 = Pewter Opaque
			408 = Peppercorn Opaque
			901 = Amber
			902 = Designer White Opaque
			911 = Warm Brick
			929 = Nutmeg
			937 = Bark 984 = Dark Roast
			984 = Dark Roast 993 = Sumatra
			993 = Sumatra
•	•	•	

HLD205-013.Fabric.Flammability.Wood Example: HLD205-013.950-88.U.RK400



	List Prices		Sq.Ft.	Yards	Dimensions	
Charlotte HLD205-021						
	COM/COL         4700         Grade G         4930         Leath           Grade A         4600         Grade H         5000         Leath           Grade B         4650         Grade J         5050         Leath           Grade C         4700         Grade K         5150         Leath           Grade D         4750         Grade L         5300         Leath           Grade E         4800         Grade M         5500         Leath	er II 6200 er III 6560 er IV 6920 er V 7280	81	4½	OH 30½ OW 29½ OD 28¾ SH 18¼ SD 22½	AH WBA DED DEW R
	Grade F <b>4860</b>				Shipping Weight Cube	69 37.1

Fully Upholstered Seat and Back | Exposed Oak Frame

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL	TEXTILES	FLAMMABILITY	SPECIES & FINISH	
NUMBER	Indicate fabric choice:	Indicate flammability:	Options for wood finishes: RK = Oak	Options for wood finishes: NT = Walnut +\$300
	See options for fabrics at www.hbftextiles.com	U = Cal 117	RK = Oak  310	NT = Walnut +\$300  310 = Smoke Opaque  400 = Clear  402 = Black Opaque  403 = Grey Opaque  404 = Warm White Opaque  405 = Mist Opaque  406 = Denim Opaque  407 = Pewter Opaque  408 = Peppercorn Opaque  902 = Designer White Opaque  911 = Warm Brick  929 = Nutmeg  937 = Bark  984 = Dark Roast  993 = Sumatra
•	•	•		

HLD205-021.Fabric.Flammability.Wood Example: HLD205-021.950-88.U.RK400



	List Prices			Sq.Ft.	Yards	Dimens	sions	
Charlotte HLD205-031								
	Grade A 4880 (Grade B 4910 (Grade C 4935 (Grade D 4965 (	Leather I Leather II Leather III Leather IV Leather V Leather VI	5570 5770 5970 6170 6370 6570	45	21/2	OW 2 OD 2 SH 1 SD 2	30½ 29½ 28¾ 18¼ 22½ g Weight	AH WBA DED DEW R
						Cube	8 8	37.1

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Fully Upholstered Seat and Inside Back | Exposed Oak Frame with Exposed Oak Outside Back

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	SPECIES & FINISH	
	Indicate fabric choice:	Indicate flammability:	Options for wood finishes: RK = Oak	Options for wood finishes: NT = Walnut +\$500
	See options for fabrics at	U = Cal 117		Options for wood frame & back: +\$1000
	www.hbftextiles.com		310 = Smoke Opaque	310 = Smoke Opaque
			400 = Clear	400 = Clear
			402 = Black Opaque	402 = Black Opaque
			403 = Grey Opaque	403 = Grey Opaque
			404 = Warm White Opaque	404 = Warm White Opaque
			405 = Mist Opaque	405 = Mist Opaque
			406 = Denim Opaque	406 = Denim Opaque
			407 = Pewter Opaque	407 = Pewter Opaque
			408 = Peppercorn Opaque	408 = Peppercorn Opaque
			901 = Amber	902 = Designer White Opaque
			902 = Designer White Opaque	911 = Warm Brick
			911 = Warm Brick	929 = Nutmeg
			929 = Nutmeg	937 = Bark
			937 = Bark	984 = Dark Roast
			984 = Dark Roast	993 = Sumatra
			993 = Sumatra	
•	•	•		

23

HLD205-031.Fabric.Flammability.Wood.Back Example: HLD205-031.950-88.U.RK400.RK400



	List Prices					Sq.Ft.	Yards	Dime	ensions		
Charlotte HLD205-023											
	Grade A 76 Grade B 77 Grade C 78 Grade D 79 Grade E 80	685 Grade C 685 Grade J 785 Grade J 685 Grade K 685 Grade L 685 Grade A	H 8485 8585 8785 9085	Leather I Leather II Leather III Leather IV Leather V Leather VI	10,165 10,885 11,605 12,325 13,045 13,765	162	9	OH OW OD SH SD Shipp Cube	32 87½ 32½ 18¼ 23½ sing Weight	AH WBA DED DEW R	32 73

Fully Upholstered Seat and Back | Exposed Oak Frame

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL	TEXTILES	FLAMMABILITY	SPECIES & FINISH	
NUMBER	TEXTIEDO	1 EXWINIXBILIT		
	Indicate fabric choice:	Indicate flammability:	Options for wood finishes:	Options for wood finishes:
			RK = Oak	NT = Walnut +\$400
	See options for fabrics at	U = Cal 117		
	www.hbftextiles.com		310 = Smoke Opaque	310 = Smoke Opaque
			400 = Clear	400 = Clear
			402 = Black Opaque	402 = Black Opaque
			403 = Grey Opaque	403 = Grey Opaque
			404 = Warm White Opaque	404 = Warm White Opaque
			405 = Mist Opaque	405 = Mist Opaque
			406 = Denim Opaque	406 = Denim Opaque
			407 = Pewter Opaque	407 = Pewter Opaque
			408 = Peppercorn Opaque	408 = Peppercorn Opaque
			901 = Amber	902 = Designer White Opaque
			902 = Designer White Opaque	911 = Warm Brick
			911 = Warm Brick	929 = Nutmeg
			929 = Nutmeg	937 = Bark
			937 = Bark	984 = Dark Roast
			984 = Dark Roast	993 = Sumatra
			993 = Sumatra	
•	•	•		

HLD205-023.Fabric.Flammability.Wood Example: HLD205-023.950-88.U.RK400




# Conexus Specifications Collection Details Lounge Chair | Ottoman Upholstered | Wood Outback Wood Options Outback available in Walnut and Ash Refer to HBF Standard Walnut and Ash finishes for color selection. Finish selection must be noted on order.

	List Prices	Sq.Ft.	Yards	Dimensions	
Conexus HLV116-011					
	COM/COL         4310         Grade G         4540         Leather I         5450           Grade A         4210         Grade H         4610         Leather II         5810           Grade B         4260         Grade J         4660         Leather III         6170           Grade C         4310         Grade K         4760         Leather IV         6530           Grade D         4360         Grade L         4910         Leather V         6890           Grade E         4410         Grade M         5110         Leather VI         7250	81	4½	OH 42 OW 28½ OD 31 SH 17 SD 19½	AH 22 WBA 19 DED DEW R
> > >	Grade F <b>4470</b>			Shipping Weight Cube	72 25

Fully Upholstered | High Back | 4-Prong Self Return Black Powder Coat Base

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLV116-011.Fabric.Flammability.Base

Example: HLV116-011.950-88.U.BL

25



List Prices		Sq.Ft.	Yards	Dimensions	
Conexus HLV116-021					
COM/COL Grade A Grade B Grade C Grade D Grade E Grade F	5065         Grade G         5240         Leather I         5950           4985         Grade H         5295         Leather II         6230           5025         Grade J         5335         Leather III         6510           5065         Grade K         5415         Leather IV         6790           5100         Grade L         5530         Leather V         7070           5140         Grade M         5685         Leather VI         7350           5190         France         France         France         7350	63	31/2	OH 42 OW 28½ OD 31 SH 17 SD 19½ Shipping Weight Cube	AH 22 WBA 19 DED DEW R 73 25

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Upholstered Seat, Inside Back and Seat | High Back | Wood Outback - Walnut | 4-Prong Self Return Black Powder Coat base

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	BASE FINISH	SPECIES & FINISH	
NUMBER	Indicate fabric choice:	Indicate flammability:	Options for metal finish:	Options for wood finishes: AH = Ash	Options for wood finishes:
	See options for fabrics at www.hbftextiles.com	U = Cal 117	BL = Black Powder Coat PSS = Polished Stainless Steel +\$535 WI = White Powder Coat	AH = Ash  310	NT = Walnut  310 = Smoke Opaque  400 = Clear  402 = Black Opaque  403 = Grey Opaque  404 = Warm White Opaque  405 = Mist Opaque  406 = Denim Opaque  407 = Pewter Opaque  408 = Peppercorn Opaque  902 = Designer White Opaque  911 = Warm Brick  929 = Nutmeg  937 = Bark  984 = Dark Roast  993 = Sumatra
				993 = Sumatra	
•	•	•	•		

26

HLV116-021.Fabric.Flammability.Base.Wood Example: HLV116-021.950-88.U.BL.AH400



	List Prices	Sq.Ft.	Yards	Dimensions
Conexus HLV116-031				
大大	COM/COL         2105         Grade G         2205         Leather I         2610           Grade A         2060         Grade H         2235         Leather II         2770           Grade B         2080         Grade J         2260         Leather III         2930           Grade C         2105         Grade K         2305         Leather IV         3090           Grade D         2125         Grade L         2370         Leather V         3250           Grade E         2150         Grade M         2460         Leather VI         3410           Grade F         2175         August Agents         2460         Leather VI         3410	36	2	OH 16½ AH OW 24¾ WBA OD 18 DED SH 16½ DEW SD 18 R  Shipping Weight 37
				Cube 17

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage^{rss}\ certified}$ 

Fully Upholstered Seat | Wood Bottom - Walnut | 4-Prong Black Powder Coat Base

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER  Indicate fabric choice:  See options for fabrics at www.hbfrextiles.com  U = Cal 117  BL = Black Powder Coat  PSS = Polished Stainless Steel +\$435  W1 = White Powder Coat  100 = Clear  1						
See options for fabrics at www.hbftextiles.com  BL = Black Powder Coat  BL = B		TEXTILES	FLAMMABILITY	BASE FINISH	SPECIES & FINISH	
See options for fabrics at www.hbftextiles.com  BL = Black Powder Coat  PSS = Polished Stainless Steel + \$435  W1 = White Powder Coat  BL = Black Powder Coat  PSS = Polished Stainless Steel + \$435  W1 = White Powder Coat  BL = Black Powder Coat  PSS = Polished Stainless Steel + \$435  W1 = White Powder Coat  BL = Black Powder Coat  PSS = Polished Stainless Steel + \$435  W1 = White Powder Coat  BL = Black Powder Coat  PSS = Polished Stainless Steel + \$435  W1 = White Powder Coat  BL = Black Powder Coat  PSS = Polished Stainless Steel + \$435  W1 = White Powder Coat  400 = Clear  400 = Clear  402 = Black Opaque  403 = Grey Opaque  404 = Warm White Opaque  405 = Mist Opaque  406 = Denim Opaque  407 = Pewter Opaque  408 = Peppercorn Opaque  408 = Peppercorn Opaque  901 = Amber  902 = Designer White Opaque  901 = Warm Brick  929 = Nutmeg  937 = Bark  937 = Bark  938 = Dark Roast  983 = Dark Roast  993 = Sumatra		Indicate fabric choice:	Indicate flammability:	Options for metal finish:		
W1			U = Cal 117			
402 = Black Opaque 402 = Black Opaque 403 = Grey Opaque 403 = Grey Opaque 404 = Warm White Opaque 404 = Warm White Opaque 405 = Mist Opaque 405 = Mist Opaque 406 = Denim Opaque 406 = Denim Opaque 407 = Pewter Opaque 407 = Pewter Opaque 408 = Peppercorn Opaque 408 = Peppercorn Opaque 901 = Amber 902 = Designer White Opaque 902 = Designer White Opaque 911 = Warm Brick 911 = Warm Brick 929 = Nutmeg 929 = Nutmeg 937 = Bark 937 = Bark 984 = Dark Roast 984 = Dark Roast 993 = Sumatra						
404 = Warm White Opaque 405 = Mist Opaque 406 = Denim Opaque 407 = Pewter Opaque 408 = Peppercorn Opaque 408 = Peppercorn Opaque 901 = Amber 902 = Designer White Opaque 911 = Warm Brick 911 = Warm Brick 929 = Nutmeg 937 = Bark 937 = Bark 984 = Dark Roast 993 = Sumatra 993 = Sumatra					402 = Black Opaque	402 = Black Opaque
405						403 = Grey Opaque
406					1 1	
407 = Pewter Opaque 408 = Peppercorn Opaque 408 = Peppercorn Opaque 901 = Amber 902 = Designer White Opaque 902 = Designer White Opaque 911 = Warm Brick 911 = Warm Brick 912 = Nutmeg 929 = Nutmeg 937 = Bark 937 = Bark 984 = Dark Roast 993 = Sumatra					1 1	1 1
408 = Peppercorn Opaque  901 = Amber  902 = Designer White Opaque  902 = Designer White Opaque  911 = Warm Brick  911 = Warm Brick  929 = Nutmeg  937 = Bark  937 = Bark  9408 = Peppercorn Opaque  911 = Warm Brick  929 = Nutmeg  937 = Bark  938 = Dark Roast  984 = Dark Roast  984 = Dark Roast  993 = Sumatra						
901 = Amber 902 = Designer White Opaque 902 = Designer White Opaque 911 = Warm Brick 911 = Warm Brick 929 = Nutmeg 937 = Bark 937 = Bark 984 = Dark Roast 993 = Sumatra						
902 = Designer White Opaque 911 = Warm Brick 911 = Warm Brick 929 = Nutmeg 929 = Nutmeg 937 = Bark 937 = Bark 984 = Dark Roast 984 = Dark Roast 993 = Sumatra						11 1 1
911 = Warm Brick 929 = Nutmeg 929 = Nutmeg 937 = Bark 937 = Bark 984 = Dark Roast 984 = Dark Roast 993 = Sumatra  993 = Sumatra						
929 = Nutmeg 937 = Bark 937 = Bark 984 = Dark Roast 984 = Dark Roast 993 = Sumatra 993 = Sumatra						911 = Warm Brick
937 = Bark 984 = Dark Roast 984 = Dark Roast 993 = Sumatra  993 = Sumatra					911 = Warm Brick	929 = Nutmeg
984 = Dark Roast 993 = Sumatra  993 = Sumatra					929 = Nutmeg	937 = Bark
993 = Sumatra					937 = Bark	984 = Dark Roast
					984 = Dark Roast	993 = Sumatra
					993 = Sumatra	
	•	•	•	•		

HLV116-031.Fabric.Flammability.Base.Wood Example: HLV116-031.950-88.U.BL.AH400



	List Prices	Sq.Ft.	Yards	Dimensions	
Conexus HLV116-041					
灵灵	COM/COL         2005         Grade G         2105         Leather I         2510           Grade A         1960         Grade H         2135         Leather II         2670           Grade B         1980         Grade J         2160         Leather III         2830           Grade C         2005         Grade K         2205         Leather IV         2990           Grade D         2025         Grade L         2270         Leather V         3150           Grade F         2075         Grade M         2360         Leather VI         3310	36	2	OH 16½ AH OW 24¾ WBA OD 18 DED SH 16½ DEW SD 18 R  Shipping Weight 37 Cube 17	

Fully Upholstered Seat | 4-Prong Black Powder Coat Base

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	BASE FINISH
	Indicate fabric choice:	Indicate flammability:	Options for metal finish:
	See options for fabrics at www.hbftextiles.com	U = Cal 117	BL = Black Powder Coat  PSS = Polished Stainless Steel +\$435  WI = White Powder Coat
•	•	•	

HLV116-041.Fabric.Flammability.Base Example: HLV116-041.950-88.U.BL

	List Prices	Sq.Ft.	Yards	Dimensions	
Conexus HLV116-051					
	COM/COL         4035         Grade G         4265         Leather I         5175           Grade A         3935         Grade H         4335         Leather II         5535           Grade B         3985         Grade J         4385         Leather III         5895           Grade C         4035         Grade K         4485         Leather IV         6255           Grade D         4085         Grade L         4635         Leather V         6615           Grade E         4135         Grade M         4835         Leather VI         6975           Grade F         4195	81	41/2	OH 35 OW 28½ OD 31 SH 17 SD 19½ Shipping Weight Cube	AH 22 WBA 19 DED DEW R

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage^{rss}\ certified}$ 

Fully Upholstered | Mid Back | | 4-Prong Self Return Black Powder Coat Base

PLEASE SPECIFY THE FOLLOWING TO ORDER:

- 1	MODEL Number	TEXTILES	FLAMMABILITY	BASE FINISH
		Indicate fabric choice:	Indicate flammability:	Options for metal finish:
		See options for fabrics at www.hbftextiles.com	U = Cal 117	BL = Black Powder Coat PSS = Polished Stainless Steel +\$535 WI = White Powder Coat
		•	•	

HLV116-051.Fabric.Flammability.Base Example: HLV116-051.950-88.U.BL



	List Prices	Sq.Ft.	Yards	Dimensions	
Conexus HLV116-061					
	COM/COL         4790         Grade G         4965         Leather I         5675           Grade A         4710         Grade H         5020         Leather II         5955           Grade B         4750         Grade J         5060         Leather III         6235           Grade C         4790         Grade K         5140         Leather IV         6515           Grade D         4825         Grade L         5255         Leather V         6795           Grade E         4865         Grade M         5410         Leather VI         7075	63	3½	OH 35 OW 28½ OD 31 SH 17 SD 19½	AH 22 WBA 19 DED DEW R
	Grade F 4915			Shipping Weight Cube	64 25

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage^{\bowtie}\ certified}$ 

Upholstered Seat, Inside Back, and Seat | Mid Back | Wood Outback - Walnut | 4-Prong Self Return Black Powder Coat Base

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	BASE FINISH	SPECIES & FINISH	
	Indicate fabric choice:	Indicate flammability:	Options for metal finish:	Options for wood finishes: AH = Ash	Options for wood finishes: NT = Walnut
	See options for fabrics at www.hbftextiles.com	U = Cal 117	BL = Black Powder Coat PSS = Polished Stainless Steel +\$535 WI = White Powder Coat	310 = Smoke Opaque 400 = Clear 402 = Black Opaque	310 = Smoke Opaque 400 = Clear 402 = Black Opaque
				403 = Grey Opaque 404 = Warm White Opaque 405 = Mist Opaque	403 = Grey Opaque 404 = Warm White Opaque 405 = Mist Opaque
				406 = Denim Opaque 407 = Pewter Opaque 408 = Peppercorn Opaque	406 = Denim Opaque 407 = Pewter Opaque 408 = Peppercorn Opaque
				901 = Amber 902 = Designer White Opaque	902 = Designer White Opaque 911 = Warm Brick
				911 = Warm Brick 929 = Nutmeg 937 = Bark	929 = Nutmeg 937 = Bark 984 = Dark Roast
				984 = Dark Roast 993 = Sumatra	993 = Sumatra
•	•	•	•		

30

HLV116-061.Fabric.Flammability.Base.Wood Example: HLV116-061.950-88.U.BL.AH400

# Dialogue Specifications Collection Details Lounge Chair | Ottoman Upholstered Base Finish Satin Pewter Metal Base

	List Prices		Sq.Ft.	Yards	Dimensions		
Dialogue HLG306-011							
	Grade A 4190 Gr Grade B 4260 Gr Grade C 4325 Gr Grade D 4390 Gr Grade E 4460 Gr	rade G 4630 Leather I 5845 rade H 4725 Leather II 6325 rade J 4790 Leather III 6805 rade K 4925 Leather IV 7285 rade L 5125 Leather V 7765 rade M 5390 Leather VI 8245	108	6	OH 34 OW 39 OD 31½ SH 16½ SD 18½	AH WBA DED DEW R	23½ 16½
	Grade F <b>4540</b>				Shipping Weight Cube	90 42.7	

Fully Upholstered | 4-Prong Self Return | Metal Base - Satin Pewter


Integrated task surface on arm, 4-prong self-return metal base in satin pewter finish, standard with welt. Due to construction and upholstery techniques, HBF recommends the use of solid upholstery or leather on this product. Fabric with horizontal and vertical lines or patterns may appear distorted when used on seating with significant curves. Mohair, velvet and other pile fabrics are not recommended for this product. A list of all HBF Textiles approved product is available upon request. All COM products being considered must be approved by HBF

prior to placing order; please send cutting for approval.

Note: Please contact the HBF Client Experience Team (855-423-2020) or your sales rep for a list of approved textiles.

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage^{rs}\ certified}$ 

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLG306-011. Fabric. Flammability. Base

Example: HLG306-011.950-88.U.SP

31




	List Prices					Sq.Ft.	Yards	Dimensions	
Dialogue HLG306-021									
	COM/COL Grade A Grade B Grade C Grade D Grade E	1490 1520 1545 1575 1600	1675 1715 1740 1795 1880 1990	Leather I Leather II Leather III Leather IV Leather V Leather VI	2180 2380 2580 2780 2980 3180	45	2½	OH 14½ OW 19 OD 15 SH SD	AH WBA DED DEW R
Fully Upholstered   Metal Base - Satin Pewter	Grade F	1635						Shipping Weight Cube	30 18.9

Metal Base in satin pewter finish, standard with welt. Due to construction and upholstery techniques, HBF recommends the use of solid upholstery or leather on this product. Fabric with horizontal and vertical lines or patterns may appear distorted when used on seating with significant curves. Mohair, velvet and other pile fabrics are not recommended for this product. A list of all HBF Textiles approved product is available upon request. All COM products being considered must be approved by HBF prior to placing order; please send cutting for approval.

Note: Please contact the HBF Client Experience Team (855-423-2020) or your sales rep for a list of approved textiles.

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage^{rs}\ certified}$ 

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLG306-021.Fabric.Flammability.Base Exa

Example: HLG306-021.950-88.U.SP



Fulton Seating Collection Specifications						
Collection Details	Rocking Chair   Lounge Chair   Nested Plywood Shell   Tubular Steel Base					
Upholstery	Individually specified outer, inner and cushion upholstery					
Wood Options	Ash   Walnut					
Metal Options	Powder Coat   Polished Chrome					

Fulton Lounge + Rocker pairs an upholstered lounge of generous proportions with elegant materials. Its industrial legs add an edge to the piece, accenting the geometric shape of the chair.

This tranquil piece is gently cushioned in the lower back and seat with nested plywood shells. Upholstered in three ergonomic areas for ultimate comfort, the Fulton Lounge + Rocker cocoon the user slightly to minimize audible and visual distractions for the ever-interactive and evolving workspace or cafe. The inner seat, outer seat, and cushion can be upholstered in the user's fabric of choice.



33

February 2024

**UPHOLSTERY** 



#### Dimensions

#### Fulton HLM417-011 ОН 39¾ AH 21 OW 34 WBA 201/2 OD 393/8 DED DEW SH16 SD 20 R Shipping Weight 82 Cube

Upholstered Seat and Back | Nesting Plywood Shells | Solid Wood Rocker Runners | Tubular Steel Base

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage^{rs}\ certified}$ 

Fabric Plac	ement:	(To Calcul	late, Begi	n with Base I	Price and	add Upcharg	ges)	Base Price:	4690	
Upholstery:		Outer Upholstery:		Inner Upholstery:		Cushion Upholstery:				
COM/COL	4880	COM/COL	70	COM/COL	70	COM/COL	50			
Grade A	4755	Grade A	25	Grade A	25	Grade A	15			
Grade B	4815	Grade B	45	Grade B	45	Grade B	35			
Grade C	4880	Grade C	<b>70</b>	Grade C	<b>70</b>	Grade C	50			
Grade D	4935	Grade D	90	Grade D	90	Grade D	65			
Grade E	5005	Grade E	115	Grade E	115	Grade E	85			
Grade F	5075	Grade F	140	Grade F	140	Grade F	105			
Grade G	5155	Grade G	170	Grade G	170	Grade G	125			
Grade H	5240	Grade H	200	Grade H	200	Grade H	150			
Grade J	5305	Grade J	225	Grade J	225	Grade J	165			
Grade K	5430	Grade K	270	Grade K	270	Grade K	200			
Grade L	5610	Grade L	335	Grade L	335	Grade L	250			
Grade M	5855	Grade M	425	Grade M	425	Grade M	315			
Leather I	6270	Leather I	575	Leather I	575	Leather I	430			
Leather II	6710	Leather II	735	Leather II	735	Leather II	550			
Leather III	7150	Leather III	895	Leather III	895	Leather III	670			
Leather IV	7590	Leather IV	1055	Leather IV	1055	Leather IV	790			
Leather V	8030	Leather V	1215	Leather V	1215	Leather V	910			
Leather VI	8470	Leather VI	1375	Leather VI	1375	Leather VI	1030			
Upholstery R	equires:	Upholstery I (Per Applica		Upholstery l (Per Applica		Upholstery R (Per Applicat				
Fabric: 5½	Yards	Fabric: 2	Yards	Fabric: 2	Yards	Fabric: 1½	Yards			
Leather: 99	Sq. Ft.	Leather: 36	Sq. Ft.	Leather: 36	Sq. Ft.	Leather: 27	Sq. Ft.			
								Total Re	ravired	
								Upholste		2 Ya
								Opholsie	Leather: 99	

34

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	SPECIES & FINISH		BASE FINISH
MODEL NUMBER	TEXTILES Indicate fabric choice for Outer Upholstery: See options for fabrics at www. hbftextiles.com	TEXTILES Indicate fabric choice for Inner Upholstery: See options for fabrics at www. hbftextiles.com	TEXTILES Indicate fabric choice for Cushion Upholstery: See options for fabrics at www. hbftextiles.com	FLAMMABILITY Indicate flammability: U = Cal 117	SPECIES & FINISH  Options for wood finishes: AH = Ash  310 = Smoke Opaque 400 = Clear 402 = Black Opaque 403 = Grey Opaque 404 = Warm White Opaque 405 = Mist Opaque 406 = Denim Opaque 407 = Pewter Opaque 408 = Peppercorn Opaque 901 = Amber 902 = Designer White Opaque 911 = Warm Brick 929 = Nutmeg 937 = Bark 984 = Dark Roast	Options for wood finishes:  NT = Walnut +\$400  310 = Smoke Opaque  400 = Clear  402 = Black Opaque  403 = Grey Opaque  405 = Mist Opaque  406 = Denim Opaque  407 = Pewter Opaque  408 = Peppercorn Opaque  902 = Designer White Opaque  911 = Warm Brick  929 = Nutmeg  937 = Bark  984 = Dark Roast  993 = Sumatra	BASE FINISH  Options for metal:  P8X = Solar Black WI = White Powder Coat  LG = Light Grey Powder Coat  POL = Polished Chrome +\$140
					993 = Sumatra	775 = Sumatra	
•		•	•	•		•	

35

 $HLM417-011.FabricOuter.FabricInner.FabricCushion.Flammability.Wood.Metal \\ Example: HLM417-011.300-18.300-18.300.18.U.AH310.P8X \\ INSURABLE FOR SUMMARY FOR SUMARY FOR SUMMARY FOR SUMARY FOR SUMA$ 

#### Dimensions

# Fulton HLM417-021



ОН 39¾ AH 21 WBA 201/2 ow34 OD 33% DED DEW SH16 SD 20 R Shipping Weight 79 Cube

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Upholstered Seat and Back | Nesting Plywood Shells | Tubular Steel Base

Pricing for Single Fabric Placement:	U		e Fabric Plac n with Base I		add Upcharg	ges)	Base Price:		4055	
Upholstery:	Outer Upholstery:		Inner Upholstery:		Cushion Upholstery:					
COM/COL 4245	COM/COL	70	COM/COL	70	COM/COL	50				
Grade A 4120	Grade A	25	Grade A	25	Grade A	15				
Grade B <b>4180</b>	Grade B	45	Grade B	45	Grade B	35				
Grade C <b>4245</b>	Grade C	70	Grade C	<b>70</b>	Grade C	50				
Grade D <b>4300</b>	Grade D	90	Grade D	90	Grade D	65				
Grade E <b>4370</b>	Grade E	115	Grade E	115	Grade E	85				
Grade F <b>4440</b>	Grade F	140	Grade F	140	Grade F	105				
Grade G <b>4520</b>	Grade G	170	Grade G	170	Grade G	125				
Grade H <b>4605</b>	Grade H	200	Grade H	200	Grade H	150				
Grade J <b>4670</b>	Grade J	225	Grade J	225	Grade J	165				
Grade K <b>4795</b>	Grade K	270	Grade K	270	Grade K	200				
Grade L <b>4975</b>		335	Grade L	335	Grade L	250				
Grade M <b>5220</b>		425	Grade M	425	Grade M	315				
Leather I 5635	Leather I	575	Leather I	575	Leather I	430				
Leather II 6075		735	Leather II	735	Leather II	550				
Leather III 6515		895	Leather III	895	Leather III	670				
Leather IV 6955		1055	Leather IV	1055	Leather IV	790				
Leather V 7395		1215	Leather V	1215	Leather V	910				
Leather VI 7835	Leather VI	1375	Leather VI	1375	Leather VI	1030				
Upholstery Requires:	Upholstery Re (Per Applicati		Upholstery I (Per Applica		Upholstery R (Per Applicat					
Fabric: 5½ Yards	Fabric: 2	Yards	Fabric: 2	Yards	Fabric: 1½	Yards				
Leather: 99 Sq. Ft.	Leather: 36	Sq. Ft.	Leather: 36	Sq. Ft.	Leather: 27	Sq. Ft.				
							Tota	ıl Require	ed	
								olstery:	Fabric: 5½	Yards
							c <sub>p</sub>		Leather: 99	Sq. Ft

36

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	SPECIES & FINISH		BASE FINISH
NUMBER	Indicate fabric choice for Outer Upholstery: See options for fabrics at www. hbftextiles.com	Indicate fabric choice for Inner Upholstery: See options for fabrics at www. hbftextiles.com	Indicate fabric choice for Cushion Upholstery: See options for fabrics at www. hbftextiles.com	Indicate flammability:  U = Cal 117	Options for wood finishes: AH = Ash  310 = Smoke Opaque 400 = Clear 402 = Black Opaque 403 = Grey Opaque 404 = Warm White Opaque 405 = Mist Opaque 406 = Denim Opaque 407 = Pewter Opaque 408 = Peppercorn Opaque 901 = Amber 902 = Designer White Opaque 911 = Warm Brick 929 = Nutmeg 937 = Bark 984 = Dark Roast 993 = Sumatra	Options for wood finishes: NT = Walnut +\$200  310 = Smoke Opaque 400 = Clear 402 = Black Opaque 403 = Grey Opaque 404 = Warm White Opaque 405 = Mist Opaque 406 = Denim Opaque 407 = Pewter Opaque 408 = Peppercorn Opaque 902 = Designer White Opaque 911 = Warm Brick 929 = Nutmeg 937 = Bark 984 = Dark Roast 993 = Sumatra	Options for metal:  P8X = Solar Black W1 = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$140
•	•	•	•	•		•	

*37* 

 $HLM417-021.FabricOuter.FabricInner.FabricCushion.Flammability.Wood.Metal \\ Example: HLM417-021.300-18.300-18.300.18.U.AH310.P8X \\ INSURABLE FOR SUMMARY FOR SUMARY FOR SUMMARY FOR SUMARY FOR SUMAR$ 



# Max Specifications Collection Details Lounge Chair | Settee | Sofa Upholstered Base Options Ash | Black Powder Coat | Brushed Stainless Steel | Polished Stainless Steel Refer to HBF Material Options for color selection. Finish selection must be noted on order.

#### **Fabric Placement**



38





ow36 WBA 22 OD 31½ DED SH 18 DEW SD 16 R Shipping Weight 130 Cube 30.8

Dimensions

32

ОН

AH 23½

Fully Upholstered with Back Pillow | Ash Base

Fabric Placement:	(To Calculate, Beg	in with Base Price and	add Upcharges)	Base Price:	3380
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:	Pillow Upholstery:
COM/COL 3680	COM/COL 70	COM/COL 100	COM/COL 70	COM/COL 30	COM/COL 30
Grade A <b>3485</b>	Grade A 25	Grade A 35	Grade A 25	Grade A 10	Grade A 10
Grade B <b>3575</b>	Grade B 45	Grade B 65	Grade B 45	Grade B 20	Grade B 20
Grade C <b>3680</b>	Grade C 70	Grade C 100	Grade C 70	Grade C 30	Grade C 30
Grade D 3785	Grade D 90	Grade D 135	Grade D 90	Grade D 45	Grade D 45
Grade E <b>3885</b>	Grade E 115	Grade E <b>165</b>	Grade E 115	Grade E 55	Grade E 55
Grade F <b>3995</b>	Grade F <b>140</b>	Grade F 205	Grade F <b>140</b>	Grade F 65	Grade F 65
Grade G 4145	Grade G 170	Grade G 255	Grade G 170	Grade G 85	Grade G 85
Grade H <b>4280</b>	Grade H 200	Grade H 300	Grade H 200	Grade H 100	Grade H 100
Grade J 4385	Grade J <b>225</b>	Grade J 335	Grade J 225	Grade J 110	Grade J 110
Grade K <b>4580</b>	Grade K 270	Grade K 400	Grade K 270	Grade K 130	Grade K 130
Grade L <b>4880</b>	Grade L 335	Grade L 500	Grade L 335	Grade L 165	Grade L 165
Grade M <b>5285</b>	Grade M 425	Grade M 635	Grade M 425	Grade M 210	Grade M 210
Leather I 5960	Leather I 575	Leather I 860	Leather I 575	Leather I 285	Leather I 285
Leather II 6680	Leather II 735	Leather II 1100	Leather II 735	Leather II 365	Leather II 365
Leather III 7400	Leather III 895	Leather III 1340	Leather III 895	Leather III 445	Leather III 445
Leather IV 8120	Leather IV 1055	Leather IV 1580	Leather IV 1055	Leather IV 525	Leather IV 525
Leather V 8840	Leather V 1215	Leather V 1820	Leather V 1215	Leather V 605	Leather V 605
Leather VI 9560	Leather VI 1375	Leather VI 2060	Leather VI 1375	Leather VI 685	Leather VI 685
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Require (Per Application):			
Fabric: 9 Yards	Fabric: 2 Yards	Fabric: 3 Yards	Fabric: 2 Yards	Fabric: 1 Yard	Fabric: 1 Yard
Leather: 162 Sq. Ft.	Leather: 36 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 36 Sq. Ft.	Leather: 18 Sq. Ft.	Leather: 18 Sq. Fr
				Total Requi	red
				Upholstery:	Fabric: 9 Yard
				1 3	Leather: 162 Sq. F


PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	SPECIES & FINISH		
	Indicate fabric choice for:	Indicate flammability:	Options for wood finishes: AH = Ash		
	Back upholstery	U = Cal 117			
	Arm upholstery		310 = Smoke Opaque	406 = Denim Opaque	929 = Nutmeg
	Seat Cushion upholstery		400 = Clear	407 = Pewter Opaque	937 = Bark
	1 ,		402 = Black Opaque	408 = Peppercorn Opaque	984 = Dark Roast
	Seat upholstery		403 = Grey Opaque	901 = Amber	993 = Sumatra
	Pillow upholstery		404 = Warm White Opaque	902 = Designer White Opaque	
			405 = Mist Opaque	911 = Warm Brick	
	See options for fabrics at		• •		
	www.hbftextiles.com				
		•			

39

HLC819-011.Back.Arm.SeatCushion.Seat.Pillow.Flammability.Wood Example: HLC819-011.950-88.950-





Fully Upholstered with Back Pillows | Ash Base

ОН	32	AH 23½
OW	58	WBA 44
OD	311/2	DED
SH	18	DEW
SD	16	R


Shipping Weight 180 Cube 49.3

Dimensions

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Fabric Plac	ement:	(To Calcul	late, Begi	n with Base I	Price and	add Upcharg	ges)	Base Price:		5215	
Upholstery:		Back Upholstery:		Arm Upholstery:		Seat Cushion Upholstery:	1	Seat Upholstery:		Pillow Upholstery:	
COM/COL	5585	COM/COL	100	COM/COL	100	COM/COL	70	COM/COL	30	COM/COL	70
Grade A	5345	Grade A	35	Grade A	35	Grade A	25	Grade A	10	Grade A	25
Grade B	5455	Grade B	65	Grade B	65	Grade B	45	Grade B	20	Grade B	45
Grade C	5585	Grade C	100	Grade C	100	Grade C	<b>70</b>	Grade C	30	Grade C	<b>70</b>
Grade D	5710	Grade D	135	Grade D	135	Grade D	90	Grade D	45	Grade D	90
Grade E	5830	Grade E	165	Grade E	165	Grade E	115	Grade E	55	Grade E	115
Grade F	5970	Grade F	205	Grade F	205	Grade F	140	Grade F	65	Grade F	140
Grade G	6150	Grade G	255	Grade G	255	Grade G	170	Grade G	85	Grade G	170
Grade H	6315	Grade H	300	Grade H	300	Grade H	200	Grade H	100	Grade H	200
Grade J	6445	Grade J	335	Grade J	335	Grade J	225	Grade J	110	Grade J	225
Grade K	6685	Grade K	400	Grade K	400	Grade K	270	Grade K	130	Grade K	270
Grade L	7050	Grade L	500	Grade L	500	Grade L	335	Grade L	165	Grade L	335
Grade M	7545	Grade M	635	Grade M	635	Grade M	425	Grade M	210	Grade M	425
Leather I	8370	Leather I	860	Leather I	860	Leather I	575	Leather I	285	Leather I	575
Leather II	9250	Leather II	1100	Leather II	1100	Leather II	735	Leather II	365	Leather II	735
Leather III	10,130	Leather III	1340	Leather III	1340	Leather III	895	Leather III	445	Leather III	895
Leather IV	11,010	Leather IV	1580	Leather IV	1580	Leather IV	1055	Leather IV	525	Leather IV	1055
Leather V	11,890	Leather V	1820	Leather V	1820	Leather V	1215	Leather V	605	Leather V	1215
Leather VI	12,770	Leather VI	2060	Leather VI	2060	Leather VI	1375	Leather VI	685	Leather VI	1375
Upholstery R	equires:	Upholstery F (Per Applica		Upholstery I (Per Applica		Upholstery I (Per Applica		Upholstery I (Per Applica		Upholstery R (Per Applicat	
Fabric: 11	Yards	Fabric: 3	Yards	Fabric: 3	Yards	Fabric: 2	Yards	Fabric: 1	Yard	Fabric: 2	Yards
Leather: 198	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 36	Sq. Ft.	Leather: 18	Sq. Ft.	Leather: 36	Sq. Ft
								T	otal Requir	red	
									pholstery:	Fabric: 11	Yard
									1	Leather: 198	Sq. F

PLEASE SPECIFY THE FOLLOWING TO ORDER:




40

HLC819-012.Back.Arm.SeatCushion.Seat.Pillow.Flammability.Wood

Example: HLC819-012.950-88.950-88.950-88.950-88.950-88.U.AH400





ОН 32 231/2 AΗ OW 80 WBA 66 OD 311/2 DED SH 18 DEW SD 16 R Shipping Weight 230 67.8 Cube


Dimensions

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Fully Upholstered with Back Pillows | Ash Base

Fabric Plac	ement:	(To Calcul	ate, Begi	n with Base I	Price and	add Upcharg	ges)	Base Price:		6210	
Upholstery:		Back Upholstery:		Arm Upholstery:		Seat Cushion Upholstery:	1	Seat Upholstery:		Pillow Upholstery:	
COM/COL	6610	COM/COL	100	COM/COL	100	COM/COL	100	COM/COL	30	COM/COL	<b>70</b>
Grade A	6350	Grade A	35	Grade A	35	Grade A	35	Grade A	10	Grade A	25
Grade B	6470	Grade B	65	Grade B	65	Grade B	65	Grade B	20	Grade B	45
Grade C	6610	Grade C	100	Grade C	100	Grade C	100	Grade C	30	Grade C	<b>70</b>
Grade D	6750	Grade D	135	Grade D	135	Grade D	135	Grade D	45	Grade D	90
Grade E	6875	Grade E	165	Grade E	165	Grade E	165	Grade E	55	Grade E	115
Grade F	7030	Grade F	205	Grade F	205	Grade F	205	Grade F	65	Grade F	140
Grade G	7230	Grade G	255	Grade G	255	Grade G	255	Grade G	85	Grade G	170
Grade H	7410	Grade H	300	Grade H	300	Grade H	300	Grade H	100	Grade H	200
Grade J	7550	Grade J	335	Grade J	335	Grade J	335	Grade J	110	Grade J	225
Grade K	7810	Grade K	400	Grade K	400	Grade K	400	Grade K	130	Grade K	270
Grade L	8210	Grade L	500	Grade L	500	Grade L	500	Grade L	165	Grade L	335
Grade M	8750	Grade M	635	Grade M	635	Grade M	635	Grade M	210	Grade M	425
Leather I	9650	Leather I	860	Leather I	860	Leather I	860	Leather I	285	Leather I	575
Leather II	10,610	Leather II	1100	Leather II	1100	Leather II	1100	Leather II	365	Leather II	735
Leather III	11,570	Leather III	1340	Leather III	1340	Leather III	1340	Leather III	445	Leather III	895
Leather IV	12,530	Leather IV	1580	Leather IV	1580	Leather IV	1580	Leather IV	525	Leather IV	1055
Leather V	13,490	Leather V	1820	Leather V	1820	Leather V	1820	Leather V	605	Leather V	1215
Leather VI	14,450	Leather VI	2060	Leather VI	2060	Leather VI	2060	Leather VI	685	Leather VI	1375
Upholstery R	equires:	Upholstery F (Per Applica	•	Upholstery I (Per Applica		Upholstery R (Per Applicat	•	Upholstery F (Per Applica		Upholstery R (Per Applicat	•
Fabric: 12	Yards	Fabric: 3	Yards	Fabric: 3	Yards	Fabric: 3	Yards	Fabric: 1	Yard	Fabric: 2	Yard
Leather: 216	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 18	Sq. Ft.	Leather: 36	Sq. F
								T	otal Requir	red	
									pholstery:	Fabric: 12 Leather: 216	Yaro Sq. I

PLEASE SPECIFY THE FOLLOWING TO ORDER:



41

HLC819-013.Back.Arm.SeatCushion.Seat.Pillow.Flammability.Wood Example: H

Example: HLC819-013.950-88.950-88.950-88.950-88.950-88.U.AH400



Fully Upholstered | Ash Base

Grade A

Grade B

Grade C

Grade D

Grade E

Grade F

Grade G

Grade H

Grade J

Grade K

Grade L

Grade M

Leather I

Leather II

Leather III

Leather IV

Leather V

Leather VI

Fabric: 8

**Upholstery Requires:** 

Leather: 144 Sq. Ft.

Yards

#### Dimensions

ОН	301/2	AH	231/
OW	36	WBA	22
OD	311/2	DED	
SH	18	DEW	
SD	21	R	
Shippi	ing Weight	130	

Cube 30.8

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified 
Indoor Advantage™ certified

Fabric Placement:		ple Fabric Placement: gin with Base Price an	Base Price: 3155		
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:	
COM/COL 3425	COM/COL 70	COM/COL 100	COM/COL 70	COM/COL 30	

3250	Grade A	25	Grade A	35	Grade A	25	Grade A	10
3330	Grade B	45	Grade B	65	Grade B	45	Grade B	20
3425	Grade C	<b>70</b>	Grade C	100	Grade C	<b>70</b>	Grade C	30
3515	Grade D	90	Grade D	135	Grade D	90	Grade D	45
3605	Grade E	115	Grade E	165	Grade E	115	Grade E	55
3705	Grade F	140	Grade F	205	Grade F	140	Grade F	65
3835	Grade G	170	Grade G	255	Grade G	170	Grade G	85
3955	Grade H	200	Grade H	300	Grade H	200	Grade H	100
4050	Grade J	225	Grade J	335	Grade J	225	Grade J	110
4225	Grade K	270	Grade K	400	Grade K	270	Grade K	130
4490	Grade L	335	Grade L	500	Grade L	335	Grade L	165
4850	Grade M	425	Grade M	635	Grade M	425	Grade M	210
5450	Leather I	575	Leather I	860	Leather I	575	Leather I	285
6090	Leather II	735	Leather II	1100	Leather II	735	Leather II	365
6730	Leather III	895	Leather III	1340	Leather III	895	Leather III	445
7370	Leather IV	1055	Leather IV	1580	Leather IV	1055	Leather IV	525
8010	Leather V	1215	Leather V	1820	Leather V	1215	Leather V	605
8650	Leather VI	1375	Leather VI	2060	Leather VI	1375	Leather VI	685

**Upholstery Requires** 

(Per Application):

Fabric: 2 Yards Fabric: 3 Yards Fabric: 2 Yards Fabric: 1 Yard Leather: 36 Sq. Ft. Leather: 54 Sq. Ft. Leather: 36 Sq. Ft. Leather: 18 Sq. Ft.

**Upholstery Requires** 

(Per Application):

Total Required
Upholstery: Fabric: 8 Yards
Leather: 144 Sq. Ft.

**Upholstery Requires** 

(Per Application):

PLEASE SPECIFY THE FOLLOWING TO ORDER:

**Upholstery Requires** 

(Per Application):

MODEL Number	TEXTILES	FLAMMABILITY	SPECIES & FINISH		
	Indicate fabric choice for:	Indicate flammability:	Options for wood finishes: AH = Ash		
	Back upholstery	U = Cal 117			
	Arm upholstery		310 = Smoke Opaque	406 = Denim Opaque	929 = Nutmeg
	Seat Cushion upholstery		400 = Clear	407 = Pewter Opaque	937 = Bark
	1 ,		402 = Black Opaque	408 = Peppercorn Opaque	984 = Dark Roast
	Seat upholstery		403 = Grey Opaque	901 = Amber	993 = Sumatra
	Pillow upholstery		404 = Warm White Opaque	902 = Designer White Opaque	
			405 = Mist Opaque	911 = Warm Brick	
	See options for fabrics at				
	www.hbftextiles.com				
•	•				

42

HLC819-031.Back.Arm.SeatCushion.Seat.Pillow.Flammability.Wood

Example: HLC819-031.950-88.950-88.950-88.950-88.950-88.U.AH400



Fully Upholstered | Ash Base

ОН	301/2	AH	231/2
OW	58	WBA	44
OD	311/2	DED	
SH	18	DEW	
SD	21	R	


Shipping Weight 180 Cube 49.3

Dimensions

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Pricing for Fabric Plac	-	Pricing for (To Calcul	_	n with Base I		add Upcharg	ges)	Base Prices	:	4760	
Upholstery:		Back Upholstery:		Arm Upholstery:		Seat Cushion Upholstery:	1	Seat Upholstery:			
COM/COL	5060	COM/COL	100	COM/COL	100	COM/COL	70	COM/COL	30		
Grade A	4865	Grade A	35	Grade A	35	Grade A	25	Grade A	10		
Grade B	4955	Grade B	65	Grade B	65	Grade B	45	Grade B	20		
Grade C	5060	Grade C	100	Grade C	100	Grade C	<b>70</b>	Grade C	30		
Grade D	5165	Grade D	135	Grade D	135	Grade D	90	Grade D	45		
Grade E	5260	Grade E	165	Grade E	165	Grade E	115	Grade E	55		
Grade F	5375	Grade F	205	Grade F	205	Grade F	140	Grade F	65		
Grade G	5525	Grade G	255	Grade G	255	Grade G	170	Grade G	85		
Grade H	5660	Grade H	300	Grade H	300	Grade H	200	Grade H	100		
Grade J	5765	Grade J	335	Grade J	335	Grade J	225	Grade J	110		
Grade K	5960	Grade K	400	Grade K	400	Grade K	270	Grade K	130		
Grade L	6260	Grade L	500	Grade L	500	Grade L	335	Grade L	165		
Grade M	6665	Grade M	635	Grade M	635	Grade M	425	Grade M	210		
Leather I	7340	Leather I	860	Leather I	860	Leather I	575	Leather I	285		
Leather II	8060	Leather II	1100	Leather II	1100	Leather II	735	Leather II	365		
Leather III	8780	Leather III	1340	Leather III	1340	Leather III	895	Leather III	445		
Leather IV	9500	Leather IV	1580	Leather IV	1580	Leather IV	1055	Leather IV	525		
Leather V	10,220	Leather V	1820	Leather V	1820	Leather V	1215	Leather V	605		
Leather VI	10,940	Leather VI	2060	Leather VI	2060	Leather VI	1375	Leather VI	685		
Upholstery Ro	equires:	Upholstery I (Per Applica		Upholstery l (Per Applica		Upholstery F (Per Applica		Upholstery l (Per Applica			
Fabric: 9	Yards	Fabric: 3	Yards	Fabric: 3	Yards	Fabric: 2	Yards	Fabric: 1	Yard		
Leather: 162	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 36	Sq. Ft.	Leather: 18	Sq. Ft.		
								7	Total Requi	red	
									Jpholstery:	Fabric: 9	Ya
									1	Leather: 162	

PLEASE SPECIFY THE FOLLOWING TO ORDER:



43

HLC819-032.Back.Arm.SeatCushion.Seat.Pillow.Flammability.Wood Example: HLC819-032.950-88.950-





ОН 301/2 AΗ 231/2 OW 80 WBA 66 OD 311/2 DED SH 18 DEW SD 21 R Shipping Weight 230 67.8

Dimensions


Cube

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified  $\stackrel{\checkmark}{Indoor}\stackrel{\checkmark}{Advantage}^{^{\scriptscriptstyle TM}}\ certified$ 

Fully Upholstered | Ash Base

Fabric Placement:	(To Calculate, Begi	n with Base Price and	add Upcharges)	Base Price:	5555
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:	
COM/COL 5885	COM/COL 100	COM/COL 100	COM/COL 100	COM/COL 30	
Grade A <b>5670</b>	Grade A 35	Grade A 35	Grade A 35	Grade A 10	
Grade B <b>5770</b>	Grade B 65	Grade B 65	Grade B 65	Grade B 20	
Grade C <b>5885</b>	Grade C <b>100</b>	Grade C 100	Grade C 100	Grade C 30	
Grade D <b>6005</b>	Grade D 135	Grade D 135	Grade D 135	Grade D 45	
Grade E <b>6105</b>	Grade E <b>165</b>	Grade E <b>165</b>	Grade E 165	Grade E 55	
Grade F <b>6235</b>	Grade F <b>205</b>	Grade F 205	Grade F 205	Grade F 65	
Grade G <b>6405</b>	Grade G 255	Grade G 255	Grade G 255	Grade G 85	
Grade H <b>6555</b>	Grade H 300	Grade H 300	Grade H 300	Grade H 100	
Grade J <b>6670</b>	Grade J 335	Grade J 335	Grade J 335	Grade J 110	
Grade K <b>6885</b>	Grade K 400	Grade K 400	Grade K 400	Grade K 130	
Grade L <b>7220</b>	Grade L 500	Grade L 500	Grade L 500	Grade L 165	
Grade M <b>7670</b>	Grade M 635	Grade M 635	Grade M 635	Grade M 210	
Leather I 8420	Leather I 860	Leather I 860	Leather I 860	Leather I 285	
Leather II 9220	Leather II 1100	Leather II 1100	Leather II 1100	Leather II 365	
Leather III 10,020	Leather III 1340	Leather III 1340	Leather III 1340	Leather III 445	
Leather IV <b>10,820</b>	Leather IV 1580	Leather IV 1580	Leather IV 1580	Leather IV 525	
Leather V <b>11,620</b>	Leather V 1820	Leather V 1820	Leather V 1820	Leather V 605	
Leather VI 12,420	Leather VI 2060	Leather VI 2060	Leather VI 2060	Leather VI 685	
Upholstery Requires:	Upholstery Requires (Per Application):				
Fabric: 10 Yards	Fabric: 3 Yards	Fabric: 3 Yards	Fabric: 3 Yards	Fabric: 1 Yard	
Leather: 180 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 18 Sq. Ft.	
				Total Requ	iired
				Upholstery	
				1 2	Leather: 180 Sq

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC819-033. Back. Arm. Seat Cushion. Seat. Flammability. Wood

 $Example: \ HLC819-033.950-88.950-88.950-88.950-88.U.AH400$ 





ОН 32 AH 23½ ow36 WBA 22 OD 31½ DED SH 18 DEW SD 16 R Shipping Weight 130 Cube 30.8

Dimensions

Fully Upholstered with Back Pillow | Metal Base - Black Powder Coat

Fabric Placement:	(To Calculate, B	egin with Base Price at	nd add Upcharges)	Base Price:	3065	
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:	Pillow Upholstery:	
COM/COL 3365	COM/COL 70	COM/COL 100	COM/COL 70	COM/COL 30	COM/COL 3	30
Grade A <b>3170</b>	Grade A 25	Grade A 35	Grade A 25	Grade A 10	Grade A	10
Grade B <b>3260</b>	Grade B 45	Grade B 65	Grade B 45	Grade B 20		20
Grade C <b>3365</b>	Grade C 70	Grade C 100	Grade C 70	Grade C 30	Grade C 3	30
Grade D <b>3470</b>	Grade D 90	Grade D 135	Grade D 90	Grade D 45	Grade D	45
Grade E <b>3570</b>	Grade E 115	Grade E <b>165</b>	Grade E 115	Grade E 55	Grade E	55
Grade F <b>3680</b>	Grade F <b>140</b>	Grade F 205	Grade F <b>140</b>	Grade F 65		65
Grade G 3830	Grade G 170	Grade G 255	Grade G 170	Grade G 85	Grade G	85
Grade H <b>3965</b>	Grade H <b>200</b>	Grade H 300	Grade H 200	Grade H 100	Grade H	100
Grade J <b>4070</b>	Grade J <b>225</b>	Grade J 335	Grade J 225	Grade J 110	Grade J	110
Grade K <b>4265</b>	Grade K 270	Grade K 400	Grade K 270	Grade K 130		130
Grade L <b>4565</b>	Grade L 335	Grade L 500	Grade L 335	Grade L 165	Grade L	165
Grade M <b>4970</b>	Grade M 425	Grade M 635	Grade M 425	Grade M 210	Grade M 2	210
Leather I 5645	Leather I 575	Leather I 860	Leather I 575	Leather I 285	Leather I	285
Leather II 6365	Leather II 735	Leather II 1100	Leather II 735	Leather II 365	Leather II 3	365
Leather III 7085	Leather III 895	Leather III 1340	Leather III 895	Leather III 445	Leather III 4	445
Leather IV 7805	Leather IV 1055	Leather IV 1580	Leather IV 1055	Leather IV 525	Leather IV	525
Leather V 8525	Leather V 1215	Leather V 1820	Leather V 1215	Leather V 605	Leather V (	605
Leather VI 9245	Leather VI 1375	Leather VI 2060	Leather VI 1375	Leather VI 685	Leather VI	685
Upholstery Requires:	Upholstery Require (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Rec (Per Applicatio	•
Fabric: 9 Yards	Fabric: 2 Yards	Fabric: 3 Yards	Fabric: 2 Yards	Fabric: 1 Yard	Fabric: 1	Yard
Leather: 162 Sq. Ft.	Leather: 36 Sq. F	t. Leather: 54 Sq. Ft	Leather: 36 Sq. Ft.	Leather: 18 Sq. Ft.	Leather: 18	Sq. F
				Total Requi	red	
				Upholstery:		Yard
				T. A. Salvering.		Sq. F

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:

TEXTILES	FLAMMABILITY	BASE FINISH
ndicate fabric choice for:	Indicate flammability:	Options for metal finish:
ack upholstery arm upholstery eat Cushion upholstery eat upholstery	U = Cal 117	BL = Black Powder Coat BSS = Brushed Stainless Steel +\$325 PSS = Polished Stainless Steel +\$125
	ndicate fabric choice for: ack upholstery rm upholstery eat Cushion upholstery	Indicate flammability:  ack upholstery rm upholstery eat Cushion upholstery eat upholstery

HLC819-021.Back.Arm.SeatCushion.Seat.Pillow.Flammability.Metal Example: HLC819-021.950-88.950-88.950-88.950-88.950-88.950-88.U.BL

45



#### Dimensions

_	
	l
	1
	 1

Max HLC819-022

ОН 32 AH 23½ OW 58 WBA 44 OD 31½ DED SH 18 DEW SD 16 R Shipping Weight 180

Cube 49.3

Fully Upholstered with Back Pillows | Metal Base - Black Powder Coat


Pricing for Single Fabric Placement:	(To Calculate, Be	gin with Base Price and	l add Upcharges)	Base Price:	4890
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:	Pillow Upholstery:
COM/COL 5260	COM/COL 100	COM/COL 100	COM/COL 70	COM/COL 30	COM/COL 70
Grade A <b>5020</b>	Grade A 35	Grade A 35	Grade A 25	Grade A 10	Grade A 25
Grade B <b>5130</b>	Grade B 65	Grade B 65	Grade B 45	Grade B 20	Grade B 45
Grade C <b>5260</b>	Grade C <b>100</b>	Grade C 100	Grade C 70	Grade C 30	Grade C 70
Grade D 5385	Grade D <b>135</b>	Grade D 135	Grade D 90	Grade D 45	Grade D 90
Grade E <b>5505</b>	Grade E <b>165</b>	Grade E <b>165</b>	Grade E 115	Grade E 55	Grade E 115
Grade F <b>5645</b>	Grade F <b>205</b>	Grade F <b>205</b>	Grade F <b>140</b>	Grade F 65	Grade F 140
Grade G 5825	Grade G <b>255</b>	Grade G 255	Grade G 170	Grade G 85	Grade G 170
Grade H <b>5990</b>	Grade H 300	Grade H 300	Grade H 200	Grade H 100	Grade H 200
Grade J 6120	Grade J 335	Grade I 335	Grade J 225	Grade J 110	Grade J 225
Grade K <b>6360</b>	Grade K 400	Grade K 400	Grade K <b>270</b>	Grade K 130	Grade K 270
Grade L <b>6725</b>	Grade L 500	Grade L 500	Grade L 335	Grade L 165	Grade L 335
Grade M <b>7220</b>	Grade M <b>635</b>	Grade M 635	Grade M <b>425</b>	Grade M 210	Grade M 425
Leather I 8045	Leather I 860	Leather I 860	Leather I 575	Leather I 285	Leather I 575
Leather II 8925	Leather II 1100	Leather II 1100	Leather II 735	Leather II 365	Leather II 735
Leather III 9805	Leather III 1340	Leather III 1340	Leather III 895	Leather III 445	Leather III 895
Leather IV <b>10,685</b>	Leather IV 1580	Leather IV 1580	Leather IV 1055	Leather IV 525	Leather IV 1055
Leather V 11,565	Leather V 1820	Leather V 1820	Leather V 1215	Leather V 605	Leather V 1215
Leather VI <b>12,445</b>	Leather VI 2060	Leather VI 2060	Leather VI 1375	Leather VI 685	Leather VI 1375
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Require (Per Application):			
Fabric: 11 Yards	Fabric: 3 Yards	Fabric: 3 Yards	Fabric: 2 Yards	Fabric: 1 Yard	Fabric: 2 Yard:
Leather: 198 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 36 Sq. Ft.	Leather: 18 Sq. Ft.	Leather: 36 Sq. Fr
				Total Requi	ired
				Upholstery:	
				cp.soury.	Leather: 198 Sq. F

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	BASE FINISH
	Indicate fabric choice for:	Indicate flammability:	Options for metal finish:
	Back upholstery Arm upholstery Seat Cushion upholstery Seat upholstery	U = Cal 117	BL = Black Powder Coat BSS = Brushed Stainless Steel +\$475 PSS = Polished Stainless Steel +\$275
•	•	•	

HLC819-022.Back.Arm.SeatCushion.Seat.Pillow.Flammability.Metal Example: HLC819-022.950-88.950-88.950-88.950-88.950-88.950-88.U.BL

46



ОН 32 AΗ 231/2 OW 80 WBA 66 OD 311/2 DED SH18 DEW SD 16 R Shipping Weight 230 Cube 67.8


**Dimensions** 

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  $\text{Indoor Advantage}^{\text{\tiny{TM}}} \text{ certified}$ 

Fully Upholstered with Back Pillows | Metal Base - Black Powder Coat

**Pricing for Single Pricing for Multiple Fabric Placement: Fabric Placement:** (To Calculate, Begin with Base Price and add Upcharges) **Base Price:** 5885 Back Seat Cushion Seat Pillow Arm Upholstery: Upholstery: Upholstery: Upholstery: Upholstery: Upholstery: COM/COL 6285 COM/COL 100 COM/COL 100 COM/COL 100 COM/COL 30 COM/COL **70** Grade A Grade A Grade A Grade A 10 Grade A 25 6025 Grade A 35 35 35 Grade B 6145 Grade B Grade B 65 Grade B 65 Grade B 20 Grade B 45 6285 100 100 Grade C 100 30 70 Grade C Grade C Grade C Grade C Grade C Grade D 6425 Grade D 135 Grade D 135 Grade D 135 Grade D 45 Grade D 90 Grade E 6550 Grade E 165 Grade E 165 Grade E 165 Grade E 55 Grade E 115 Grade F 6705 Grade F 205 Grade F 205 Grade F 205 Grade F 65 Grade F 140 Grade G 6905 Grade G 255 Grade G 255 Grade G 255 Grade G 85 Grade G 170 200 Grade H 300 300 Grade H 300 100 Grade H Grade H 7085 Grade H Grade H Grade J 7225 Grade J 335 Grade J 335 Grade J 335 Grade J 110 Grade J 225 400 400 400 130 270 Grade K 7485 Grade K Grade K Grade K Grade K Grade K 500 Grade L 7885 Grade L Grade L 500 Grade L 500 Grade L 165 Grade L 335 Grade M 8425 Grade M 635 Grade M 635 Grade M 635 Grade M 210 Grade M 425 Leather I 860 860 Leather I 860 285 575 Leather I 9325 Leather I Leather I Leather I 10,285 Leather II 1100 Leather II 1100 1100 365 Leather II 735 Leather II Leather II Leather II 1340 1340 Leather III 1340 895 Leather III Leather III Leather III 445 Leather III Leather III 11,245 Leather IV 12,205 Leather IV 1580 Leather IV 1580 Leather IV 1580 Leather IV 525 Leather IV 1055 Leather V 13,165 Leather V 1820 Leather V 1820 Leather V 1820 Leather V 605 Leather V 1215 2060 2060 2060 685 Leather VI 14,125 Leather VI Leather VI Leather VI Leather VI Leather VI 1375 **Upholstery Requires: Upholstery Requires Upholstery Requires Upholstery Requires Upholstery Requires Upholstery Requires** (Per Application): (Per Application): (Per Application): (Per Application): (Per Application): Fabric: 12 Yards Fabric: 3 Fabric: 3 Fabric: 3 Yards Fabric: 1 Fabric: 2 Yards Yards Yard Yards Sq. Ft. Sq. Ft. Leather: 54 Leather: 18 Sq. Ft. Leather: 216 Leather: 54 Leather: 54 Sq. Ft. Sq. Ft. Leather: 36 Sq. Ft. Total Required Upholstery: Fabric: 12 Yards Leather: 216 Sq. Ft.

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC819-023. Back. Arm. Seat Cushion. Seat. Pillow. Flammability. Metal Example: HLC819-023. 950-88. 950-88. 950-88. 950-88. 950-88. 950-88. 950-88.

47

#### Dimensions

Max HLC819-041

ОН 301/2 AH 23½ ow36 WBA 22 OD 31½ DED SH 18 DEW SD 21 R Shipping Weight 130

Cube 30.8

Fully Upholstered | Metal Base - Black Powder Coat

Pricing for Single Fabric Placement:	Pricing for Multipl (To Calculate, Begi	n with Base Price and	add Upcharges)	Base Price:	2825
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:	
COM/COL 3095	COM/COL 70	COM/COL 100	COM/COL 70	COM/COL 30	
Grade A <b>2920</b>	Grade A 25	Grade A 35	Grade A 25	Grade A 10	
Grade B <b>3000</b>	Grade B 45	Grade B 65	Grade B 45	Grade B 20	
Grade C 3095	Grade C 70	Grade C 100	Grade C 70	Grade C 30	
Grade D 3185	Grade D 90	Grade D 135	Grade D 90	Grade D 45	
Grade E <b>3275</b>	Grade E 115	Grade E 165	Grade E 115	Grade E 55	
Grade F 3375	Grade F <b>140</b>	Grade F 205	Grade F 140	Grade F 65	
Grade G 3505	Grade G 170	Grade G 255	Grade G 170	Grade G 85	
Grade H <b>3625</b>	Grade H <b>200</b>	Grade H 300	Grade H 200	Grade H 100	
Grade J 3720	Grade J <b>225</b>	Grade J 335	Grade I 225	Grade J 110	
Grade K <b>3895</b>	Grade K 270	Grade K <b>400</b>	Grade K 270	Grade K 130	
Grade L <b>4160</b>	Grade L 335	Grade L <b>500</b>	Grade L 335	Grade L 165	
Grade M <b>4520</b>	Grade M <b>425</b>	Grade M 635	Grade M 425	Grade M 210	
Leather I 5120	Leather I 575	Leather I 860	Leather I 575	Leather I 285	
Leather II 5760	Leather II 735	Leather II 1100	Leather II 735	Leather II 365	
Leather III 6400	Leather III 895	Leather III 1340	Leather III 895	Leather III 445	
Leather IV 7040	Leather IV 1055	Leather IV 1580	Leather IV 1055	Leather IV 525	
Leather V 7680	Leather V 1215	Leather V 1820	Leather V 1215	Leather V 605	
Leather VI 8320	Leather VI 1375	Leather VI 2060	Leather VI 1375	Leather VI 685	
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Require (Per Application):	es
Fabric: 8 Yards	Fabric: 2 Yards	Fabric: 3 Yards	Fabric: 2 Yards	Fabric: 1 Yard	
Leather: 144 Sq. Ft.	Leather: 36 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 36 Sq. Ft.	Leather: 18 Sq. I	Ft.
				Total R	equired
				Upholst	1
					Leather: 144 Sq. I

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	BASE FINISH
	Indicate fabric choice for:	Indicate flammability:	Options for metal finish:
	Back upholstery Arm upholstery Seat Cushion upholstery Seat upholstery	U = Cal 117	BL = Black Powder Coat  BSS = Brushed Stainless Steel +\$325  PSS = Polished Stainless Steel +\$125
•	•	•	

HLC819-041.Back.Arm.SeatCushion.Seat.Pillow.Flammability.Metal Example: HLC819-041.950-88.950-88.950-88.950-88.950-88.950-88.U.BL





AΗ ОН 301/2 231/2 OW 58 WBA 44 OD 311/2 DED SH 18 DEW SD 21 R Shipping Weight 180 Cube 49.3


Dimensions

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified Indoor Advantage™ certified

Fully Upholstered | Metal Base - Black Powder Coat

	Pricing for Single Fabric Placement:		_	_	e Fabric Plac n with Base I		add Upcharg	ges)	Base Prices		4435	
Uphol	lstery:		Back Upholstery:		Arm Upholstery:		Seat Cushion Upholstery:	1	Seat Upholstery:			
COM/	/COL	4735	COM/COL	100	COM/COL	100	COM/COL	70	COM/COL	30		
Grade .	A	4540	Grade A	35	Grade A	35	Grade A	25	Grade A	10		
Grade	В	4630	Grade B	65	Grade B	65	Grade B	45	Grade B	20		
Grade	C	4735	Grade C	100	Grade C	100	Grade C	70	Grade C	30		
Grade	D	4840	Grade D	135	Grade D	135	Grade D	90	Grade D	45		
Grade	E	4935	Grade E	165	Grade E	165	Grade E	115	Grade E	55		
Grade	F	5050	Grade F	205	Grade F	205	Grade F	140	Grade F	65		
Grade	G	5200	Grade G	255	Grade G	255	Grade G	170	Grade G	85		
Grade	Н	5335	Grade H	300	Grade H	300	Grade H	200	Grade H	100		
Grade	J	5440	Grade J	335	Grade J	335	Grade J	225	Grade J	110		
Grade	K	5635	Grade K	400	Grade K	400	Grade K	270	Grade K	130		
Grade	L	5935	Grade L	500	Grade L	500	Grade L	335	Grade L	165		
Grade	M	6340	Grade M	635	Grade M	635	Grade M	425	Grade M	210		
Leathe	er I	7015	Leather I	860	Leather I	860	Leather I	575	Leather I	285		
Leathe	er II	7735	Leather II	1100	Leather II	1100	Leather II	735	Leather II	365		
Leathe	er III	8455	Leather III	1340	Leather III	1340	Leather III	895	Leather III	445		
Leathe	er IV	9175	Leather IV	1580	Leather IV	1580	Leather IV	1055	Leather IV	525		
Leathe	er V	9895	Leather V	1820	Leather V	1820	Leather V	1215	Leather V	605		
Leathe	er VI	10,615	Leather VI	2060	Leather VI	2060	Leather VI	1375	Leather VI	685		
Uphol	lstery R	equires:	Upholstery F (Per Applica		Upholstery I (Per Applica		Upholstery F (Per Applica		Upholstery l (Per Applica			
Fabric:	: 9	Yards	Fabric: 3	Yards	Fabric: 3	Yards	Fabric: 2	Yards	Fabric: 1	Yard		
Leathe	er: 162	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 36	Sq. Ft.	Leather: 18	Sq. Ft.		
									7	otal Requi	red	
										pholstery:	Fabric: 9	Yards
										ry.	Leather: 162	Sq. Ft.

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC819-042.Back.Arm.SeatCushion.Seat.Flammability.Metal

Example: HLC819-042.950-88.950-88.950-88.950-88.U.BL

49





АН ОН 301/2 231/2 OW 80 WBA 66 OD 311/2 DED SH 18 DEW SD 21 R Shipping Weight 230 Cube 67.8

Dimensions


ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified Indoor Advantage™ certified

Fully Upholstered | Metal Base - Black Powder Coat

Fabric Pla	cement:	(To Calcul	ate, Begi	n with Base I	Price and	add Upcharg	ges)	Base Price:		5245	
Upholstery:		Back Upholstery:		Arm Upholstery:		Seat Cushior Upholstery:	1	Seat Upholstery:			
COM/COL	5575	COM/COL	100	COM/COL	100	COM/COL	100	COM/COL	30		
Grade A	5360	Grade A	35	Grade A	35	Grade A	35	Grade A	10		
Grade B	5460	Grade B	65	Grade B	65	Grade B	65	Grade B	20		
Grade C	5575	Grade C	100	Grade C	100	Grade C	100	Grade C	30		
Grade D	5695	Grade D	135	Grade D	135	Grade D	135	Grade D	45		
Grade E	5795	Grade E	165	Grade E	165	Grade E	165	Grade E	55		
Grade F	5925	Grade F	205	Grade F	205	Grade F	205	Grade F	65		
Grade G	6095	Grade G	255	Grade G	255	Grade G	255	Grade G	85		
Grade H	6245	Grade H	300	Grade H	300	Grade H	300	Grade H	100		
Grade J	6360	Grade J	335	Grade J	335	Grade J	335	Grade J	110		
Grade K	6575	Grade K	400	Grade K	400	Grade K	400	Grade K	130		
Grade L	6910	Grade L	500	Grade L	500	Grade L	500	Grade L	165		
Grade M	7360	Grade M	635	Grade M	635	Grade M	635	Grade M	210		
Leather I	8110	Leather I	860	Leather I	860	Leather I	860	Leather I	285		
Leather II	8910	Leather II	1100	Leather II	1100	Leather II	1100	Leather II	365		
Leather III	9710	Leather III	1340	Leather III	1340	Leather III	1340	Leather III	445		
Leather IV	10,510	Leather IV	1580	Leather IV	1580	Leather IV	1580	Leather IV	525		
Leather V	11,310	Leather V	1820	Leather V	1820	Leather V	1820	Leather V	605		
Leather VI	12,110	Leather VI	2060	Leather VI	2060	Leather VI	2060	Leather VI	685		
Upholstery I	Requires:	Upholstery F (Per Applica	•	Upholstery I (Per Applica		Upholstery F (Per Applica	•	Upholstery I (Per Applica	•		
Fabric: 10	Yards	Fabric: 3	Yards	Fabric: 3	Yards	Fabric: 3	Yards	Fabric: 1	Yard		
Leather: 180	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 18	Sq. Ft.		
								т	otal Requir	red	
									otat Kequii Ipholstery:	Fabric: 10	Yard
								C	prousiery:	Leather: 180	Sq. F

50

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC819-043.Back.Arm.SeatCushion.Seat.Flammability.Metal Example: HLC819-043.950-88.950-88.950-88.950-88.U.BL



# LOUNGE SEATING

Specifications	52
powerWise	82
Max Modulars with Pillows	
Modular Chair	53-50
Modular Settee	61-64
Modular Sofa	69-72
Corner Unit	77
Max Modulars without Pillows	
Modular Chair	57-60
Modular Settee	65-68
Modular Sofa	73-70
Corner Unit	78
Max Modular Benches	
One Seat	79
Two Seat	80
Three Seat	8

February 2024

51



# **Max Modular Specifications**

**Collection Details** Lounge Chair | Settee | Sofa | Corner Unit | Bench

Upholstered

Single Unit


 $Modular\ pieces\ ship\ with\ 2\ additional\ legs\ with\ connector\ brackets\ for\ placement\ in\ any\ configuration.$ 

**Metal Options** Black Powder Coat | Grey Powder Coat | White Powder Coat |

Polished Chrome

Power | Data Options Available

Two Power Options (Ordered separately)



Double Unit







ОН 30 AΗ OW 22 WBA OD 311/2 DED DEW SH 18 SD 16 R Shipping Weight 52 Cube


**Dimensions** 

Modular Chair | No Arms | Pillow | Metal Legs

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  $\mathbf{Indoor\ Advantage}^{\bowtie}\ \mathbf{certified}$ 

Fabric Placement:	(To Calculate, Beg	in with Base Price and	l add Upcharges)	Base Price:	2505
Jpholstery:	Back Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:	Pillow Upholstery:	
COM/COL 2660	COM/COL 50	COM/COL 50	COM/COL 25	COM/COL 30	
Grade A <b>2555</b>	Grade A 15	Grade A 15	Grade A 10	Grade A 10	
Grade B <b>2610</b>	Grade B 35	Grade B 35	Grade B 15	Grade B 20	
Grade C <b>2660</b>	Grade C 50	Grade C 50	Grade C 25	Grade C 30	
Grade D 2715	Grade D 65	Grade D 65	Grade D 35	Grade D 45	
Grade E <b>2770</b>	Grade E 85	Grade E 85	Grade E 40	Grade E 55	
Grade F <b>2830</b>	Grade F <b>105</b>	Grade F 105	Grade F 50	Grade F 65	
Grade G <b>2905</b>	Grade G 125	Grade G 125	Grade G 65	Grade G 85	
Grade H <b>2980</b>	Grade H 150	Grade H 150	Grade H 75	Grade H 100	
Grade J <b>3030</b>	Grade J <b>165</b>	Grade J 165	Grade J 85	Grade J 110	
Grade K <b>3135</b>	Grade K 200	Grade K 200	Grade K 100	Grade K 130	
Grade L <b>3295</b>	Grade L 250	Grade L 250	Grade L 125	Grade L 165	
Grade M <b>3505</b>	Grade M 315	Grade M 315	Grade M 160	Grade M 210	
eather I 3865	Leather I 430	Leather I 430	Leather I 215	Leather I 285	
eather II 4245	Leather II 550	Leather II 550	Leather II 275	Leather II 365	
eather III 4625	Leather III 670	Leather III 670	Leather III 335	Leather III 445	
eather IV 5005	Leather IV 790	Leather IV 790	Leather IV 395	Leather IV 525	
eather V 5385	Leather V 910	Leather V 910	Leather V 455	Leather V 605	
eather VI 5765	Leather VI 1030	Leather VI 1030	Leather VI 515	Leather VI 685	
Jpholstery Requires:	Upholstery Requires (Per Application):	:			
Fabric: 4¾ Yards	Fabric: 1½ Yards	Fabric: 1½ Yards	Fabric: ¾ Yard	Fabric: 1 Yard	
eather: 85½ Sq. Ft.	Leather: 27 Sq. Ft.	Leather: 27 Sq. Ft.	Leather: 13½ Sq. Ft.	Leather: 18 Sq. Ft	
				Total Red	guired
				Upholster	•

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC820-011.FabBack.FabSeatCushion.FabSeat.FabPillow.Flammability.Base Example: HLC820-011..950-88.950-88.950-88.950-88.U.BL





OHAH 23½ 30 OW WBA 193/4 291/2 OD 311/2 DED DEW SH18 SD 16 R Shipping Weight 68 Cube 17.22

Dimensions

Modular Chair | LSF Arm | Pillow | Metal Legs

Pricing for Single Fabric Placement:		e Fabric Placement: in with Base Price and	l add Upcharges)	Base Price:	2730
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:	Pillow Upholstery:
COM/COL 2930	COM/COL 50	COM/COL 45	COM/COL 50	COM/COL 25	COM/COL 30
Grade A <b>2795</b>	Grade A 15	Grade A 15	Grade A 15	Grade A 10	Grade A 10
Grade B <b>2865</b>	Grade B 35	Grade B 30	Grade B 35	Grade B 15	Grade B 20
Grade C <b>2930</b>	Grade C 50	Grade C 45	Grade C 50	Grade C 25	Grade C 30
Grade D <b>2995</b>	Grade D 65	Grade D 55	Grade D 65	Grade D 35	Grade D 45
Grade E <b>3065</b>	Grade E 85	Grade E 70	Grade E 85	Grade E 40	Grade E 55
Grade F <b>3145</b>	Grade F <b>105</b>	Grade F 90	Grade F 105	Grade F 50	Grade F 65
Grade G <b>3235</b>	Grade G 125	Grade G 105	Grade G 125	Grade G 65	Grade G 85
Grade H <b>3330</b>	Grade H 150	Grade H 125	Grade H 150	Grade H 75	Grade H 100
Grade J <b>3395</b>	Grade J 165	Grade J 140	Grade J 165	Grade J 85	Grade J 110
Grade K <b>3530</b>	Grade K 200	Grade K 170	Grade K 200	Grade K 100	Grade K 130
Grade L <b>3730</b>	Grade L 250	Grade L 210	Grade L 250	Grade L 125	Grade L 165
Grade M <b>3995</b>	Grade M 315	Grade M 265	Grade M 315	Grade M 160	Grade M 210
Leather I 4450	Leather I 430	Leather I 360	Leather I 430	Leather I 215	Leather I 285
Leather II 4930	Leather II 550	Leather II 460	Leather II 550	Leather II 275	Leather II 365
Leather III 5410	Leather III 670	Leather III 560	Leather III 670	Leather III 335	Leather III 445
Leather IV 5890	Leather IV 790	Leather IV 660	Leather IV 790	Leather IV 395	Leather IV 525
Leather V 6370	Leather V 910	Leather V 760	Leather V 910	Leather V 455	Leather V 605
Leather VI 6850	Leather VI 1030	Leather VI 860	Leather VI 1030	Leather VI 515	Leather VI 685
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):
Fabric: 6 Yards	Fabric: 1½ Yards	Fabric: 1¼ Yards	Fabric: 1½ Yards	Fabric: ¾ Yard	Fabric: 1 Yard
Leather: 108 Sq. Ft.	Leather: 27 Sq. Ft.	Leather: 221/2 Sq. Ft.	Leather: 27 Sq. Ft.	Leather: 13½ Sq. Ft.	Leather: 18 Sq. Ft.
				Total Requi	red
				Upholstery:	Fabric: 6 Yards
Note: Power must be ordered s	eparately (Please refer to page	82).		episticity.	Leather: 108 Sq. Ft.


#### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	BASE FINISH
	Indicate fabric choice for:	Indicate flammability:	Options for metal:
	Back upholstery Arm upholstery Seat Cushion upholstery Seat upholstery Pillow upholstery  See options for fabrics at www.hbftextiles.com	U = Cal 117	BL = Black Powder Coat  WI = White Powder Coat  LG = Light Grey Powder Coat  POL = Polished Chrome +\$100
	•	•	

 $HLC820-021. FabBack. FabArm. FabSeat Cushion. FabSeat. FabPillow. Flammability. Base \\ Example: HLC820-021. 950-88.$ 

54





OHAH 23½ 30 OW WBA 19¾ 291/2 OD 311/2 DED DEW SH18 SD 16 R Shipping Weight 68

17.22

Dimensions

Cube

Modular Chair | RSF Arm | Pillow | Metal Legs

Fabric Plac	ement:	(To Calcul	late, Begi	n with Base I	Price and	add Upcharg	ges)	Base Price:		2730	
Upholstery:		Back Upholstery:		Arm Upholstery:		Seat Cushior Upholstery:	ı	Seat Upholstery:		Pillow Upholstery:	
COM/COL	2930	COM/COL	50	COM/COL	45	COM/COL	50	COM/COL	25	COM/COL	30
Grade A	2795	Grade A	15	Grade A	15	Grade A	15	Grade A	10	Grade A	10
Grade B	2865	Grade B	35	Grade B	30	Grade B	35	Grade B	15	Grade B	20
Grade C	2930	Grade C	50	Grade C	45	Grade C	50	Grade C	25	Grade C	30
Grade D	2995	Grade D	65	Grade D	55	Grade D	65	Grade D	35	Grade D	45
Grade E	3065	Grade E	85	Grade E	<b>70</b>	Grade E	85	Grade E	40	Grade E	55
Grade F	3145	Grade F	105	Grade F	90	Grade F	105	Grade F	50	Grade F	65
Grade G	3235	Grade G	125	Grade G	105	Grade G	125	Grade G	65	Grade G	85
Grade H	3330	Grade H	150	Grade H	125	Grade H	150	Grade H	75	Grade H	100
Grade J	3395	Grade J	165	Grade J	140	Grade J	165	Grade J	85	Grade J	110
Grade K	3530	Grade K	200	Grade K	170	Grade K	200	Grade K	100	Grade K	130
Grade L	3730	Grade L	250	Grade L	210	Grade L	250	Grade L	125	Grade L	165
Grade M	3995	Grade M	315	Grade M	265	Grade M	315	Grade M	160	Grade M	210
Leather I	4450	Leather I	430	Leather I	360	Leather I	430	Leather I	215	Leather I	285
Leather II	4930	Leather II	550	Leather II	460	Leather II	550	Leather II	275	Leather II	365
Leather III	5410	Leather III	670	Leather III	560	Leather III	670	Leather III	335	Leather III	445
Leather IV	5890	Leather IV	790	Leather IV	660	Leather IV	790	Leather IV	395	Leather IV	525
Leather V	6370	Leather V	910	Leather V	760	Leather V	910	Leather V	455	Leather V	605
Leather VI	6850	Leather VI	1030	Leather VI	860	Leather VI	1030	Leather VI	515	Leather VI	685
Upholstery R	equires:	Upholstery I (Per Applica		Upholstery l (Per Applica		Upholstery F (Per Applica		Upholstery R (Per Applicat		Upholstery R (Per Applicat	
Fabric: 6	Yards	Fabric: 1½	Yards	Fabric: 11/4	Yards	Fabric: 1½	Yards	Fabric: ¾	Yard	Fabric: 1	Yard
Leather: 108	Sq. Ft.	Leather: 27	Sq. Ft.	Leather: 221/2	Sq. Ft.	Leather: 27	Sq. Ft.	Leather: 13½	Sq. Ft.	Leather: 18	Sq. Ft
								Te	otal Requir	red	
									pholstery:	Fabric: 6	Yard
	.1 1 1	eparately (Please re	<i>C</i>	0.2)				$O_I$	prowery.	Leather: 108	Sq. F

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	BASE FINISH
	Indicate fabric choice for:	Indicate flammability:	Options for metal:
	Back upholstery Arm upholstery Seat Cushion upholstery Seat upholstery Pillow upholstery  See options for fabrics at www.hbftextiles.com	U = Cal 117	BL = Black Powder Coat  WI = White Powder Coat  LG = Light Grey Powder Coat  POL = Polished Chrome +\$100
•	•	•	

 $HLC820-031. FabBack. FabArm. FabSeat Cushion. FabSeat. FabPillow. Flammability. Base \\ Example: HLC820-031. 950-88. 950-88. 950-88. 950-88. 950-88. 950-88. \\ URLC820-031. FabBack. FabArm. FabSeat Cushion. FabSeat. FabPillow. Flammability. \\ Rase \\ Example: HLC820-031. 950-88. 950-88. 950-88. 950-88. \\ Rase \\ Rase$ 





OHAΗ 231/2 30 OW 291/2 WBA OD 311/2 DED DEW SH18 SD R 16 Shipping Weight 80 Cube 17.22

Dimensions

Modular Chair | Two Arms | Pillow | Metal Legs

Fabric Placement:	(To Calculate, Be	gin with Base Price	and add Upcharg	res)	Base Price:		2965	
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Cushion Upholstery:		Seat Upholstery:		Pillow Upholstery:	
COM/COL 3200	COM/COL 50	COM/COL 80	COM/COL	50	COM/COL	25	COM/COL	30
Grade A <b>3040</b>	Grade A 15	Grade A 25	Grade A	15	Grade A	10	Grade A	10
Grade B <b>3125</b>	Grade B 35	Grade B 55	Grade B	35	Grade B	15	Grade B	20
Grade C <b>3200</b>	Grade C 50	Grade C 80	Grade C	50	Grade C	25	Grade C	30
Grade D <b>3285</b>	Grade D 65	Grade D 110	Grade D	65	Grade D	35	Grade D	45
Grade E <b>3365</b>	Grade E 85	Grade E 135	Grade E	85	Grade E	40	Grade E	55
Grade F <b>3460</b>	Grade F <b>105</b>	Grade F 170	Grade F	105	Grade F	50	Grade F	65
Grade G <b>3575</b>	Grade G <b>125</b>	Grade G 210	Grade G	125	Grade G	65	Grade G	85
Grade H <b>3690</b>	Grade H <b>150</b>	Grade H 250	Grade H	150	Grade H	75	Grade H	100
Grade J 3765	Grade J <b>165</b>	Grade J 275	Grade J	165	Grade J	85	Grade J	110
Grade K 3925	Grade K 200	Grade K 330	Grade K	200	Grade K	100	Grade K	130
Grade L <b>4170</b>	Grade L <b>250</b>	Grade L 415	Grade L	250	Grade L	125	Grade L	165
Grade M <b>4490</b>	Grade M 315	Grade M 525	Grade M	315	Grade M	160	Grade M	210
Leather I 5040	Leather I 430	Leather I 715	Leather I	430	Leather I	215	Leather I	285
Leather II 5620	Leather II 550	Leather II 915	Leather II	550	Leather II	275	Leather II	365
Leather III 6200	Leather III 670	Leather III 1115	Leather III	670	Leather III	335	Leather III	445
Leather IV 6780	Leather IV 790	Leather IV 1315	Leather IV	790	Leather IV	395	Leather IV	525
Leather V 7360	Leather V 910	Leather V 1515	Leather V	910	Leather V	455	Leather V	605
Leather VI 7940	Leather VI 1030	Leather VI 1715	Leather VI	1030	Leather VI	515	Leather VI	685
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requir (Per Application):	es Upholstery R (Per Applicat		Upholstery F (Per Applica		Upholstery F (Per Applica	•
Fabric: 7¼ Yards	Fabric: 1½ Yards	Fabric: 2½ Yard	s Fabric: 1½	Yards	Fabric: ¾	Yard	Fabric: 1	Yard
Leather: 130½ Sq. Ft.	Leather: 27 Sq. Ft.	Leather: 45 Sq. 1	t. Leather: 27	Sq. Ft.	Leather: 13½	Sq. Ft.	Leather: 18	Sq. Ft.
					T	otal Requi	red	
						pholstery:	Fabric: 71/4	Yards
te: Power must be ordered	separately (Please refer to pa	ge 82).					Leather: 1301	6 Sa Ft

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	BASE FINISH
	Indicate fabric choice for:	Indicate flammability:	Options for metal:
	Back upholstery Arm upholstery Seat Cushion upholstery Seat upholstery Pillow upholstery  See options for fabrics at www.hbftextiles.com	U = Cal 117	BL = Black Powder Coat  WI = White Powder Coat  LG = Light Grey Powder Coat  POL = Polished Chrome +\$100
	•	•	

HLC820-041. FabBack. FabArms. FabSeatCushion. FabSeat. FabPillow. Flammability. Base Example: HLC820-041. 950-88. 950-88. 950-88. 950-88. 950-88. 950-88. U.B.L





OH 30 AH
OW 22 WBA
OD 31½ DED
SH 18 DEW
SD 21 R

**Dimensions** 


Shipping Weight 50 Cube 17.22

Modular Chair | No Arms | No Pillow | Metal Legs

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  $\mathbf{Indoor} \ \mathbf{Advantage}^{\bowtie} \ \mathbf{certified}$ 

Pricing for Single Fabric Placement:	(To Calcul	late, Begi	n with Base I	Price and	add Upcharg	ges)	Base Price:	2340	
Upholstery:	Back Upholstery:		Seat Cushion Upholstery:	1	Seat Upholstery:				
COM/COL 2465	COM/COL	50	COM/COL	50	COM/COL	25			
Grade A 2380	Grade A	15	Grade A	15	Grade A	10			
Grade B <b>2425</b>	Grade B	35	Grade B	35	Grade B	15			
Grade C 2465	Grade C	50	Grade C	50	Grade C	25			
Grade D 2505	Grade D	65	Grade D	65	Grade D	35			
Grade E <b>2550</b>	Grade E	85	Grade E	85	Grade E	40			
Grade F <b>2600</b>	Grade F	105	Grade F	105	Grade F	50			
Grade G 2655	Grade G	125	Grade G	125	Grade G	65			
Grade H <b>2715</b>	Grade H	150	Grade H	150	Grade H	75			
Grade J 2755	Grade J	165	Grade J	165	Grade J	85			
Grade K <b>2840</b>	Grade K	200	Grade K	200	Grade K	100			
Grade L 2965	Grade L	250	Grade L	250	Grade L	125			
Grade M 3130	Grade M	315	Grade M	315	Grade M	160			
Leather I 3415	Leather I	430	Leather I	430	Leather I	215			
Leather II 3715	Leather II	550	Leather II	550	Leather II	275			
Leather III 4015	Leather III	670	Leather III	670	Leather III	335			
Leather IV 4315	Leather IV	790	Leather IV	790	Leather IV	395			
Leather V 4615	Leather V	910	Leather V	910	Leather V	455			
Leather VI 4915	Leather VI	1030	Leather VI	1030	Leather VI	515			
Upholstery Requires:	Upholstery I (Per Applica		Upholstery I (Per Applica	•	Upholstery I (Per Applica	•			
Fabric: 3¾ Yards	Fabric: 1½	Yards	Fabric: 1½	Yards	Fabric: ¾	Yard			
Leather: 67½ Sq. Ft.	Leather: 27	Sq. Ft.	Leather: 27	Sq. Ft.	Leather: 131/2				
							Total Re	eauired	
							Upholste		Yard

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC820-051. FabBack. FabSeat Cushion. FabSeat. Flammability. Base

Example: HLC820-051.950-88.950-88.950-88.U.BL



#### Dimensions

Cube

# Max Modular HLC820-061



OH30 AΗ 231/2 OW WBA 291/2 OD 311/2 DED SH18 DEW R SD 21 Shipping Weight 66


17.22

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

Modular Chair | LSF Arm | No Pillow | Metal Legs

Pricing for Single	Pricing for Multipl	e Fabric Placement:		
Fabric Placement:	(To Calculate, Begi	n with Base Price and	add Upcharges)	Base Price: 2565
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:
COM/COL 2735	COM/COL 50	COM/COL 45	COM/COL 50	COM/COL 25
Grade A <b>2620</b>	Grade A 15	Grade A 15	Grade A 15	Grade A 10
Grade B <b>2680</b>	Grade B 35	Grade B 30	Grade B 35	Grade B 15
Grade C <b>2735</b>	Grade C 50	Grade C 45	Grade C 50	Grade C 25
Grade D <b>2785</b>	Grade D 65	Grade D 55	Grade D 65	Grade D 35
Grade E <b>2845</b>	Grade E 85	Grade E 70	Grade E 85	Grade E 40
Grade F <b>2915</b>	Grade F <b>105</b>	Grade F 90	Grade F 105	Grade F 50
Grade G <b>2985</b>	Grade G 125	Grade G 105	Grade G 125	Grade G 65
Grade H <b>3065</b>	Grade H 150	Grade H 125	Grade H 150	Grade H 75
Grade J 3120	Grade J <b>165</b>	Grade J 140	Grade J 165	Grade J 85
Grade K <b>3235</b>	Grade K 200	Grade K 170	Grade K 200	Grade K 100
Grade L <b>3400</b>	Grade L 250	Grade L 210	Grade L 250	Grade L 125
Grade M <b>3620</b>	Grade M 315	Grade M 265	Grade M 315	Grade M 160
Leather I 4000	Leather I 430	Leather I 360	Leather I 430	Leather I 215
Leather II 4400	Leather II 550	Leather II 460	Leather II 550	Leather II 275
Leather III 4800	Leather III 670	Leather III 560	Leather III 670	Leather III 335
Leather IV 5200	Leather IV 790	Leather IV 660	Leather IV 790	Leather IV 395
Leather V 5600	Leather V 910	Leather V 760	Leather V 910	Leather V 455
Leather VI 6000	Leather VI 1030	Leather VI 860	Leather VI 1030	Leather VI 515
Upholstery Requires:	Upholstery Requires (Per Application):			
Fabric: 5 Yards	Fabric: 1½ Yards	Fabric: 1¼ Yards	Fabric: 1½ Yards	Fabric: ¾ Yard
Leather: 90 Sq. Ft.	Leather: 27 Sq. Ft.	Leather: 22½ Sq. Ft.	Leather: 27 Sq. Ft.	Leather: 13½ Sq. Ft.
				Total Required
				Upholstery: Fabric: 5 Yards
Note: Power must be ordered se	eparately (Please refer to page	82).		Leather: 90 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC820-061.FabBack.FabArms.FabSeatCushion.FabSeat.Flammability.Base Example: HLC820-061.950-88.950-88.950-88.950-88.U.BL



#### Dimensions

# Max Modular HLC820-071



231/2 OH30 AΗ OW WBA 291/2 OD 311/2 DED SH18 DEW SD R 21


Shipping Weight 66 Cube 17.22

Modular Chair | RSF Arm | No Pillow | Metal Legs

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  $\mathbf{Indoor} \ \mathbf{Advantage}^{\bowtie} \ \mathbf{certified}$ 

Pricing for Fabric Plac	_	(To Calcul	ate, Begi	n with Base I	Price and	add Upcharg	ges)	Base Price:		2565	
Upholstery:		Back Upholstery:		Arm Upholstery:		Seat Cushion Upholstery:	1	Seat Upholstery:			
COM/COL	2735	COM/COL	50	COM/COL	45	COM/COL	50	COM/COL	25		
Grade A	2620	Grade A	15	Grade A	15	Grade A	15	Grade A	10		
Grade B	2680	Grade B	35	Grade B	30	Grade B	35	Grade B	15		
Grade C	2735	Grade C	50	Grade C	45	Grade C	50	Grade C	25		
Grade D	2785	Grade D	65	Grade D	55	Grade D	65	Grade D	35		
Grade E	2845	Grade E	85	Grade E	70	Grade E	85	Grade E	40		
Grade F	2915	Grade F	105	Grade F	90	Grade F	105	Grade F	50		
Grade G	2985	Grade G	125	Grade G	105	Grade G	125	Grade G	65		
Grade H	3065	Grade H	150	Grade H	125	Grade H	150	Grade H	75		
Grade J	3120	Grade J	165	Grade J	140	Grade J	165	Grade J	85		
Grade K	3235	Grade K	200	Grade K	170	Grade K	200	Grade K	100		
Grade L	3400	Grade L	250	Grade L	210	Grade L	250	Grade L	125		
Grade M	3620	Grade M	315	Grade M	265	Grade M	315	Grade M	160		
Leather I	4000	Leather I	430	Leather I	360	Leather I	430	Leather I	215		
Leather II	4400	Leather II	550	Leather II	460	Leather II	550	Leather II	275		
Leather III	4800	Leather III	670	Leather III	560	Leather III	670	Leather III	335		
Leather IV	5200	Leather IV	790	Leather IV	660	Leather IV	790	Leather IV	395		
Leather V	5600	Leather V	910	Leather V	760	Leather V	910	Leather V	455		
Leather VI	6000	Leather VI	1030	Leather VI	860	Leather VI	1030	Leather VI	515		
Upholstery R	dequires:	Upholstery F (Per Applica		Upholstery I (Per Applica	•	Upholstery R (Per Applicat	•	Upholstery F (Per Applica	•		
Fabric: 5	Yards	Fabric: 1½	Yards	Fabric: 1¼	Yards	Fabric: 1½	Yards	Fabric: ¾	Yard		
Leather: 90	Sq. Ft.	Leather: 27	Sq. Ft.	Leather: 221/2	Sq. Ft.	Leather: 27	Sq. Ft.	Leather: 13½	Sq. Ft.		
								T	otal Requir	red	
									pholstery:	Fabric: 5	Yar

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC820-071.FabBack.FabArms.FabSeatCushion.FabSeat.Flammability.Base Example: HLC820-071.950-88.950-88.950-88.950-88.950-88.U.BL





231/2 OH30 AΗ OW WBA 36 OD 311/2 DED SH18 DEW SD 21 R Shipping Weight 78 Cube 17.22

Dimensions

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

Modular Chair | Two Arms | No Pillow | Metal Legs

Fabric Placement:	(To Calcul	ate, Begi	n with Base I	Price and	add Upcharg	ges)	Base Price:		2810	
Upholstery:	Back Upholstery:		Arm Upholstery:		Seat Cushion Upholstery:	ı	Seat Upholstery:			
COM/COL 3015	COM/COL	50	COM/COL	80	COM/COL	50	COM/COL	25		
Grade A 2875	Grade A	15	Grade A	25	Grade A	15	Grade A	10		
Grade B <b>2950</b>	Grade B	35	Grade B	55	Grade B	35	Grade B	15		
Grade C 3015	Grade C	50	Grade C	80	Grade C	50	Grade C	25		
Grade D 3085	Grade D	65	Grade D	110	Grade D	65	Grade D	35		
Grade E 3155	Grade E	85	Grade E	135	Grade E	85	Grade E	40		
Grade F <b>3240</b>	Grade F	105	Grade F	170	Grade F	105	Grade F	50		
Grade G 3335	Grade G	125	Grade G	210	Grade G	125	Grade G	65		
Grade H <b>3435</b>	Grade H	150	Grade H	250	Grade H	150	Grade H	75		
Grade J 3500	Grade J	165	Grade J	275	Grade J	165	Grade J	85		
Grade K <b>3640</b>	Grade K	200	Grade K	330	Grade K	200	Grade K	100		
Grade L 3850	Grade L	250	Grade L	415	Grade L	250	Grade L	125		
Grade M 4125	Grade M	315	Grade M	525	Grade M	315	Grade M	160		
Leather I 4600	Leather I	430	Leather I	715	Leather I	430	Leather I	215		
Leather II 5100	Leather II	550	Leather II	915	Leather II	550	Leather II	275		
Leather III 5600	Leather III	670	Leather III	1115	Leather III	670	Leather III	335		
Leather IV 6100	Leather IV	790	Leather IV	1315	Leather IV	790	Leather IV	395		
Leather V 6600	Leather V	910	Leather V	1515	Leather V	910	Leather V	455		
Leather VI 7100	Leather VI	1030	Leather VI	1715	Leather VI	1030	Leather VI	515		
Upholstery Requires:	Upholstery F (Per Applica		Upholstery I (Per Applica		Upholstery R (Per Applicat		Upholstery R (Per Applicat			
Fabric: 6¼ Yards	Fabric: 1½	Yards	Fabric: 2½	Yards	Fabric: 1½	Yards	Fabric: ¾	Yard		
Leather: 112½ Sq. Ft.	Leather: 27	Sq. Ft.	Leather: 45	Sq. Ft.	Leather: 27	Sq. Ft.	Leather: 13½	Sq. Ft.		
							Te	otal Requir	red	
								1		

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL TEXTILES FLAMMABILITY BASE FINISH NUMBER Indicate flammability: Options for metal: Indicate fabric choice for: BL = Black Powder Coat Back upholstery U = Cal 117 WI = White Powder Coat Arm upholstery LG = Light Grey Powder Coat Seat Cushion upholstery POL = Polished Chrome +\$100 Seat upholstery See options for fabrics at www.hbftextiles.com

HLC820-081.FabBack.FabArms.FabSeatCushion.FabSeat.Flammability.Base Example: HLC820-081.950-88.950-88.950-88.950-88.950-88.U.BL

60





OH30 AΗ OW 44 WBA OD 311/2 DED SH18 DEW SD 16 R Shipping Weight 92

**Dimensions** 

 ${\it Cube} \qquad \qquad 34.44$   ${\it ANSI/BIFMA\ LEVEL^*\ Furniture\ Sustainability\ Standard\ certified}$ 

 $\stackrel{\checkmark}{Indoor}\stackrel{\checkmark}{Advantage}^{^{\scriptscriptstyle TM}}\ certified$ 


Leather: 1301/2 Sq. Ft.

Modular Settee | No Arms | Pillow | Metal Legs

Fabric Placement:	(To Calculate, Begi	n with Base Price and	add Upcharges)	Base Price: 3600			
Upholstery:	Back Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:	Pillow Upholstery:			
COM/COL 3835	COM/COL 80	COM/COL 75	COM/COL 30	COM/COL 50			
Grade A <b>3675</b>	Grade A 25	Grade A 25	Grade A 10	Grade A 15			
Grade B <b>3760</b>	Grade B 55	Grade B 50	Grade B 20	Grade B 35			
Grade C <b>3835</b>	Grade C 80	Grade C 75	Grade C 30	Grade C 50			
Grade D <b>3920</b>	Grade D 110	Grade D 100	Grade D 45	Grade D 65			
Grade E <b>4000</b>	Grade E 135	Grade E <b>125</b>	Grade E 55	Grade E 85			
Grade F <b>4095</b>	Grade F 170	Grade F 155	Grade F 65	Grade F 105			
Grade G <b>4210</b>	Grade G 210	Grade G 190	Grade G 85	Grade G 125			
Grade H <b>4325</b>	Grade H 250	Grade H 225	Grade H 100	Grade H 150			
Grade J <b>4400</b>	Grade J 275	Grade J 250	Grade J 110	Grade J 165			
Grade K <b>4560</b>	Grade K 330	Grade K 300	Grade K 130	Grade K 200			
Grade L <b>4805</b>	Grade L 415	Grade L 375	Grade L 165	Grade L 250			
Grade M 5125	Grade M 525	Grade M 475	Grade M 210	Grade M 315			
Leather I 5675	Leather I 715	Leather I 645	Leather I 285	Leather I 430			
Leather II 6255	Leather II 915	Leather II 825	Leather II 365	Leather II 550			
Leather III 6835	Leather III 1115	Leather III 1005	Leather III 445	Leather III 670			
Leather IV 7415	Leather IV 1315	Leather IV 1185	Leather IV 525	Leather IV 790			
Leather V 7995	Leather V 1515	Leather V 1365	Leather V 605	Leather V 910			
Leather VI 8575	Leather VI 1715	Leather VI 1545	Leather VI 685	Leather VI 1030			
Upholstery Requires:	Upholstery Requires (Per Application):						
Fabric: 7¼ Yards	Fabric: 2½ Yards	Fabric: 2¼ Yards	Fabric: 1 Yard	Fabric: 1½ Yards			
Leather: 130½ Sq. Ft.	Leather: 45 Sq. Ft.	Leather: 40½ Sq. Ft.	Leather: 18 Sq. Ft.	Leather: 27 Sq. Ft.			

PLEASE SPECIFY THE FOLLOWING TO ORDER:

Note: Power must be ordered separately (Please refer to page 82).



HLC820-012. FabBack. FabSeatCushion. FabSeat. FabPillow. Flammability. Base Example: HLC820-012.950-88.950-88.950-88.950-88. U.B.L

61





ОН 30 231/2 AΗ OW 511/2 WBA OD DED 311/2 SH 18 DEW SD 16 R Shipping Weight 108 Cube 34.44


**Dimensions** 

Modular Settee | LSF Arm | Pillow | Metal Legs

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  $Indoor\ Advantage^{\text{\tiny{TM}}}\ certified$ 

Fabric Placement:	(To Calculate, Beg	in with Base Price and	add Upcharges)	Base Price:	3830
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:	Pillow Upholstery:
COM/COL 4110	COM/COL 80	COM/COL 45	COM/COL 75	COM/COL 30	COM/COL 50
Grade A <b>3920</b>	Grade A 25	Grade A 15	Grade A 25	Grade A 10	Grade A 15
Grade B <b>4020</b>	Grade B 55	Grade B 30	Grade B 50	Grade B 20	Grade B 35
Grade C 4110	Grade C 80	Grade C 45	Grade C 75	Grade C 30	Grade C 50
Grade D <b>4205</b>	Grade D 110	Grade D 55	Grade D 100	Grade D 45	Grade D 65
Grade E <b>4300</b>	Grade E 135	Grade E 70	Grade E <b>125</b>	Grade E 55	Grade E 85
Grade F <b>4415</b>	Grade F 170	Grade F 90	Grade F 155	Grade F 65	Grade F 105
Grade G 4545	Grade G 210	Grade G 105	Grade G 190	Grade G 85	Grade G 125
Grade H <b>4680</b>	Grade H 250	Grade H 125	Grade H 225	Grade H 100	Grade H 150
Grade J 4770	Grade J <b>275</b>	Grade J 140	Grade J 250	Grade J 110	Grade J 165
Grade K <b>4960</b>	Grade K 330	Grade K 170	Grade K 300	Grade K 130	Grade K 200
Grade L <b>5245</b>	Grade L 415	Grade L 210	Grade L 375	Grade L 165	Grade L 250
Grade M <b>5620</b>	Grade M 525	Grade M 265	Grade M 475	Grade M 210	Grade M 315
Leather I 6265	Leather I 715	Leather I 360	Leather I 645	Leather I 285	Leather I 430
Leather II 6945	Leather II 915	Leather II 460	Leather II 825	Leather II 365	Leather II 550
Leather III 7625	Leather III 1115	Leather III 560	Leather III 1005	Leather III 445	Leather III 670
Leather IV 8305	Leather IV 1315	Leather IV 660	Leather IV 1185	Leather IV 525	Leather IV 790
Leather V 8985	Leather V 1515	Leather V 760	Leather V 1365	Leather V 605	Leather V 910
Leather VI 9665	Leather VI 1715	Leather VI 860	Leather VI 1545	Leather VI 685	Leather VI 1030
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Require (Per Application):			
Fabric: 8½ Yards	Fabric: 2½ Yards	Fabric: 1¼ Yards	Fabric: 2¼ Yards	Fabric: 1 Yard	Fabric: 1½ Yard
Leather: 153 Sq. Ft.	Leather: 45 Sq. Ft.	Leather: 22½ Sq. Ft.	Leather: 40½ Sq. Ft.	Leather: 18 Sq. Ft.	Leather: 27 Sq. F
				Total Requi	red
				Upholstery:	Fabric: 8½ Yard
Notes Power must be ordered	l separately (Please refer to pag	92)		1	Leather: 153 Sq. F

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC820-022.FabBack.FabArms.FabSeatCushion.FabSeat.FabPillow.Flammability.Base Example: HLC820-022.950-88.95

62





ОН 30 AH 231/2 OW 511/2 WBA OD 31½ DED SH 18 DEW SD 16 R Shipping Weight 108 Cube 34.44

Dimensions

Modular Settee | RSF Arm | Pillow | Metal Legs

Pricing for Single Fabric Placement:	Pricing for Multipl			P Dut	2020
Fabric Placement:	(10 Calculate, Begi	n with Base Price and	aaa Upcharges)	Base Price:	3830
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:	Pillow Upholstery:
COM/COL 4110	COM/COL 80	COM/COL 45	COM/COL 75	COM/COL 30	COM/COL 50
Grade A 3920	Grade A 25	Grade A 15	Grade A 25	Grade A 10	Grade A 15
Grade B <b>4020</b>	Grade B 55	Grade B 30	Grade B 50	Grade B 20	Grade B 35
Grade C <b>4110</b>	Grade C 80	Grade C 45	Grade C 75	Grade C 30	Grade C 50
Grade D <b>4205</b>	Grade D <b>110</b>	Grade D 55	Grade D 100	Grade D 45	Grade D 65
Grade E <b>4300</b>	Grade E 135	Grade E 70	Grade E 125	Grade E 55	Grade E 85
Grade F 4415	Grade F 170	Grade F 90	Grade F 155	Grade F 65	Grade F 105
Grade G 4545	Grade G 210	Grade G 105	Grade G 190	Grade G 85	Grade G 125
Grade H <b>4680</b>	Grade H 250	Grade H 125	Grade H 225	Grade H 100	Grade H 150
Grade J <b>4770</b>	Grade J 275	Grade J <b>140</b>	Grade J 250	Grade J 110	Grade J 165
Grade K <b>4960</b>	Grade K 330	Grade K 170	Grade K 300	Grade K 130	Grade K <b>200</b>
Grade L <b>5245</b>	Grade L 415	Grade L 210	Grade L 375	Grade L 165	Grade L <b>250</b>
Grade M <b>5620</b>	Grade M 525	Grade M 265	Grade M 475	Grade M 210	Grade M 315
Leather I 6265	Leather I 715	Leather I 360	Leather I 645	Leather I 285	Leather I 430
Leather II 6945	Leather II 915	Leather II 460	Leather II 825	Leather II 365	Leather II 550
Leather III 7625	Leather III 1115	Leather III 560	Leather III 1005	Leather III 445	Leather III 670
Leather IV 8305	Leather IV 1315	Leather IV 660	Leather IV 1185	Leather IV 525	Leather IV 790
Leather V 8985	Leather V 1515	Leather V 760	Leather V 1365	Leather V 605	Leather V 910
Leather VI 9665	Leather VI 1715	Leather VI 860	Leather VI 1545	Leather VI 685	Leather VI 1030
Upholstery Requires:	Upholstery Requires (Per Application):				
Fabric: 8½ Yards	Fabric: 2½ Yards	Fabric: 1¼ Yards	Fabric: 2¼ Yards	Fabric: 1 Yard	Fabric: 1½ Yards
Leather: 153 Sq. Ft.	Leather: 45 Sq. Ft.	Leather: 22½ Sq. Ft.	Leather: 40½ Sq. Ft.	Leather: 18 Sq. Ft.	Leather: 27 Sq. Ft.
				Total Requir	red
				Upholstery:	Fabric: 8½ Yards
Note: Power must be ordered se		02)		1	Leather: 153 Sq. Ft.

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	BASE FINISH
	Indicate fabric choice for:	Indicate flammability:	Options for metal:
	Back upholstery Arm upholstery Seat Cushion upholstery Seat upholstery Pillow upholstery  See options for fabrics at www.hbfiextiles.com	U = Cal 117	BL = Black Powder Coat  WI = White Powder Coat  LG = Light Grey Powder Coat  POL = Polished Chrome +\$100
•	•	•	

HLC820-032. FabBack. FabArms. FabSeatCushion. FabSeat. FabPillow. Flammability. Base Example: HLC820-032. 950-88. 950-88. 950-88. 950-88. 950-88. 950-88. U.B.L





ОН 30 AΗ 231/2 OW 58 WBA OD 311/2 DED SH 18 DEW SD 16 R Shipping Weight 124 Cube 34.44

**Dimensions** 

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Modular Settee | Two Arms | Pillow | Metal Legs

Fabric Placement:	(To Calcul	ate, Begi	n with Base I	Price and	add Upcharg	res)	Base Price:		4060		
Upholstery:	Back Upholstery:		Arm Upholstery:			l	Seat Upholstery:		Pillow Upholstery:		
COM/COL 4375	COM/COL	80	COM/COL	80	COM/COL	75	COM/COL	30	COM/COL	50	
Grade A <b>4160</b>	Grade A	25	Grade A	25	Grade A	25	Grade A	10	Grade A	15	
Grade B <b>4275</b>	Grade B	55	Grade B	55	Grade B	50	Grade B	20	Grade B	35	
Grade C 4375	Grade C	80	Grade C	80	Grade C	75	Grade C	30	Grade C	50	
Grade D <b>4490</b>	Grade D	110	Grade D	110	Grade D	100	Grade D	45	Grade D	65	
Grade E <b>4595</b>	Grade E	135	Grade E	135	Grade E	125	Grade E	55	Grade E	85	
Grade F <b>4725</b>	Grade F	170	Grade F	170	Grade F	155	Grade F	65	Grade F	105	
Grade G <b>4880</b>	Grade G	210	Grade G	210	Grade G	190	Grade G	85	Grade G	125	
Grade H <b>5035</b>	Grade H	250	Grade H	250	Grade H	225	Grade H	100	Grade H	150	
Grade J <b>5135</b>	Grade J	275	Grade J	275	Grade J	250	Grade J	110	Grade J	165	
Grade K <b>5350</b>	Grade K	330	Grade K	330	Grade K	300	Grade K	130	Grade K	200	
Grade L <b>5680</b>	Grade L	415	Grade L	415	Grade L	375	Grade L	165	Grade L	250	
Grade M <b>6110</b>	Grade M	525	Grade M	525	Grade M	475	Grade M	210	Grade M	315	
Leather I 6850	Leather I	715	Leather I	715	Leather I	645	Leather I	285	Leather I	430	
Leather II 7630	Leather II	915	Leather II	915	Leather II	825	Leather II	365	Leather II	550	
Leather III 8410	Leather III	1115	Leather III	1115	Leather III	1005	Leather III	445	Leather III	670	
Leather IV 9190	Leather IV	1315	Leather IV	1315	Leather IV	1185	Leather IV	525	Leather IV	790	
Leather V 9970	Leather V	1515	Leather V	1515	Leather V	1365	Leather V	605	Leather V	910	
Leather VI 10,750	Leather VI	1715	Leather VI	1715	Leather VI	1545	Leather VI	685	Leather VI	103	
Upholstery Requires:		Upholstery Requires (Per Application):					Upholstery Requires (Per Application):		Requires tion):		
Fabric: 9¾ Yards	Fabric: 2½	Yards	Fabric: 2½	Yards	Fabric: 21/4	Yards	Fabric: 1	Yard	Fabric: 1½	Yaı	
Leather: 175½ Sq. Ft.	Leather: 45	Sq. Ft.	Leather: 45	Sq. Ft.	Leather: 40½	Sq. Ft.	Leather: 18	Sq. Ft.	Leather: 27	Sq.	
							Т	otal Requi	red		
								pholstery:	Fabric: 93/4	Ya	

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL TEXTILES FLAMMABILITY BASE FINISH NUMBER Indicate flammability: Options for metal: Indicate fabric choice for: BL = Black Powder Coat Back upholstery U = Cal 117 WI = White Powder Coat Arm upholstery LG = Light Grey Powder Coat Seat Cushion upholstery POL = Polished Chrome +\$100 Seat upholstery Pillow upholstery  $See\ options\ for\ fabrics\ at$ www.hbftextiles.com

HLC820-042. FabBack. FabArms. FabSeatCushion. FabSeat. FabPillow. Flammability. Base Example: HLC820-042. 950-88. 950-88. 950-88. 950-88. 950-88. 950-88. U.B.L

64





OH 30 AH
OW 44 WBA
OD 31½ DED
SH 18 DEW
SD 16 R

**Dimensions** 

Shipping Weight 90 Cube 34.44

Modular Settee | No Arms | No Pillow | Metal Legs

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  $\mathbf{Indoor} \ \mathbf{Advantage}^{\bowtie} \ \mathbf{certified}$ 

Fabric Placement:	(To Calculate, Beg	in with Base Price and	l add Upcharges)	Base Price:	3295
Upholstery:	Back Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:		
COM/COL 3480	COM/COL 80	COM/COL 75	COM/COL 30		
Grade A 3355	Grade A 25	Grade A 25	Grade A 10		
Grade B <b>3420</b>	Grade B 55	Grade B 50	Grade B 20		
Grade C <b>3480</b>	Grade C 80	Grade C 75	Grade C 30		
Grade D <b>3550</b>	Grade D 110	Grade D 100	Grade D 45		
Grade E <b>3610</b>	Grade E 135	Grade E 125	Grade E 55		
Grade F <b>3685</b>	Grade F <b>170</b>	Grade F 155	Grade F 65		
Grade G 3780	Grade G 210	Grade G 190	Grade G 85		
Grade H 3870	Grade H <b>250</b>	Grade H 225	Grade H 100		
Grade J <b>3930</b>	Grade J 275	Grade J 250	Grade J 110		
Grade K <b>4055</b>	Grade K 330	Grade K 300	Grade K 130		
Grade L <b>4250</b>	Grade L 415	Grade L 375	Grade L 165		
Grade M <b>4505</b>	Grade M 525	Grade M 475	Grade M 210		
Leather I 4940	Leather I 715	Leather I 645	Leather I 285		
Leather II 5400	Leather II 915	Leather II 825	Leather II 365		
Leather III 5860	Leather III 1115	Leather III 1005	Leather III 445		
Leather IV 6320	Leather IV 1315	Leather IV 1185	Leather IV 525		
Leather V 6780	Leather V 1515	Leather V 1365	Leather V 605		
Leather VI 7240	Leather VI 1715	Leather VI 1545	Leather VI 685		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 5¾ Yards	Fabric: 2½ Yards	Fabric: 2¼ Yards	Fabric: 1 Yard		
Leather: 103½ Sq. Ft.	Leather: 45 Sq. Ft.	Leather: 40½ Sq. Ft.	Leather: 18 Sq. Ft.		
				Total Re	eauired
				Upholste	

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL TEXTILES FLAMMABILITY BASE FINISH NUMBER Indicate flammability: Options for metal: Indicate fabric choice for: BL = Black Powder Coat Back upholstery U = Cal 117 WI = White Powder Coat Seat Cushion upholstery LG = Light Grey Powder Coat Seat upholstery POL = Polished Chrome +\$100 See options for fabrics at www.hbftextiles.com

HLC820-052. FabBack. FabSeat Cushion. FabSeat. Flammability. Base

Example: HLC820-032.950-88.950-88.950-88.U.BL





ОН 30 231/2 AΗ OW 511/2 WBA OD DED 311/2 SH 18 DEW SD 16 R Shipping Weight 106 Cube 34.44


**Dimensions** 

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  $Indoor\ Advantage^{\text{\tiny{TM}}}\ certified$ 

Modular Settee | LSF Arm | No Pillow | Metal Legs

Fabric Plac	cement:	(To Calcul	late, Begi	n with Base I	Price and	add Upcharg	res)	Base Price:		3520	
Upholstery:		Back Upholstery:			Arm Upholstery:		l	Seat Upholstery:			
COM/COL	3750	COM/COL	80	COM/COL	45	COM/COL	75	COM/COL	30		
Grade A	3595	Grade A	25	Grade A	15	Grade A	25	Grade A	10		
Grade B	3675	Grade B	55	Grade B	30	Grade B	50	Grade B	20		
Grade C	3750	Grade C	80	Grade C	45	Grade C	75	Grade C	30		
Grade D	3830	Grade D	110	Grade D	55	Grade D	100	Grade D	45		
Grade E	3905	Grade E	135	Grade E	<b>70</b>	Grade E	125	Grade E	55		
Grade F	4000	Grade F	170	Grade F	90	Grade F	155	Grade F	65		
Grade G	4110	Grade G	210	Grade G	105	Grade G	190	Grade G	85		
Grade H	4220	Grade H	250	Grade H	125	Grade H	225	Grade H	100		
Grade J	4295	Grade J	275	Grade J	140	Grade J	250	Grade J	110		
Grade K	4450	Grade K	330	Grade K	170	Grade K	300	Grade K	130		
Grade L	4685	Grade L	415	Grade L	210	Grade L	375	Grade L	165		
Grade M	4995	Grade M	525	Grade M	265	Grade M	475	Grade M	210		
Leather I	5525	Leather I	715	Leather I	360	Leather I	645	Leather I	285		
Leather II	6085	Leather II	915	Leather II	460	Leather II	825	Leather II	365		
Leather III	6645	Leather III	1115	Leather III	560	Leather III	1005	Leather III	445		
Leather IV	7205	Leather IV	1315	Leather IV	660	Leather IV	1185	Leather IV	525		
Leather V	7765	Leather V	1515	Leather V	760	Leather V	1365	Leather V	605		
Leather VI	8325	Leather VI	1715	Leather VI	860	Leather VI	1545	Leather VI	685		
Upholstery R	dequires:	Upholstery I (Per Applica		Upholstery I (Per Applica		Upholstery R (Per Applicat		Upholstery F (Per Applica			
Fabric: 7	Yards	Fabric: 2½	Yards	Fabric: 1¼	Yards	Fabric: 21/4	Yards	Fabric: 1	Yard		
Leather: 126	Sq. Ft.	Leather: 45	Sq. Ft.	Leather: 221/2		Leather: 40½		Leather: 18	Sq. Ft.		
								Τ	otal Requir	red	
									pholstery:	Fabric: 7	Ya
. D	.1 1 1	separately (Please re	C	00)				U,	prousiery:	Leather: 126	Sc

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC820-062.FabBack.FabArms.FabSeatCushion.FabSeat.Flammability.Base Example: HLC820-062.950-88.950-88.950-88.950-88.U.BL





OH 30 AΗ 231/2 OW 511/2 **WBA** OD DED 311/2 SH 18 DEW SD 16 R Shipping Weight 106 Cube 34.44

**Dimensions** 

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  $\text{Indoor Advantage}^{\text{\tiny{TM}}} \text{ certified}$ 

Leather: 126


Sq. Ft.

Modular Settee | RSF Arm | No Pillow | Metal Legs

**Pricing for Single Pricing for Multiple Fabric Placement:** Fabric Placement: (To Calculate, Begin with Base Price and add Upcharges) **Base Price:** 3520 Seat Cushion Seat Arm Upholstery: Upholstery: Upholstery: Upholstery: Upholstery: COM/COL 3750 COM/COL 80 COM/COL 45 COM/COL 75 COM/COL 30 25 15 Grade A Grade A 10 Grade A 3595 Grade A 25 Grade A Grade B 3675 Grade B 55 Grade B 30 Grade B 50 Grade B 20 Grade C 80 45 75 30 3750 Grade C Grade C Grade C Grade C Grade D 3830 Grade D 110 Grade D 55 Grade D 100 Grade D 45 Grade E 3905 Grade E 135 Grade E **70** 125 Grade E 55 Grade E Grade F 4000 Grade F 170 Grade F 90 Grade F 155 Grade F 65 Grade G 4110 Grade G 210 Grade G 105 Grade G 190 Grade G 85 250 125 225 100 Grade H Grade H Grade H Grade H Grade H 4220 Grade J 4295 Grade J 275 Grade J 140 Grade J 250 Grade J 110 330 170 300 130 Grade K 4450 Grade K Grade K Grade K Grade K Grade L 4685 Grade L 415 Grade L 210 Grade L 375 Grade L 165 Grade M 4995 Grade M 525 Grade M 265 Grade M 475 Grade M 210 715 360 645 285 Leather I 5525 Leather I Leather I Leather I Leather I Leather II 6085 915 Leather II 460 825 365 Leather II Leather II Leather II 560 Leather III 1005 Leather III 1115 Leather III Leather III 445 6645 Leather III Leather IV 7205 Leather IV 1315 Leather IV 660 Leather IV 1185 Leather IV 525 Leather V 7765 Leather V 1515 Leather V 760 Leather V 1365 Leather V 605 1715 Leather VI 860 1545 Leather VI 8325 Leather VI Leather VI Leather VI 685 **Upholstery Requires: Upholstery Requires Upholstery Requires Upholstery Requires Upholstery Requires** (Per Application): (Per Application): (Per Application): (Per Application): Fabric: 7 Fabric: 2½ Fabric: 11/4 Fabric: 21/4 Yards Yards Yards Yards Fabric: 1 Yard Sq. Ft. Leather: 221/2 Sq. Ft. Leather: 401/2 Sq. Ft. Leather: 126 Leather: 45 Sq. Ft. Leather: 18 Sq. Ft. Total Required Upholstery: Fabric: 7 Yards

PLEASE SPECIFY THE FOLLOWING TO ORDER:

Note: Power must be ordered separately (Please refer to page 82).



HLC820-072.FabBack.FabArms.FabSeatCushion.FabSeat.Flammability.Base Example: HLC820-072.950-88.950-8

67





ОН 30 AΗ 231/2 OW 58 WBA OD 311/2 DED SH 18 DEW SD 21 R Shipping Weight 122 Cube 34.44

**Dimensions** 

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified


Leather: 1481/2 Sq. Ft.

Modular Settee | Two Arms | No Pillow | Metal Legs

Fabric Place	ement:	(To Calcul	ate, Begin	n with Base I	Price and	add Upcharg	ges)	Base Price:		3755	
Upholstery:		Back Upholstery:		Arm Upholstery:		Seat Cushior Upholstery:	ı	Seat Upholstery:			
COM/COL	4020	COM/COL	80	COM/COL	80	COM/COL	75	COM/COL	30		
Grade A	3840	Grade A	25	Grade A	25	Grade A	25	Grade A	10		
Grade B	3935	Grade B	55	Grade B	55	Grade B	50	Grade B	20		
Grade C	4020	Grade C	80	Grade C	80	Grade C	75	Grade C	30		
Grade D	4120	Grade D	110	Grade D	110	Grade D	100	Grade D	45		
Grade E	4205	Grade E	135	Grade E	135	Grade E	125	Grade E	55		
Grade F	4315	Grade F	170	Grade F	170	Grade F	155	Grade F	65		
Grade G	4450	Grade G	210	Grade G	210	Grade G	190	Grade G	85		
Grade H	4580	Grade H	250	Grade H	250	Grade H	225	Grade H	100		
Grade J	4665	Grade J	275	Grade J	275	Grade J	250	Grade J	110		
Grade K	4845	Grade K	330	Grade K	330	Grade K	300	Grade K	130		
Grade L	5125	Grade L	415	Grade L	415	Grade L	375	Grade L	165		
Grade M	5490	Grade M	525	Grade M	525	Grade M	475	Grade M	210		
Leather I	6115	Leather I	715	Leather I	715	Leather I	645	Leather I	285		
Leather II	6775	Leather II	915	Leather II	915	Leather II	825	Leather II	365		
Leather III	7435	Leather III	1115	Leather III	1115	Leather III	1005	Leather III	445		
Leather IV	8095	Leather IV	1315	Leather IV	1315	Leather IV	1185	Leather IV	525		
Leather V	8755	Leather V	1515	Leather V	1515	Leather V	1365	Leather V	605		
Leather VI	9415	Leather VI	1715	Leather VI	1715	Leather VI	1545	Leather VI	685		
Upholstery Requires:		Upholstery I (Per Applica	•	Upholstery I (Per Applica		Upholstery F (Per Applica		Upholstery F (Per Applica			
Fabric: 81/4	Yards	Fabric: 2½	Yards	Fabric: 2½	Yards	Fabric: 21/4	Yards	Fabric: 1	Yard		
Leather: 148½	Sq. Ft.	Leather: 45	Sq. Ft.	Leather: 45	Sq. Ft.	Leather: 40½	Sq. Ft.	Leather: 18	Sq. Ft.		

PLEASE SPECIFY THE FOLLOWING TO ORDER:

Note: Power must be ordered separately (Please refer to page 82).



HLC820-082.FabBack.FabArms.FabSeatCushion.FabSeat.Flammability.Base Example: HLC820-082.950-88.950-88.950-88.950-88.U.BL

68





OH 30 AH
OW 66 WBA
OD 31½ DED
SH 18 DEW
SD 21 R

**Dimensions** 

Shipping Weight 127 Cube 51.67


Modular Sofa | No Arms | Pillow | Metal Legs

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  $\mathbf{Indoor} \ \mathbf{Advantage}^{\bowtie} \ \mathbf{certified}$ 

Fabric Plac	cement:	(To Calcul	ate, Begin	n with Base I	Price and	add Upcharg	res)	Base Price:		4675	_
Upholstery:		Back Upholstery:		Seat Cushion Upholstery:	Seat Cushion Upholstery:		Seat Upholstery:				
COM/COL	4995	COM/COL	105	COM/COL	100	COM/COL	45	COM/COL	70		
Grade A	4785	Grade A	35	Grade A	35	Grade A	15	Grade A	25		
Grade B	4885	Grade B	<b>70</b>	Grade B	65	Grade B	30	Grade B	45		
Grade C	4995	Grade C	105	Grade C	100	Grade C	45	Grade C	70		
Grade D	5100	Grade D	145	Grade D	135	Grade D	55	Grade D	90		
Grade E	5205	Grade E	180	Grade E	165	Grade E	<b>70</b>	Grade E	115		
Grade F	5330	Grade F	220	Grade F	205	Grade F	90	Grade F	140		
Grade G	5480	Grade G	275	Grade G	255	Grade G	105	Grade G	170		
Grade H	5625	Grade H	325	Grade H	300	Grade H	125	Grade H	200		
Grade J	5735	Grade J	360	Grade J	335	Grade J	140	Grade J	225		
Grade K	5945	Grade K	430	Grade K	400	Grade K	170	Grade K	270		
Grade L	6260	Grade L	540	Grade L	500	Grade L	210	Grade L	335		
Grade M	6685	Grade M	685	Grade M	635	Grade M	265	Grade M	425		
Leather I	7400	Leather I	930	Leather I	860	Leather I	360	Leather I	575		
Leather II	8160	Leather II	1190	Leather II	1100	Leather II	460	Leather II	735		
Leather III	8920	Leather III	1450	Leather III	1340	Leather III	560	Leather III	895		
Leather IV	9680	Leather IV	1710	Leather IV	1580	Leather IV	660	Leather IV	1055		
Leather V	10,440	Leather V	1970	Leather V	1820	Leather V	760	Leather V	1215		
Leather VI	11,200	Leather VI	2230	Leather VI	2060	Leather VI	860	Leather VI	1375		
U <b>pholstery R</b>	dequires:	Upholstery I (Per Applica	•	Upholstery I (Per Applica		Upholstery R (Per Applicat	•	Upholstery R (Per Applicat			
Fabric: 9½	Yards	Fabric: 31/4	Yards	Fabric: 3	Yards	Fabric: 11/4	Yards	Fabric: 2	Yards		
Leather: 171	Sq. Ft.	Leather: 58½	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 22½	Sq. Ft.	Leather: 36	Sq. Ft.		
								T	otal Requi	red	
									pholstery:	Fabric: 9½	Y

69

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC820-013. FabBack. FabSeatCushion. FabSeat. FabPillow. Flammability. Base Example: HLC820-013. 950-88.950-88.950-88.950-88. U.B.L





ОН 30 231/2 AΗ OW 731/2 WBA OD DED 311/2 SH 18 DEW SD 16 R Shipping Weight 143 Cube 51.67


**Dimensions** 

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  $\mathbf{Indoor\ Advantage}^{\bowtie}\ \mathbf{certified}$ 

Modular Sofa | LSF Arm | Pillow | Metal Legs

Pricing for Fabric Plac	_	Pricing for (To Calcul	-	n with Base I		add Upcharg	ges)	Base Price:		4910	
Upholstery:		Back Upholstery:		Arm Upholstery:		Seat Cushior Upholstery:	ı	Seat Upholstery:		Pillow Upholstery:	
COM/COL	5275	COM/COL	105	COM/COL	45	COM/COL	100	COM/COL	45	COM/COL	70
Grade A	5035	Grade A	35	Grade A	15	Grade A	35	Grade A	15	Grade A	25
Grade B	5150	Grade B	70	Grade B	30	Grade B	65	Grade B	30	Grade B	45
Grade C	5275	Grade C	105	Grade C	45	Grade C	100	Grade C	45	Grade C	70
Grade D	5390	Grade D	145	Grade D	55	Grade D	135	Grade D	55	Grade D	90
Grade E	5510	Grade E	180	Grade E	70	Grade E	165	Grade E	<b>70</b>	Grade E	115
Grade F	5655	Grade F	220	Grade F	90	Grade F	205	Grade F	90	Grade F	140
Grade G	5820	Grade G	275	Grade G	105	Grade G	255	Grade G	105	Grade G	170
Grade H	5985	Grade H	325	Grade H	125	Grade H	300	Grade H	125	Grade H	200
Grade J	6110	Grade J	360	Grade J	140	Grade J	335	Grade J	140	Grade J	225
Grade K	6350	Grade K	430	Grade K	170	Grade K	400	Grade K	170	Grade K	270
Grade L	6705	Grade L	540	Grade L	210	Grade L	500	Grade L	210	Grade L	335
Grade M	7185	Grade M	685	Grade M	265	Grade M	635	Grade M	265	Grade M	425
Leather I	7995	Leather I	930	Leather I	360	Leather I	860	Leather I	360	Leather I	575
Leather II	8855	Leather II	1190	Leather II	460	Leather II	1100	Leather II	460	Leather II	735
Leather III	9715	Leather III	1450	Leather III	560	Leather III	1340	Leather III	560	Leather III	895
Leather IV	10,575	Leather IV	1710	Leather IV	660	Leather IV	1580	Leather IV	660	Leather IV	1055
Leather V	11,435	Leather V	1970	Leather V	760	Leather V	1820	Leather V	760	Leather V	1215
Leather VI	12,295	Leather VI	2230	Leather VI	860	Leather VI	2060	Leather VI	860	Leather VI	1375
Upholstery F	Requires:	Upholstery Requires (Per Application):				Upholstery F (Per Applica		Upholstery R (Per Applicat			
Fabric: 10¾	Yards	Fabric: 31/4	Yards	Fabric: 1¼	Yards	Fabric: 3	Yards	Fabric: 11/4	Yards	Fabric: 2	Yards
Leather: 193 <sup>1</sup>	2 Sq. Ft.	Leather: 58½	Sq. Ft.	Leather: 22½	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 22½	Sq. Ft.	Leather: 36	Sq. F
								Te	otal Requir	red	
									pholstery:		Yard
	, , ,	separately (Please re	c	>				0,	prowery.	Leather: 193	

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC820-023. FabBack. FabArms. FabSeatCushion. FabSeat. FabPillow. Flammability. Base Example: HLC820-023. 950-88. 950-88. 950-88. 950-88. 950-88. 950-88. 950-88.

70





ОН 30 AΗ 231/2 OW 731/2 WBA OD DED 311/2 SH 18 DEW SD 16 R Shipping Weight 143

**Dimensions** 


Cube 51.67

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified 
Indoor Advantage™ certified

Modular Sofa | RSF Arm | Pillow | Metal Legs

5275	Back Upholstery:		Λ					Base Price:		4910	
5275	- '			Arm Upholstery:		ı	Seat Upholstery:		Pillow Upholstery:		
5275	COM/COL	105	COM/COL	45	COM/COL	100	COM/COL	45	COM/COL	70	
5035	Grade A	35	Grade A	15	Grade A	35	Grade A	15	Grade A	25	
5150	Grade B	<b>70</b>	Grade B	30	Grade B	65	Grade B	30	Grade B	45	
5275	Grade C	105	Grade C	45	Grade C	100	Grade C	45	Grade C	<b>70</b>	
5390	Grade D	145	Grade D	55	Grade D	135	Grade D	55	Grade D	90	
5510	Grade E	180	Grade E	70	Grade E	165	Grade E	<b>70</b>	Grade E	115	
5655	Grade F	220	Grade F	90	Grade F	205	Grade F	90	Grade F	140	
5820	Grade G	275	Grade G	105	Grade G	255	Grade G	105	Grade G	170	
5985	Grade H	325	Grade H	125	Grade H	300	Grade H	125	Grade H	200	
6110	Grade J	360	Grade J	140	Grade J	335	Grade J	140	Grade J	225	
6350	Grade K	430	Grade K	170	Grade K	400	Grade K	170	Grade K	270	
6705	Grade L	540	Grade L	210	Grade L	500	Grade L	210	Grade L	335	
7185	Grade M	685	Grade M	265	Grade M	635	Grade M	265	Grade M	425	
7995	Leather I	930	Leather I	360	Leather I	860	Leather I	360	Leather I	575	
8855	Leather II	1190	Leather II	460	Leather II	1100	Leather II	460	Leather II	735	
9715	Leather III	1450	Leather III	560	Leather III	1340	Leather III	560	Leather III	895	
10,575	Leather IV	1710	Leather IV	660	Leather IV	1580	Leather IV	660	Leather IV	1055	
11,435	Leather V	1970	Leather V	760	Leather V	1820	Leather V	760	Leather V	1215	
12,295	Leather VI	2230	Leather VI	860	Leather VI	2060	Leather VI	860	Leather VI	1375	
quires:				•						•	
Yards	Fabric: 31/4	Yards	Fabric: 11/4	Yards	Fabric: 3	Yards	Fabric: 1¼	Yards	Fabric: 2	Yards	
Sq. Ft.	Leather: 58½	2 Sq. Ft.	Leather: 22½	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 22½	Sq. Ft.	Leather: 36	Sq. F	
							Te	otal Reauir	red		
	6390 6510 6655 6820 6985 6110 6350 6705 7185 7995 8855 7715 10,575 11,435 12,295 quires:	6390         Grade D           6510         Grade E           6655         Grade F           6820         Grade G           6985         Grade H           6310         Grade J           6350         Grade K           6705         Grade L           7185         Grade M           7995         Leather I           Leather II         Leather III           10,575         Leather IV           11,435         Leather V           12,295         Leather VI           quires:         Upholstery I           (Per Applica           (Yards         Fabric: 3½           Acards         Fabric: 3½           Leather: 58½	Grade D 145 Grade E 180 Grade F 220 Grade F 220 Grade G 275 Grade H 325 Grade H 325 Grade J 360 Grade K 430 Grade K 430 Grade K 430 Grade L 540 Grade L 540 Grade M 685 Leather I 1190 Leather II 1450 Leather IV 1710 Leather V 1970 Leather V 1970 Leather V 1970 Leather V 1230  Turies:  Upholstery Requires (Per Application):	Grade D 145 Grade D 6510 Grade E 180 Grade E 180 Grade E 6655 Grade F 220 Grade F 820 Grade G 6985 Grade H 325 Grade H 6350 Grade K 430 Grade J 6350 Grade K 430 Grade K 6705 Grade L 540 Grade K 6705 Grade H 1995 Leather I 1990 Leather I 1995 Leather II 1450 Leather II Leather III 1450 Leather III Leather IV 1710 Leather IV 1710 Leather IV 1710 Leather IV 17435 Leather V 1970 Lea	Grade D 145 Grade D 55 Grade E 180 Grade E 70 Grade F 220 Grade F 90 Grade G 275 Grade G 105 Grade H 325 Grade H 125 Grade J 360 Grade J 140 Grade L 360 Grade K 170 Grade L 540 Grade L 210 Grade L 540 Grade L 210 Grade M 685 Grade M 265 Grade M 685 Grade M 265 Grade M 685 Grade M 265 Leather I 1190 Leather II 460 Leather III 1450 Leather III 560 Leather IV 1710 Leather IV 660 Leather V 1970 Leather V 760 Leather V 1970 Leather V 760 Leather V 1230 Leather V 860  Quires: Upholstery Requires (Per Application):  Grads Fabric: 3½ Yards Fabric: 1¼ Yards Gq. Ft. Leather: 58½ Sq. Ft. Leather: 22½ Sq. Ft.	Grade D 145 Grade D 55 Grade D 6510 Grade E 180 Grade E 70 Grade E 6655 Grade F 220 Grade F 90 Grade F 820 Grade G 105 Grade G 6985 Grade H 325 Grade H 125 Grade H 6350 Grade K 430 Grade K 170 Grade K 6705 Grade L 540 Grade L 210 Grade L 6705 Grade M 685 Grade M 265 Grade M 685 Grade M 265 Grade M 685 Grade M 265 Grade M 685 Gra	Grade D 145 Grade D 55 Grade D 135 Grade E 180 Grade E 70 Grade E 165 Grade F 220 Grade F 90 Grade F 205 Grade G 275 Grade G 105 Grade G 255 Grade H 325 Grade H 125 Grade H 300 Grade J 360 Grade J 140 Grade J 335 Grade K 430 Grade K 170 Grade K 400 Grade L 540 Grade K 170 Grade L 500 Grade L 540 Grade M 265 Grade M 635 Grade M 685 Grade M 265 Grade M 635 Leather I 930 Leather I 360 Leather I 860 Leather II 1190 Leather II 460 Leather II 1100 Leather III 1450 Leather III 560 Leather III 1340 Lo.575 Leather IV 1710 Leather IV 660 Leather IV 1580 Leather V 1970 Leather V 760 Leather V 1820 Leather V 12230 Leather V 760 Leather V 1820 Leather V 1970 Leather V 860 Leather Peptication):  Grads Fabric: 3½ Yards Fabric: 1½ Yards Fabric: 3 Yards Gq. Ft. Leather: 58½ Sq. Ft. Leather: 22½ Sq. Ft. Leather: 54 Sq. Ft.	Grade D 145 Grade D 55 Grade D 135 Grade D 6510 Grade E 180 Grade E 70 Grade E 165 Grade E 6655 Grade F 220 Grade F 90 Grade F 205 Grade F 6820 Grade G 275 Grade G 105 Grade G 255 Grade G 6820 Grade H 325 Grade H 125 Grade H 300 Grade H 16110 Grade J 360 Grade J 140 Grade J 335 Grade J 3650 Grade K 430 Grade K 170 Grade K 400 Grade K 6705 Grade L 540 Grade L 210 Grade L 500 Grade K 6705 Grade M 685 Grade M 265 Grade M 635 Grade M 685 Grade M 265 Grade M 635 Grade M 685 Leather I 930 Leather I 360 Leather I 1100 Leather II 1100 Leather II 1100 Leather III 1450 Leather III 1450 Leather III 1460 Leather III 1340 Leather III 1451 Leather IV 1710 Leather IV 660 Leather IV 1580 Leather IV 17435 Leather V 1970 Leather V 760 Leather V 1820 Leather V 1970 Leather V 1860 Leather V 1820 Leather V 1970 Leather V 1860 Leather V 1820 Leather V 1970 Leather V 1860 Leather V 1820 Leather V 1970 Leather V 1860 Leather V 1820 Leather V 1970 Leather V 1860 Leather V 1820 Leather V 1970 Leather V 1860 Leather V 1820 Leather V 1970 Leather V 1860 Leather V 1820 Leather V 1970 Leather V 1860 Leather V 1820 Leather V 1970 Leather V 1860	Grade D   145   Grade D   55   Grade D   135   Grade D   55	Grade D   145   Grade D   55   Grade D   135   Grade D   55   Grade D	

#### PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC820-033. FabBack. FabArms. FabSeatCushion. FabSeat. FabPillow. Flammability. Base Example: HLC820-033. 950-88. 950-88. 950-88. 950-88. 950-88. 950-88. U.B.L





ОН 30 AΗ 231/2 OW 80 WBA OD 311/2 DED SH 18 DEW SD 16 R

**Dimensions** 

Shipping Weight 159 Cube 51.67

Modular Sofa | Two Arms | Pillow | Metal Legs

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  $\mathbf{Indoor} \ \mathbf{Advantage}^{\bowtie} \ \mathbf{certified}$ 

Pricing for Fabric Plac		_	_	e Fabric Place n with Base I		add Upcharg	ges)	Base Price:		5140	
Upholstery:		Back Upholstery:		Arm Upholstery:		Seat Cushion Upholstery:	1	Seat Upholstery:		Pillow Upholstery:	
COM/COL	5540	COM/COL	105	COM/COL	80	COM/COL	100	COM/COL	45	COM/COL	70
Grade A	5275	Grade A	35	Grade A	25	Grade A	35	Grade A	15	Grade A	25
Grade B	5405	Grade B	70	Grade B	55	Grade B	65	Grade B	30	Grade B	45
Grade C	5540	Grade C	105	Grade C	80	Grade C	100	Grade C	45	Grade C	70
Grade D	5675	Grade D	145	Grade D	110	Grade D	135	Grade D	55	Grade D	90
Grade E	5805	Grade E	180	Grade E	135	Grade E	165	Grade E	70	Grade E	115
Grade F	5965	Grade F	220	Grade F	170	Grade F	205	Grade F	90	Grade F	140
Grade G	6155	Grade G	275	Grade G	210	Grade G	255	Grade G	105	Grade G	170
Grade H	6340	Grade H	325	Grade H	250	Grade H	300	Grade H	125	Grade H	200
Grade J	6475	Grade J	360	Grade I	275	Grade I	335	Grade J	140	Grade J	225
Grade K	6740	Grade K	430	Grade K	330	Grade K	400	Grade K	170	Grade K	270
Grade L	7140	Grade L	540	Grade L	415	Grade L	500	Grade L	210	Grade L	335
Grade M	7675	Grade M	685	Grade M	525	Grade M	635	Grade M	265	Grade M	425
Leather I	8580	Leather I	930	Leather I	715	Leather I	860	Leather I	360	Leather I	575
Leather II	9540	Leather II	1190	Leather II	915	Leather II	1100	Leather II	460	Leather II	735
Leather III	10,500	Leather III	1450	Leather III	1115	Leather III	1340	Leather III	560	Leather III	895
Leather IV	11,460	Leather IV	1710	Leather IV	1315	Leather IV	1580	Leather IV	660	Leather IV	1055
Leather V	12,420	Leather V	1970	Leather V	1515	Leather V	1820	Leather V	760	Leather V	1215
Leather VI	13,380	Leather VI	2230	Leather VI	1715	Leather VI	2060	Leather VI	860	Leather VI	1375
Upholstery F	dequires:	Upholstery l (Per Applica	•	Upholstery F (Per Applica		Upholstery F (Per Applicat	•	Upholstery R (Per Applicat	•	Upholstery R (Per Applicat	•
Fabric: 12	Yards	Fabric: 31/4	Yards	Fabric: 2½	Yards	Fabric: 3	Yards	Fabric: 11/4	Yards	Fabric: 2	Yards
Leather: 216	Sq. Ft.	Leather: 58½	Sq. Ft.	Leather: 45	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 22½	Sq. Ft.	Leather: 36	Sq. Ft.
								T	otal Requir	red	
									pholstery:	Fabric: 12	Yards
ta. Damanan	uet he ordered e	eparately (Please re	for to page	92)				0,		Leather: 216	

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL TEXTILES FLAMMABILITY BASE FINISH NUMBER Options for metal: Indicate flammability: Indicate fabric choice for: BL = Black Powder Coat Back upholstery U = Cal 117 WI = White Powder Coat Arm upholstery LG = Light Grey Powder Coat Seat Cushion upholstery POL = Polished Chrome +\$100 Seat upholstery Pillow upholstery  $See\ options\ for\ fabrics\ at$ www.hbftextiles.com

HLC820-043. FabBack. FabArms. FabSeatCushion. FabSeat. FabPillow. Flammability. Base Example: HLC820-043. 950-88. 950-88. 950-88. 950-88. 950-88. 950-88. U.B.L





OH 30 AH
OW 66 WBA
OD 31½ DED
SH 18 DEW
SD 21 R

**Dimensions** 


Shipping Weight 125 Cube 51.67

Modular Sofa | No Arms | No Pillow | Metal Legs

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  $\mathbf{Indoor} \ \mathbf{Advantage}^{\bowtie} \ \mathbf{certified}$ 

Fabric Placer	ment:	(To Calcul	late, Begi	n with Base I	Price and	add Upcharg	ges)	Base Price:	4	£230	
Upholstery:		Back Upholstery:		Seat Cushion Upholstery:	n	Seat Upholstery:					
COM/COL 4	4480	COM/COL	105	COM/COL	100	COM/COL	45				
Grade A 4	4315	Grade A	35	Grade A	35	Grade A	15				
Grade B 4	4395	Grade B	70	Grade B	65	Grade B	30				
	4480	Grade C	105	Grade C	100	Grade C	45				
Grade D 4	4565	Grade D	145	Grade D	135	Grade D	55				
Grade E	4645	Grade E	180	Grade E	165	Grade E	<b>70</b>				
Grade F	4745	Grade F	220	Grade F	205	Grade F	90				
Grade G	4865	Grade G	275	Grade G	255	Grade G	105				
Grade H 4	4980	Grade H	325	Grade H	300	Grade H	125				
Grade J 5	5065	Grade J	360	Grade J	335	Grade J	140				
Grade K	5230	Grade K	430	Grade K	400	Grade K	170				
Grade L 5	5480	Grade L	540	Grade L	500	Grade L	210				
Grade M 5	5815	Grade M	685	Grade M	635	Grade M	265				
Leather I	6380	Leather I	930	Leather I	860	Leather I	360				
Leather II 6	6980	Leather II	1190	Leather II	1100	Leather II	460				
Leather III 7	7580	Leather III	1450	Leather III	1340	Leather III	560				
Leather IV 8	8180	Leather IV	1710	Leather IV	1580	Leather IV	660				
Leather V 8	8780	Leather V	1970	Leather V	1820	Leather V	760				
Leather VI	9380	Leather VI	2230	Leather VI	2060	Leather VI	860				
Upholstery Req	quires:	Upholstery I (Per Applica		Upholstery I (Per Applica	•	Upholstery F (Per Applica	•				
Fabric: 7½ Y	Yards	Fabric: 31/4	Yards	Fabric: 3	Yards	Fabric: 11/4	Yards				
Leather: 135	Sq. Ft.	Leather: 58½	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 22½	Sq. Ft.				
								Total R	equired		
								Upholst		abric: 7½	Yar

### PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC820-053. FabBack. FabSeat Cushion. FabSeat. Flammability. Base

 $Example: \ HLC 820-053.950-88.950-88.950-88.U.BL$ 

73





ОН 30 231/2 AΗ OW 731/2 WBA OD DED 311/2 SH 18 DEW SD 21 R Shipping Weight 141

**Dimensions** 

 $\frac{\text{Cube}}{\text{S1.67}}$  ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified

 $\stackrel{\checkmark}{Indoor}\stackrel{\checkmark}{Advantage}^{^{\scriptscriptstyle TM}} certified$ 


Leather: 1571/2 Sq. Ft.

Modular Sofa | LSF Arm | No Pillow | Metal Legs

Fabric Place	ement:	(To Calcul	late, Begi	n with Base I	Price and	add Upcharg	ges)	Base Price:		4460	
Upholstery:		Back Upholstery:		Arm Upholstery:		Seat Cushion Upholstery:	ı	Seat Upholstery:			
COM/COL	4755	COM/COL	105	COM/COL	45	COM/COL	100	COM/COL	45		
Grade A	4560	Grade A	35	Grade A	15	Grade A	35	Grade A	15		
Grade B	4655	Grade B	<b>70</b>	Grade B	30	Grade B	65	Grade B	30		
Grade C	4755	Grade C	105	Grade C	45	Grade C	100	Grade C	45		
Grade D	4850	Grade D	145	Grade D	55	Grade D	135	Grade D	55		
Grade E	4945	Grade E	180	Grade E	<b>70</b>	Grade E	165	Grade E	<b>70</b>		
Grade F	5065	Grade F	220	Grade F	90	Grade F	205	Grade F	90		
Grade G	5200	Grade G	275	Grade G	105	Grade G	255	Grade G	105		
Grade H	5335	Grade H	325	Grade H	125	Grade H	300	Grade H	125		
Grade J	5435	Grade J	360	Grade J	140	Grade J	335	Grade J	140		
Grade K	5630	Grade K	430	Grade K	170	Grade K	400	Grade K	170		
Grade L	5920	Grade L	540	Grade L	210	Grade L	500	Grade L	210		
Grade M	6310	Grade M	685	Grade M	265	Grade M	635	Grade M	265		
Leather I	6970	Leather I	930	Leather I	360	Leather I	860	Leather I	360		
Leather II	7670	Leather II	1190	Leather II	460	Leather II	1100	Leather II	460		
Leather III	8370	Leather III	1450	Leather III	560	Leather III	1340	Leather III	560		
Leather IV	9070	Leather IV	1710	Leather IV	660	Leather IV	1580	Leather IV	660		
Leather V	9770	Leather V	1970	Leather V	760	Leather V	1820	Leather V	760		
Leather VI	10,470	Leather VI	2230	Leather VI	860	Leather VI	2060	Leather VI	860		
Upholstery Re	quires:	Upholstery I (Per Applica		Upholstery I (Per Applica		Upholstery F (Per Applica		Upholstery R (Per Applicat			
Fabric: 8¾	Yards	Fabric: 31/4	Yards	Fabric: 11/4	Yards	Fabric: 3	Yards	Fabric: 1¼	Yards		
Leather: 157½	Sq. Ft.	Leather: 58½	2 Sq. Ft.	Leather: 221/2	2 Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 22½	Sq. Ft.		
								au	otal Requi	and .	

PLEASE SPECIFY THE FOLLOWING TO ORDER:

Note: Power must be ordered separately (Please refer to page 82).



HLC820-063.FabBack.FabArms.FabSeatCushion.FabSeat.Flammability.Base Example: HLC820-063.950-88.950-88.950-88.950-88.U.BL





ОН 30 231/2 AΗ OW 731/2 WBA OD DED 311/2 SH 18 DEW SD 21 R Shipping Weight 141 51.67 Cube


**Dimensions** 

Modular Sofa | RSF Arm | No Pillow | Metal Legs

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  $\mathbf{Indoor} \ \mathbf{Advantage}^{\bowtie} \ \mathbf{certified}$ 

Fabric Placement:	(To Calculate, 1	Begin with Base P	rice and	add Upcharg	ges)	Base Price:		4460
Upholstery:	Back Upholstery:	Arm Upholstery:		Seat Cushion Upholstery:	l	Seat Upholstery:		
COM/COL 4755	COM/COL 105	COM/COL	45	COM/COL	100	COM/COL	45	
Grade A <b>4560</b>	Grade A 35	Grade A	15	Grade A	35	Grade A	15	
Grade B <b>4655</b>	Grade B 70	Grade B	30	Grade B	65	Grade B	30	
Grade C 4755	Grade C <b>105</b>	Grade C	45	Grade C	100	Grade C	45	
Grade D <b>4850</b>	Grade D <b>145</b>	Grade D	55	Grade D	135	Grade D	55	
Grade E <b>4945</b>	Grade E <b>180</b>	Grade E	<b>70</b>	Grade E	165	Grade E	<b>70</b>	
Grade F <b>5065</b>	Grade F <b>220</b>	Grade F	90	Grade F	205	Grade F	90	
Grade G <b>5200</b>	Grade G 275	Grade G	105	Grade G	255	Grade G	105	
Grade H <b>5335</b>	Grade H 325	Grade H	125	Grade H	300	Grade H	125	
Grade J <b>5435</b>	Grade J 360	Grade J	140	Grade J	335	Grade J	140	
Grade K <b>5630</b>	Grade K 430	Grade K	170	Grade K	400	Grade K	170	
Grade L <b>5920</b>	Grade L 540	Grade L	210	Grade L	500	Grade L	210	
Grade M 6310	Grade M 685	Grade M	265	Grade M	635	Grade M	265	
Leather I 6970	Leather I 930	Leather I	360	Leather I	860	Leather I	360	
Leather II 7670	Leather II 1190		460	Leather II	1100	Leather II	460	
Leather III 8370	Leather III 1450		560	Leather III	1340	Leather III	560	
Leather IV 9070	Leather IV 1710		660	Leather IV	1580	Leather IV	660	
Leather V 9770	Leather V 1970		760	Leather V	1820	Leather V	760	
Leather VI 10,470	Leather VI 2230	Leather VI	860	Leather VI	2060	Leather VI	860	
Upholstery Requires:	Upholstery Requir (Per Application):	es Upholstery R (Per Applicati	•	Upholstery F (Per Applicat		Upholstery R (Per Applicat		
Fabric: 8¾ Yards	Fabric: 3¼ Yard	s Fabric: 11/4	Yards	Fabric: 3	Yards	Fabric: 11/4	Yards	
Leather: 157½ Sq. Ft.	Leather: 58½ Sq. I	Ft. Leather: 22½	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 22½	Sq. Ft.	
						Te	otal Requir	red
							pholstery:	Fabric: 8¾ Y

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC820-073.FabBack.FabArms.FabSeatCushion.FabSeat.Flammability.Base Example: HLC820-073.950-88.950-88.950-88.950-88.U.BL

75





ОН 30 231/2 AΗ OW 80 WBA OD 311/2 DED SH 18 DEW SD 21 R

Shipping Weight 157 Cube 51.67


**Dimensions** 

Modular Sofa | Two Arms | No Pillow | Metal Legs

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  $\mathbf{Indoor\ Advantage}^{\bowtie}\ \mathbf{certified}$ 

Pricing for Fabric Plac	_	_	_	e Fabric Plac In with Base I		add Upcharg	res)	Base Price:		4695	
Upholstery:		Back Upholstery:		Arm Upholstery:		Seat Cushion Upholstery:		Seat Upholstery:			
COM/COL	5025	COM/COL	105	COM/COL	80	COM/COL	100	COM/COL	45		
Grade A	4805	Grade A	35	Grade A	25	Grade A	35	Grade A	15		
Grade B	4915	Grade B	70	Grade B	55	Grade B	65	Grade B	30		
Grade C	5025	Grade C	105	Grade C	80	Grade C	100	Grade C	45		
Grade D	5140	Grade D	145	Grade D	110	Grade D	135	Grade D	55		
Grade E	5245	Grade E	180	Grade E	135	Grade E	165	Grade E	<b>70</b>		
Grade F	5380	Grade F	220	Grade F	170	Grade F	205	Grade F	90		
Grade G	5540	Grade G	275	Grade G	210	Grade G	255	Grade G	105		
Grade H	5695	Grade H	325	Grade H	250	Grade H	300	Grade H	125		
Grade J	5805	Grade J	360	Grade J	275	Grade J	335	Grade J	140		
Grade K	6025	Grade K	430	Grade K	330	Grade K	400	Grade K	170		
Grade L	6360	Grade L	540	Grade L	415	Grade L	500	Grade L	210		
Grade M	6805	Grade M	685	Grade M	525	Grade M	635	Grade M	265		
Leather I	7560	Leather I	930	Leather I	715	Leather I	860	Leather I	360		
Leather II	8360	Leather II	1190	Leather II	915	Leather II	1100	Leather II	460		
Leather III	9160	Leather III	1450	Leather III	1115	Leather III	1340	Leather III	560		
Leather IV	9960	Leather IV	1710	Leather IV	1315	Leather IV	1580	Leather IV	660		
Leather V	10,760	Leather V	1970	Leather V	1515	Leather V	1820	Leather V	760		
Leather VI	11,560	Leather VI	2230	Leather VI	1715	Leather VI	2060	Leather VI	860		
Upholstery I	Requires:	Upholstery I (Per Applica	•	Upholstery I (Per Applica		Upholstery R (Per Applicat		Upholstery R (Per Applicat	•		
Fabric: 10	Yards	Fabric: 31/4	Yards	Fabric: 2½	Yards	Fabric: 3	Yards	Fabric: 11/4	Yards		
Leather: 180	Sq. Ft.	Leather: 58½		Leather: 45	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 221/2	Sq. Ft.		
								Te	otal Requir	red	
									pholstery:	Fabric: 10	) Y:

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC820-083.FabBack.FabArms.FabSeatCushion.FabSeat.Flammability.Base Example: HLC820-083.950-88.950-88.950-88.950-88.U.BL





ОН 30 231/2 AΗ OW 311/2 WBA OD DED 311/2 SH 18 DEW SD 201/2 R Shipping Weight 38 Cube 17.41


**Dimensions** 

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Modular Corner Unit | No Arms | Pillow | Metal Legs

Fabric Placement:	(To Calcul	ate, Begi	n with Base I	Price and	add Upcharg	ges)	Base Price:		3075	
Upholstery:	Back Upholstery:		Seat Cushion Upholstery:	ı	Seat Upholstery:		Pillow Upholstery:			
COM/COL 3315	COM/COL	100	COM/COL	45	COM/COL	25	COM/COL	70		
Grade A 3160	Grade A	35	Grade A	15	Grade A	10	Grade A	25		
Grade B <b>3230</b>	Grade B	65	Grade B	30	Grade B	15	Grade B	45		
Grade C 3315	Grade C	100	Grade C	45	Grade C	25	Grade C	70		
Grade D 3390	Grade D	135	Grade D	55	Grade D	35	Grade D	90		
Grade E <b>3465</b>	Grade E	165	Grade E	70	Grade E	40	Grade E	115		
Grade F <b>3560</b>	Grade F	205	Grade F	90	Grade F	50	Grade F	140		
Grade G 3670	Grade G	255	Grade G	105	Grade G	65	Grade G	170		
Grade H 3775	Grade H	300	Grade H	125	Grade H	75	Grade H	200		
Grade J 3860	Grade J	335	Grade J	140	Grade I	85	Grade I	225		
Grade K <b>4015</b>	Grade K	400	Grade K	170	Grade K	100	Grade K	270		
Grade L <b>4245</b>	Grade L	500	Grade L	210	Grade L	125	Grade L	335		
Grade M <b>4560</b>	Grade M	635	Grade M	265	Grade M	160	Grade M	425		
Leather I 5085	Leather I	860	Leather I	360	Leather I	215	Leather I	575		
Leather II 5645	Leather II	1100	Leather II	460	Leather II	275	Leather II	735		
Leather III 6205	Leather III	1340	Leather III	560	Leather III	335	Leather III	895		
Leather IV 6765	Leather IV	1580	Leather IV	660	Leather IV	395	Leather IV	1055		
Leather V 7325	Leather V	1820	Leather V	760	Leather V	455	Leather V	1215		
Leather VI 7885	Leather VI	2060	Leather VI	860	Leather VI	515	Leather VI	1375		
Upholstery Requires:	Upholstery F (Per Applica		Upholstery I (Per Applica		Upholstery F (Per Applica		Upholstery I (Per Applica			
Fabric: 7 Yards	Fabric: 3	Yards	Fabric: 11/4	Yards	Fabric: ¾	Yard	Fabric: 2	Yards		
Leather: 126 Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 221/2	Sq. Ft.	Leather: 13½	Sq. Ft.	Leather: 36	Sq. Ft.		
							7	otal Requir	ed	
								pholstery:	Fabric: 7	Yaro

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC820-019. FabBack. FabSeatCushion. FabSeat. FabPillow. Flammability. Base Example: HLC820-019.950-88.950-88.950-88.950-88. U.B.L

77





OH 30 AH
OW 31½ WBA
OD 31½ DED
SH 18 DEW
SD 20½ R

**Dimensions** 

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  $\mathbf{Indoor\ Advantage}^{\bowtie}\ \mathbf{certified}$ 

36 17.41


Shipping Weight

Cube

Modular Corner Unit | No Arms | No Pillow | Metal Legs

Fabric Plac	cement:	(To Calcul	late, Begi	n with Base I	Price and	add Upcharg	ges)	Base Price:	2	2885	
Upholstery:		Back Upholstery:		Seat Cushion Upholstery:	1	Seat Upholstery:					
COM/COL	3055	COM/COL	100	COM/COL	45	COM/COL	25				
Grade A	2945	Grade A	35	Grade A	15	Grade A	10				
Grade B	2995	Grade B	65	Grade B	30	Grade B	15				
Grade C	3055	Grade C	100	Grade C	45	Grade C	25				
Grade D	3110	Grade D	135	Grade D	55	Grade D	35				
Grade E	3160	Grade E	165	Grade E	70	Grade E	40				
Grade F	3230	Grade F	205	Grade F	90	Grade F	50				
Grade G	3310	Grade G	255	Grade G	105	Grade G	65				
Grade H	3385	Grade H	300	Grade H	125	Grade H	75				
Grade J	3445	Grade J	335	Grade J	140	Grade J	85				
Grade K	3555	Grade K	400	Grade K	170	Grade K	100				
Grade L	3720	Grade L	500	Grade L	210	Grade L	125				
Grade M	3945	Grade M	635	Grade M	265	Grade M	160				
Leather I	4320	Leather I	860	Leather I	360	Leather I	215				
Leather II	4720	Leather II	1100	Leather II	460	Leather II	275				
Leather III	5120	Leather III	1340	Leather III	560	Leather III	335				
Leather IV	5520	Leather IV	1580	Leather IV	660	Leather IV	395				
Leather V	5920	Leather V	1820	Leather V	760	Leather V	455				
Leather VI	6320	Leather VI	2060	Leather VI	860	Leather VI	515				
Upholstery F	Requires:	Upholstery I (Per Applica		Upholstery I (Per Applica		Upholstery F (Per Applica	•				
Fabric: 5	Yards	Fabric: 3	Yards	Fabric: 11/4	Yards	Fabric: ¾	Yard				
Leather: 90	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 22½	Sq. Ft.	Leather: 13½	Sq. Ft.				
								Total R	eauired.	!	
								Upholst		Fabric: 5	Ya

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC820-029. FabBack. FabSeat Cushion. FabSeat. Flammability. Base Exam

Example: HLC820-029.950-88.950-88.950-88.U.BL

78



### Dimensions

### Max Modular HHC820-111 OH18 ΑH OW 22 WBA OD 21 DED DEW SH 18 SD 21 Shipping Weight 32 Cube 7.41

Modular One Seat Bench | Metal Legs

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified Indoor Advantage™ certified

Pricing for Single Fabric Placement:	Pricing for Multipl (To Calculate, Begi	n with Base Price and add Upcharges)	Base Price:	1975
Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:		
COM/COL 2050	COM/COL 45	COM/COL 30		
Grade A <b>2000</b>	Grade A 15	Grade A 10		
Grade B <b>2025</b>	Grade B 30	Grade B 20		
Grade C <b>2050</b>	Grade C 45	Grade C 30		
Grade D <b>2075</b>	Grade D 55	Grade D 45		
Grade E <b>2100</b>	Grade E 70	Grade E 55		
Grade F <b>2130</b>	Grade F 90	Grade F 65		
Grade G 2165	Grade G 105	Grade G 85		
Grade H <b>2200</b>	Grade H 125	Grade H 100		
Grade J <b>2225</b>	Grade J <b>140</b>	Grade J 110		
Grade K 2275	Grade K 170	Grade K 130		
Grade L <b>2350</b>	Grade L 210	Grade L 165		
Grade M <b>2450</b>	Grade M 265	Grade M 210		
Leather I 2620	Leather I 360	Leather I 285		
Leather II 2800	Leather II 460	Leather II 365		
Leather III 2980	Leather III 560	Leather III 445		
Leather IV 3160	Leather IV 660	Leather IV 525		
Leather V 3340	Leather V 760	Leather V 605		
Leather VI 3520	Leather VI 860	Leather VI 685		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 2¼ Yards	Fabric: 1¼ Yards	Fabric: 1 Yard		
Leather: 40½ Sq. Ft.	Leather: 22½ Sq. Ft.	Leather: 18 Sq. Ft.		
			Total Reg	nuired
			Upholster	

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	BASE FINISH
T, G, M, D, D,	Indicate fabric choice for:	Indicate flammability:	Options for metal:
	Seat Cushion upholstery Seat upholstery  See options for fabrics at www.hbftextiles.com	U = Cal 117	BL = Black Powder Coat  WI = White Powder Coat  LG = Light Grey Powder Coat  POL = Polished Chrome +\$100

HHC820-111.FabSeatCushion.FabSeat.Flammability.Base Example: HHC820-111.950-88.950-88.U.BL

79





OH 18 AH
OW 44 WBA
OD 21 DED
SH 18 DEW
SD 21 R

**Dimensions** 

Shipping Weight 58 Cube 14.81

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified Indoor Advantage™ certified

Total Required

Upholstery:

Fabric: 41/4

Leather: 761/2 Sq. Ft.

Yards

Modular Two Seat Bench | Metal Legs

**Pricing for Single Pricing for Multiple Fabric Placement:** Fabric Placement: (To Calculate, Begin with Base Price and add Upcharges) **Base Price:** 2610 **Seat Cushion** Seat Upholstery: Upholstery: Upholstery: COM/COL 2755 COM/COL COM/COL 70 75 25 25 Grade A 2660 Grade A Grade A Grade B 2705 Grade B Grade B 45 75 70 Grade C 2755 Grade C Grade C Grade D 2800 Grade D 100 Grade D 90 Grade E 2850 Grade E 125 Grade E 115 Grade F 2905 Grade F 155 Grade F 140 Grade G 2970 Grade G 190 Grade G 170 225 200 Grade H 3035 Grade H Grade H Grade J 3085 Grade J 250 Grade J 225 300 270 Grade K 3180 Grade K Grade K Grade L 3320 Grade L 375 Grade L 335 Grade M 3510 Grade M 475 Grade M 425 Leather I 575 Leather I 3830 Leather I 645 Leather II 4170 825 Leather II 735 Leather II 1005 895 4510 Leather III Leather III Leather III Leather IV 4850 Leather IV 1185 Leather IV 1055 Leather V 5190 Leather V 1365 Leather V 1215 1545 Leather VI 1375 Leather VI 5530 Leather VI **Upholstery Requires: Upholstery Requires Upholstery Requires** (Per Application): (Per Application): Fabric: 41/4 Yards Fabric: 21/4 Yards Fabric: 2 Yards Leather: 76½ Sq. Ft. Leather: 401/2 Sq. Ft. Leather: 36 Sq. Ft.

Note: Power must be ordered separately (Please refer to page 82).

PLEASE SPECIFY THE FOLLOWING TO ORDER:

BASE FINISH MODEL TEXTILES FLAMMABILITY NUMBER Indicate flammability: Options for metal: Indicate fabric choice for: BL = Black Powder Coat Seat Cushion upholstery U = Cal 117 WI = White Powder Coat Seat upholstery LG = Light Grey Powder Coat POL = Polished Chrome +\$100 See options for fabrics at www.hbftextiles.com

HHC820-112.FabSeatCushion.FabSeat.Flammability.Base

Example: HHC820-112.950-88.950-88.U.BL

80





OH 18 AH
OW 66 WBA
OD 21 DED
SH 18 DEW
SD 21 R

**Dimensions** 


Shipping Weight 79 Cube 22.22

Modular Three Seat Bench | Metal Legs

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  $\mathbf{Indoor} \ \mathbf{Advantage}^{\bowtie} \ \mathbf{certified}$ 

Fabric Placement:	(To Calculate, Beg	in with Base Price and add Upcharges)	Base Price:	3045
Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:		
COM/COL 3245	COM/COL 100	COM/COL 100		
Grade A 3115	Grade A 35	Grade A 35		
Grade B <b>3175</b>	Grade B 65	Grade B 65		
Grade C <b>3245</b>	Grade C 100	Grade C 100		
Grade D <b>3315</b>	Grade D 135	Grade D 135		
Grade E <b>3375</b>	Grade E <b>165</b>	Grade E 165		
Grade F <b>3455</b>	Grade F 205	Grade F 205		
Grade G 3555	Grade G 255	Grade G 255		
Grade H <b>3645</b>	Grade H 300	Grade H 300		
Grade J <b>3715</b>	Grade J 335	Grade J 335		
Grade K <b>3845</b>	Grade K 400	Grade K 400		
Grade L <b>4045</b>	Grade L 500	Grade L 500		
Grade M 4315	Grade M 635	Grade M 635		
Leather I 4765	Leather I 860	Leather I 860		
Leather II 5245	Leather II 1100	Leather II 1100		
Leather III 5725	Leather III 1340	Leather III 1340		
Leather IV 6205	Leather IV 1580	Leather IV 1580		
Leather V 6685	Leather V 1820	Leather V 1820		
Leather VI 7165	Leather VI 2060	Leather VI 2060		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 6 Yards	Fabric: 3 Yards	Fabric: 3 Yards		
Leather: 108 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 54 Sq. Ft.		
			Total Re	eauired
			Upholste	

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HHC 820-113. Fab Seat Cushion. Fab Seat. Flammability. Base

Example: HHC820-113.950-88.950-88.U.BL

81

Style Number	Description	List Price

### Max Modular Power Modules

HVD82001M-100

PowerWise - Single Unit

230




PowerWise - Single Unit | 1 Power Outlet | 1 Dual USB Charger, 108" Cord

### HVD82001M-200

PowerWise - Double Unit

585



PowerWise - Double Unit | 2 Power Outlets | 2 Dual USB Chargers, 72" Cord to Splitter

82



### **Morgan Specifications Collection Details** Lounge Chair | Settee | Sofa Upholstered Ash | Black Powder Coat | Brushed Stainless Steel | Polished Stainless Steel **Base Options** Refer to HBF Material Options for color selection. Finish selection must be noted on order.

### Fabric Placement







ОН 311/2 AH 26 OW 35 WBA 27 OD 301/2 DED SH 18 DEW SD 19¾ R Shipping Weight 130 Cube 30.8

Dimensions

Fully Upholstered with Back Pillow | Ash Base

Fabric Placement:	(To Calculate, Begi	in with Base Price and	add Upcharges)	Base Price:	3380
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:	Pillow Upholstery:
COM/COL 3680	COM/COL 70	COM/COL 100	COM/COL 70	COM/COL 30	COM/COL 30
Grade A <b>3485</b>	Grade A 25	Grade A 35	Grade A 25	Grade A 10	Grade A 10
Grade B <b>3575</b>	Grade B 45	Grade B 65	Grade B 45	Grade B 20	Grade B 20
Grade C 3680	Grade C 70	Grade C 100	Grade C 70	Grade C 30	Grade C 30
Grade D 3785	Grade D 90	Grade D 135	Grade D 90	Grade D 45	Grade D 45
Grade E 3885	Grade E 115	Grade E <b>165</b>	Grade E <b>115</b>	Grade E 55	Grade E 55
Grade F 3995	Grade F <b>140</b>	Grade F 205	Grade F <b>140</b>	Grade F 65	Grade F 65
Grade G 4145	Grade G 170	Grade G 255	Grade G 170	Grade G 85	Grade G 85
Grade H <b>4280</b>	Grade H 200	Grade H 300	Grade H 200	Grade H 100	Grade H 100
Grade J 4385	Grade J 225	Grade J 335	Grade J 225	Grade J 110	Grade J 110
Grade K <b>4580</b>	Grade K 270	Grade K 400	Grade K 270	Grade K 130	Grade K 130
Grade L 4880	Grade L 335	Grade L 500	Grade L 335	Grade L 165	Grade L 165
Grade M 5285	Grade M 425	Grade M 635	Grade M 425	Grade M 210	Grade M 210
Leather I 5960	Leather I 575	Leather I 860	Leather I 575	Leather I 285	Leather I 285
Leather II 6680	Leather II 735	Leather II 1100	Leather II 735	Leather II 365	Leather II 365
Leather III 7400	Leather III 895	Leather III 1340	Leather III 895	Leather III 445	Leather III 445
Leather IV 8120	Leather IV 1055	Leather IV 1580	Leather IV 1055	Leather IV 525	Leather IV 525
Leather V 8840	Leather V 1215	Leather V 1820	Leather V 1215	Leather V 605	Leather V 605
Leather VI 9560	Leather VI 1375	Leather VI 2060	Leather VI 1375	Leather VI 685	Leather VI 685
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Require (Per Application):			
Fabric: 9 Yards	Fabric: 2 Yards	Fabric: 3 Yards	Fabric: 2 Yards	Fabric: 1 Yard	Fabric: 1 Yard
Leather: 162 Sq. Ft.	Leather: 36 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 36 Sq. Ft.	Leather: 18 Sq. Ft.	Leather: 18 Sq. F
				Total Requir	red
				Upholstery:	Fabric: 9 Yard
				1	Leather: 162 Sq. F

PLEASE SPECIFY THE FOLLOWING TO ORDER:


MODEL Number	TEXTILES	FLAMMABILITY	SPECIES & FINISH	
	Indicate fabric choice for:	Indicate flammability:	Options for wood finishes: AH = Ash	
	Back upholstery	U = Cal 117		
	Arm upholstery		310 = Smoke Opaque	408 = Peppercorn Opaque
	Seat Cushion upholstery		400 = Clear	901 = Amber
	1 ,		402 = Black Opaque	902 = Designer White Opaque
	Seat upholstery		403 = Grey Opaque	911 = Warm Brick
	Pillow upholstery		404 = Warm White Opaque	929 = Nutmeg
			405 = Mist Opaque	937 = Bark
	See options for fabrics at		406 = Denim Opaque	984 = Dark Roast
	www.hbftextiles.com		407 = Pewter Opaque	993 = Sumatra
•	•	•		

HLC 919-011. Back. Arm. Seat Cush. Seat. Pillow. Flammability. Wood

Example: HLC919-011.950-88.950-88.950-88.950-88.950-88.U.AH400

84





Fully Upholstered with Back Pillows | Ash Base

ОН	31½	AH	26
OW	57	WBA	49
OD	301/2	DED	
SH	18	DEW	
SD	19¾	R	

Dimensions

Shipping Weight 180 Cube 49.3

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Pricing for Fabric Plac	-		•	e Fabric Plac n with Base I		add Upcharg	ges)	Base Price:		5215			
Upholstery:		Back Upholstery:		Arm Upholstery:		Seat Cushion Upholstery:	l	Seat Upholstery:		Pillow Upholstery:			
COM/COL	5585	COM/COL	100	COM/COL	100	COM/COL	70	COM/COL	30	COM/COL	<b>70</b>		
Grade A	5345	Grade A	35	Grade A	35	Grade A	25	Grade A	10	Grade A	25		
Grade B	5455	Grade B	65	Grade B	65	Grade B	45	Grade B	20	Grade B	45		
Grade C	5585	Grade C	100	Grade C	100	Grade C	<b>70</b>	Grade C	30	Grade C	<b>70</b>		
Grade D	5710	Grade D	135	Grade D	135	Grade D	90	Grade D	45	Grade D	90		
Grade E	5830	Grade E	165	Grade E	165	Grade E	115	Grade E	55	Grade E	115		
Grade F	5970	Grade F	205	Grade F	205	Grade F	140	Grade F	65	Grade F	140		
Grade G	6150	Grade G	255	Grade G	255	Grade G	170	Grade G	85	Grade G	170		
Grade H	6315	Grade H	300	Grade H	300	Grade H	200	Grade H	100	Grade H	200		
Grade J	6445	Grade J	335	Grade J	335	Grade J	225	Grade J	110	Grade J	225		
Grade K	6685	Grade K	400	Grade K	400	Grade K	270	Grade K	130	Grade K	270		
Grade L	7050	Grade L	500	Grade L	500	Grade L	335	Grade L	165	Grade L	335		
Grade M	7545	Grade M	635	Grade M	635	Grade M	425	Grade M	210	Grade M	425		
Leather I	8370	Leather I	860	Leather I	860	Leather I	575	Leather I	285	Leather I	575		
Leather II	9250	Leather II	1100	Leather II	1100	Leather II	735	Leather II	365	Leather II	735		
Leather III	10,130	Leather III	1340	Leather III	1340	Leather III	895	Leather III	445	Leather III	895		
Leather IV	11,010	Leather IV	1580	Leather IV	1580	Leather IV	1055	Leather IV	525	Leather IV	1055		
Leather V	11,890	Leather V	1820	Leather V	1820	Leather V	1215	Leather V	605	Leather V	1215		
Leather VI	12,770	Leather VI	2060	Leather VI	2060	Leather VI	1375	Leather VI	685	Leather VI	1375		
Upholstery R	equires:	Upholstery I (Per Applica		Upholstery I (Per Applica		Upholstery F (Per Applica		Upholstery I (Per Applica		Upholstery R (Per Applicat			
Fabric: 11	Yards	Fabric: 3	Yards	Fabric: 3	Yards	Fabric: 2	Yards	Fabric: 1	Yard	Fabric: 2	Yards		
Leather: 198	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 36	Sq. Ft.	Leather: 18	Sq. Ft.	Leather: 36	Sq. Ft.		
								Т	otal Requir	Required			
								L	pholstery:	Fabric: 11 Leather: 198	Yards Sq. Ft		

### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	SPECIES & FINISH						
	Indicate fabric choice for:	Indicate flammability:	Options for wood finishes: AH = Ash						
	Back upholstery	U = Cal 117							
	Arm upholstery		310 = Smoke Opaque	408 = Peppercorn Opaque					
	Seat Cushion upholstery		400 = Clear	901 = Amber					
	1 ,		402 = Black Opaque	902 = Designer White Opaque					
	Seat upholstery		403 = Grey Opaque	911 = Warm Brick					
	Pillow upholstery		404 = Warm White Opaque	929 = Nutmeg					
			405 = Mist Opaque	937 = Bark					
	See options for fabrics at		406 = Denim Opaque	984 = Dark Roast					
	www.hbftextiles.com		407 = Pewter Opaque	993 = Sumatra					
			• •						
•	•	•							

HLC 919-012. Back. Arm. Seat Cush. Seat. Pillow. Flammability. Wood

Example: HLC919-012.950-88.950-88.950-88.950-88.950-88.U.AH400

85





Fully Upholstered with Back Pillows | Ash Base

J	ım	en	SI	on	S


ОН	31½	AH	26
OW	79	WBA	71
OD	301/2	DED	
SH	18	DEW	
SD	19¾	R	
Shippi	ing Weight	230	

Cube 67.8

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified Indoor Advantage™ certified

Pricing for Singl Fabric Placemen	_	_	e Fabric Plac in with Base I		add Upchar	ges)	Base Price:		6210	
Upholstery:	Back Upholst	ery:	Arm Upholstery:		Seat Cushion Upholstery:	ı	Seat Upholstery:		Pillow Upholstery:	
COM/COL 6610	COM/C	OL 100	COM/COL	100	COM/COL	100	COM/COL	30	COM/COL	70
Grade A 6350	Grade A	35	Grade A	35	Grade A	35	Grade A	10	Grade A	25
Grade B <b>6470</b>	Grade B	65	Grade B	65	Grade B	65	Grade B	20	Grade B	45
Grade C 6610	Grade C	100	Grade C	100	Grade C	100	Grade C	30	Grade C	<b>70</b>
Grade D 6750	Grade D	135	Grade D	135	Grade D	135	Grade D	45	Grade D	90
Grade E <b>6875</b>	Grade E	165	Grade E	165	Grade E	165	Grade E	55	Grade E	115
Grade F 7030	Grade F	205	Grade F	205	Grade F	205	Grade F	65	Grade F	140
Grade G 7230	Grade G	255	Grade G	255	Grade G	255	Grade G	85	Grade G	170
Grade H <b>7410</b>	Grade H	300	Grade H	300	Grade H	300	Grade H	100	Grade H	200
Grade J 7550	Grade J	335	Grade J	335	Grade J	335	Grade J	110	Grade J	225
Grade K <b>7810</b>	Grade K	400	Grade K	400	Grade K	400	Grade K	130	Grade K	270
Grade L <b>8210</b>	Grade L	500	Grade L	500	Grade L	500	Grade L	165	Grade L	335
Grade M <b>8750</b>	Grade M	635	Grade M	635	Grade M	635	Grade M	210	Grade M	425
Leather I 9650	Leather 1	860	Leather I	860	Leather I	860	Leather I	285	Leather I	575
Leather II 10,61	Leather 1	I 1100	Leather II	1100	Leather II	1100	Leather II	365	Leather II	735
Leather III 11,57	70 Leather 1	III 1340	Leather III	1340	Leather III	1340	Leather III	445	Leather III	895
Leather IV 12,53	Ieather l	V <b>1580</b>	Leather IV	1580	Leather IV	1580	Leather IV	525	Leather IV	1055
Leather V 13,49	00 Leather \	V 1820	Leather V	1820	Leather V	1820	Leather V	605	Leather V	1215
Leather VI 14,45	Leather V	VI <b>2060</b>	Leather VI	2060	Leather VI	2060	Leather VI	685	Leather VI	1375
Upholstery Require		ery Requires olication):	Upholstery l (Per Applica		Upholstery I (Per Applica		Upholstery I (Per Applica	•	Upholstery R (Per Applicat	•
Fabric: 12 Yards	Fabric:	3 Yards	Fabric: 3	Yards	Fabric: 3	Yards	Fabric: 1	Yard	Fabric: 2	Yards
Leather: 216 Sq. F	t. Leather:	54 Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 18	Sq. Ft.	Leather: 36	Sq. Ft
							T	otal Requir	red	
								pholstery:	Fabric: 12	Yards
								1	Leather: 216	Sq. Ft

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC 919-013. Back. Arm. Seat Cush. Seat. Pillow. Flammability. Wood

 $Example:\ HLC 919-013.950-88.950-88.950-88.950-88.950-88.U. AH400$ 

### НВБ

### Morgan HLC919-031





Dimensions

ОН 30 26 AΗ OW 35 WBA 27 OD 301/2 DED SH 18 DEW SD 193/4 R

Shipping Weight 130 Cube 30.8


ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified Indoor Advantage™ certified

Fully Upholstered | Ash Base

Pricing for Single Fabric Placement:	(To Calculate, Beg	in with Base Price and	l add Upcharges)	Base Price:	3155
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:	
COM/COL 3425	COM/COL 70	COM/COL 100	COM/COL 70	COM/COL 30	
Grade A <b>3250</b>	Grade A 25	Grade A 35	Grade A 25	Grade A 10	
Grade B <b>3330</b>	Grade B 45	Grade B 65	Grade B 45	Grade B 20	
Grade C <b>3425</b>	Grade C 70	Grade C 100	Grade C 70	Grade C 30	
Grade D <b>3515</b>	Grade D 90	Grade D 135	Grade D 90	Grade D 45	
Grade E <b>3605</b>	Grade E 115	Grade E 165	Grade E 115	Grade E 55	
Grade F <b>3705</b>	Grade F 140	Grade F <b>205</b>	Grade F <b>140</b>	Grade F 65	
Grade G 3835	Grade G 170	Grade G 255	Grade G 170	Grade G 85	
Grade H <b>3955</b>	Grade H 200	Grade H 300	Grade H 200	Grade H 100	
Grade J <b>4050</b>	Grade J 225	Grade J 335	Grade J 225	Grade J 110	
Grade K <b>4225</b>	Grade K 270	Grade K 400	Grade K 270	Grade K 130	
Grade L <b>4490</b>	Grade L 335	Grade L 500	Grade L 335	Grade L 165	
Grade M <b>4850</b>	Grade M 425	Grade M 635	Grade M 425	Grade M 210	
Leather I 5450	Leather I 575	Leather I 860	Leather I 575	Leather I 285	
Leather II 6090	Leather II 735	Leather II 1100	Leather II 735	Leather II 365	
Leather III 6730	Leather III 895	Leather III 1340	Leather III 895	Leather III 445	
Leather IV 7370	Leather IV 1055	Leather IV 1580	Leather IV 1055	Leather IV 525	
Leather V 8010	Leather V 1215	Leather V 1820	Leather V 1215	Leather V 605	
Leather VI 8650	Leather VI 1375	Leather VI 2060	Leather VI 1375	Leather VI 685	
Upholstery Requires:	Upholstery Requires (Per Application):				
Fabric: 8 Yards	Fabric: 2 Yards	Fabric: 3 Yards	Fabric: 2 Yards	Fabric: 1 Yard	
Leather: 144 Sq. Ft.	Leather: 36 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 36 Sq. Ft.	Leather: 18 Sq. Ft.	
				Total Reg	uired
				Upholster	
				Cp.sousier,	Leather: 144 So

87

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC919-031.Back.Arm.SeatCush.Seat.Flammability.Wood Example: HLC919-031.950-88.950-88.950-88.950-88.U.AH400



Fully Upholstered | Ash Base

ОН	30	AH 26
OW	57	WBA 49
OD	301/2	DED
SH	18	DEW
SD	213/8	R

Dimensions

Shipping Weight

Cube


ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  $\mathbf{Indoor\ Advantage}^{\bowtie}\ \mathbf{certified}$ 

180

49.3

Fabric Plac	ement:	(To Calcul	ate, Begi	n with Base I	Price and	add Upcharg	ges)	Base Price:		4760	
Upholstery:		Back Upholstery:		Arm Upholstery:		Seat Cushior Upholstery:	1	Seat Upholstery:			
COM/COL	5060	COM/COL	100	COM/COL	100	COM/COL	70	COM/COL	30		
Grade A	4865	Grade A	35	Grade A	35	Grade A	25	Grade A	10		
Grade B	4955	Grade B	65	Grade B	65	Grade B	45	Grade B	20		
Grade C	5060	Grade C	100	Grade C	100	Grade C	<b>70</b>	Grade C	30		
Grade D	5165	Grade D	135	Grade D	135	Grade D	90	Grade D	45		
Grade E	5260	Grade E	165	Grade E	165	Grade E	115	Grade E	55		
Grade F	5375	Grade F	205	Grade F	205	Grade F	140	Grade F	65		
Grade G	5525	Grade G	255	Grade G	255	Grade G	170	Grade G	85		
Grade H	5660	Grade H	300	Grade H	300	Grade H	200	Grade H	100		
Grade J	5765	Grade J	335	Grade J	335	Grade J	225	Grade J	110		
Grade K	5960	Grade K	400	Grade K	400	Grade K	270	Grade K	130		
Grade L	6260	Grade L	500	Grade L	500	Grade L	335	Grade L	165		
Grade M	6665	Grade M	635	Grade M	635	Grade M	425	Grade M	210		
Leather I	7340	Leather I	860	Leather I	860	Leather I	575	Leather I	285		
Leather II	8060	Leather II	1100	Leather II	1100	Leather II	735	Leather II	365		
Leather III	8780	Leather III	1340	Leather III	1340	Leather III	895	Leather III	445		
Leather IV	9500	Leather IV	1580	Leather IV	1580	Leather IV	1055	Leather IV	525		
Leather V	10,220	Leather V	1820	Leather V	1820	Leather V	1215	Leather V	605		
Leather VI	10,940	Leather VI	2060	Leather VI	2060	Leather VI	1375	Leather VI	685		
Upholstery R	equires:	Upholstery F (Per Applica		Upholstery F (Per Applica		Upholstery F (Per Applica		Upholstery I (Per Applica			
Fabric: 9	Yards	Fabric: 3	Yards	Fabric: 3	Yards	Fabric: 2	Yards	Fabric: 1	Yard		
Leather: 162	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 36	Sq. Ft.	Leather: 18	Sq. Ft.		
								7	otal Requir	od.	
									otat Kequii Ipholstery:	Fabric: 9	Yard
								i.	phoisiery:	Leather: 162	Sq. I

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC919-032.Back.Arm.SeatCush.Seat.Flammability.Wood Example: HLC919-032.950-88.950-88.950-88.950-88.U.AH400



Fully Upholstered | Ash Base

ОН	30	AH 26	
OW	79	WBA 71	
OD	301/2	DED	
SH	18	DEW	
SD	213/8	R	


Dimensions

Shipping Weight 230 Cube 67.8

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Pricing for Fabric Place	-		-	e Fabric Plac n with Base I		add Upcharg	ges)	Base Price:		5555	
Upholstery:		Back Upholstery:		Arm Upholstery:		Seat Cushion Upholstery:	1	Seat Upholstery:			
COM/COL	5885	COM/COL	100	COM/COL	100	COM/COL	100	COM/COL	30		
Grade A	5670	Grade A	35	Grade A	35	Grade A	35	Grade A	10		
Grade B	5770	Grade B	65	Grade B	65	Grade B	65	Grade B	20		
Grade C	5885	Grade C	100	Grade C	100	Grade C	100	Grade C	30		
Grade D	6005	Grade D	135	Grade D	135	Grade D	135	Grade D	45		
Grade E	6105	Grade E	165	Grade E	165	Grade E	165	Grade E	55		
Grade F	6235	Grade F	205	Grade F	205	Grade F	205	Grade F	65		
Grade G	6405	Grade G	255	Grade G	255	Grade G	255	Grade G	85		
Grade H	6555	Grade H	300	Grade H	300	Grade H	300	Grade H	100		
Grade J	6670	Grade J	335	Grade J	335	Grade J	335	Grade J	110		
Grade K	6885	Grade K	400	Grade K	400	Grade K	400	Grade K	130		
Grade L	7220	Grade L	500	Grade L	500	Grade L	500	Grade L	165		
Grade M	7670	Grade M	635	Grade M	635	Grade M	635	Grade M	210		
Leather I	8420	Leather I	860	Leather I	860	Leather I	860	Leather I	285		
Leather II	9220	Leather II	1100	Leather II	1100	Leather II	1100	Leather II	365		
Leather III	10,020	Leather III	1340	Leather III	1340	Leather III	1340	Leather III	445		
Leather IV	10,820	Leather IV	1580	Leather IV	1580	Leather IV	1580	Leather IV	525		
Leather V	11,620	Leather V	1820	Leather V	1820	Leather V	1820	Leather V	605		
Leather VI	12,420	Leather VI	2060	Leather VI	2060	Leather VI	2060	Leather VI	685		
Upholstery R	equires:	Upholstery F (Per Applica	•	Upholstery I (Per Applica		Upholstery F (Per Applica		Upholstery F (Per Applica	•		
Fabric: 10	Yards	Fabric: 3	Yards	Fabric: 3	Yards	Fabric: 3	Yards	Fabric: 1	Yard		
Leather: 180	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 18	Sq. Ft.		
								Т	otal Requir	red	
									pholstery:	Fabric: 10	Yards
								· ·	roy.	Leather: 180	

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC919-033.Back.Arm.SeatCush.Seat.Flammability.Wood Example: HLC919-033.950-88.950-88.950-88.950-88.U.AH400







Dimensions

OH 31½ AH 26 OW 35 WBA 27 OD 30½ DED

SH 18 DEW SD 19¾ R

Shipping Weight 130 Cube 30.8

Fully Upholstered with Back Pillow	Metal Base - Black Powder Coat
Tully Opholstered with back I mow	Wiciai Dasc - Diack I Owder Coat

Fabric Plac	ement:	(To Calcul	ate, Begi	n with Base Price and add Upcharges)		ges)	Base Price:	3065			
Upholstery:		Back Upholstery:		Arm Upholstery:		Seat Cushion Upholstery:	ı	Seat Upholstery:		Pillow Upholstery:	
COM/COL	3365	COM/COL	70	COM/COL	100	COM/COL	70	COM/COL	30	COM/COL	30
Grade A	3170	Grade A	25	Grade A	35	Grade A	25	Grade A	10	Grade A	10
Grade B	3260	Grade B	45	Grade B	65	Grade B	45	Grade B	20	Grade B	20
Grade C	3365	Grade C	<b>70</b>	Grade C	100	Grade C	70	Grade C	30	Grade C	30
Grade D	3470	Grade D	90	Grade D	135	Grade D	90	Grade D	45	Grade D	45
Grade E	3570	Grade E	115	Grade E	165	Grade E	115	Grade E	55	Grade E	55
Grade F	3680	Grade F	140	Grade F	205	Grade F	140	Grade F	65	Grade F	65
Grade G	3830	Grade G	170	Grade G	255	Grade G	170	Grade G	85	Grade G	85
Grade H	3965	Grade H	200	Grade H	300	Grade H	200	Grade H	100	Grade H	100
Grade J	4070	Grade J	225	Grade J	335	Grade J	225	Grade J	110	Grade J	110
Grade K	4265	Grade K	270	Grade K	400	Grade K	270	Grade K	130	Grade K	130
Grade L	4565	Grade L	335	Grade L	500	Grade L	335	Grade L	165	Grade L	165
Grade M	4970	Grade M	425	Grade M	635	Grade M	425	Grade M	210	Grade M	210
Leather I	5645	Leather I	575	Leather I	860	Leather I	575	Leather I	285	Leather I	285
Leather II	6365	Leather II	735	Leather II	1100	Leather II	735	Leather II	365	Leather II	365
Leather III	7085	Leather III	895	Leather III	1340	Leather III	895	Leather III	445	Leather III	445
Leather IV	7805	Leather IV	1055	Leather IV	1580	Leather IV	1055	Leather IV	525	Leather IV	525
Leather V	8525	Leather V	1215	Leather V	1820	Leather V	1215	Leather V	605	Leather V	605
Leather VI	9245	Leather VI	1375	Leather VI	2060	Leather VI	1375	Leather VI	685	Leather VI	685
Upholstery R	equires:	Upholstery F (Per Applica	•	Upholstery l (Per Applica		Upholstery I (Per Applica	•	Upholstery I (Per Applica	•	Upholstery R (Per Applicat	•
Fabric: 9	Yards	Fabric: 2	Yards	Fabric: 3	Yards	Fabric: 2	Yards	Fabric: 1	Yard	Fabric: 1	Yard
Leather: 162	Sq. Ft.	Leather: 36	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 36	Sq. Ft.	Leather: 18	Sq. Ft.	Leather: 18	Sq. Ft
								T	otal Requir	red	
									pholstery:	Fabric: 9 Leather: 162	Yard Sq. F


### PLEASE SPECIFY THE FOLLOWING TO ORDER:

 MODEL Iumber	TEXTILES	FLAMMABILITY	BASE FINISH
	Indicate fabric choice for:	Indicate flammability:	Options for metal finish:
	Back upholstery Arm upholstery Seat Cushion upholstery Seat upholstery Pillow upholstery See options for fabrics at www.hbftextiles.com	U = Cal 117	BL = Black Powder Coat  BSS = Brushed Stainless Steel +\$325  PSS = Polished Stainless Steel +\$125
•	•	•	

HLC 919-021. Back. Arm. Seat Cush. Seat. Pillow. Flammability. Metal

Example: HLC919-021.950-88.950-88.950-88.950-88.950-88.U.BL





ОН 311/2 AH 26 OW 57 WBA 49 OD 301/2 DED SH 18 DEW SD 19¾ R Shipping Weight 180

Dimensions

Cube 180 Cube 49.3

Fully Upholstered with Back Pillows | Metal Base - Black Powder Coat

Fabric Placement:	(To Calculate, Beg	in with Base Price and	l add Upcharges)	Base Price:	4890
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:	Pillow Upholstery:
COM/COL 5260	COM/COL 100	COM/COL 100	COM/COL 70	COM/COL 30	COM/COL 70
Grade A <b>5020</b>	Grade A 35	Grade A 35	Grade A 25	Grade A 10	Grade A 25
Grade B <b>5130</b>	Grade B 65	Grade B 65	Grade B 45	Grade B 20	Grade B 45
Grade C <b>5260</b>	Grade C <b>100</b>	Grade C 100	Grade C 70	Grade C 30	Grade C 70
Grade D <b>5385</b>	Grade D 135	Grade D 135	Grade D 90	Grade D 45	Grade D 90
Grade E <b>5505</b>	Grade E <b>165</b>	Grade E 165	Grade E 115	Grade E 55	Grade E 115
Grade F <b>5645</b>	Grade F 205	Grade F 205	Grade F <b>140</b>	Grade F 65	Grade F 140
Grade G <b>5825</b>	Grade G 255	Grade G 255	Grade G 170	Grade G 85	Grade G 170
Grade H <b>5990</b>	Grade H 300	Grade H 300	Grade H 200	Grade H 100	Grade H 200
Grade J <b>6120</b>	Grade J 335	Grade J 335	Grade J 225	Grade J <b>110</b>	Grade J 225
Grade K <b>6360</b>	Grade K 400	Grade K 400	Grade K 270	Grade K 130	Grade K 270
Grade L <b>6725</b>	Grade L 500	Grade L 500	Grade L 335	Grade L 165	Grade L 335
Grade M <b>7220</b>	Grade M 635	Grade M 635	Grade M 425	Grade M 210	Grade M 425
Leather I 8045	Leather I 860	Leather I 860	Leather I 575	Leather I 285	Leather I 575
Leather II 8925	Leather II 1100	Leather II 1100	Leather II 735	Leather II 365	Leather II 735
Leather III 9805	Leather III 1340	Leather III 1340	Leather III 895	Leather III 445	Leather III 895
Leather IV 10,685	Leather IV 1580	Leather IV 1580	Leather IV 1055	Leather IV 525	Leather IV 1055
Leather V 11,565	Leather V 1820	Leather V 1820	Leather V 1215	Leather V 605	Leather V 1215
Leather VI 12,445	Leather VI 2060	Leather VI 2060	Leather VI 1375	Leather VI 685	Leather VI 1375
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Require (Per Application):			
Fabric: 11 Yards	Fabric: 3 Yards	Fabric: 3 Yards	Fabric: 2 Yards	Fabric: 1 Yard	Fabric: 2 Yards
Leather: 198 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 36 Sq. Ft.	Leather: 18 Sq. Ft.	Leather: 36 Sq. Fr
				Total Requi	ired
				Upholstery:	Fabric: 11 Yard
				I I was a second	Leather: 198 Sq. F

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	BASE FINISH
IVOWIBLE	Indicate fabric choice for:	Indicate flammability:	Options for metal finish:
	Back upholstery Arm upholstery Seat Cushion upholstery Seat upholstery Pillow upholstery See options for fabrics at www.hbftextiles.com	U = Cal 117	BL = Black Powder Coat  BSS = Brushed Stainless Steel +\$475  PSS = Polished Stainless Steel +\$275
•	•	•	

HLC919-022.Back.Arm.SeatCush.Seat.Pillow.Flammability.Metal Example: HL

Example: HLC919-022.950-88.950-88.950-88.950-88.950-88.U.BL

91





ОН 311/2 AH 26 OW 79 WBA 71 OD 301/2 DED SH 18 DEW SD 19¾ R Shipping Weight 230

Dimensions

Cube

67.8

Fully Upholstered with Back Pillows | Metal Base - Black Powder Coat

Fabric Placement:	(To Calculate, Be	gin with Base Price an	Base Price:	5885		
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:	Pillow Upholstery:	
COM/COL 6285	COM/COL 100	COM/COL 100	COM/COL 100	COM/COL 3	0 COM/COL	70
Grade A <b>6025</b>	Grade A 35	Grade A 35	Grade A 35	Grade A 1	0 Grade A	25
Grade B <b>6145</b>	Grade B 65	Grade B 65	Grade B 65	Grade B 2	0 Grade B	45
Grade C <b>6285</b>	Grade C <b>100</b>	Grade C 100	Grade C 100	Grade C 3	0 Grade C	<b>70</b>
Grade D <b>6425</b>	Grade D 135	Grade D 135	Grade D 135	Grade D 4	5 Grade D	90
Grade E <b>6550</b>	Grade E <b>165</b>	Grade E 165	Grade E <b>165</b>	Grade E 5	5 Grade E	115
Grade F <b>6705</b>	Grade F <b>205</b>	Grade F 205	Grade F 205	Grade F 6	5 Grade F	140
Grade G <b>6905</b>	Grade G 255	Grade G 255	Grade G 255	Grade G 8	5 Grade G	170
Grade H 7085	Grade H 300	Grade H 300	Grade H 300	Grade H 1	00 Grade H	200
Grade J 7225	Grade J 335	Grade J 335	Grade J 335	Grade J 1	10 Grade J	225
Grade K <b>7485</b>	Grade K 400	Grade K 400	Grade K 400		30 Grade K	270
Grade L 7885	Grade L 500	Grade L 500	Grade L 500	Grade L 1	65 Grade L	335
Grade M <b>8425</b>	Grade M 635	Grade M 635	Grade M 635	Grade M 2	10 Grade M	425
Leather I 9325	Leather I 860	Leather I 860	Leather I 860	Leather I 2	85 Leather I	575
Leather II <b>10,285</b>	Leather II 1100	Leather II 1100	Leather II 1100	Leather II 3	65 Leather II	735
Leather III 11,245	Leather III 1340	Leather III 1340	Leather III 1340	Leather III 4	45 Leather III	895
Leather IV <b>12,205</b>	Leather IV 1580	Leather IV 1580	Leather IV 1580	Leather IV 5	25 Leather IV	1055
Leather V <b>13,165</b>	Leather V 1820	Leather V 1820	Leather V 1820	Leather V 6	Leather V	1215
Leather VI 14,125	Leather VI 2060	Leather VI 2060	Leather VI 2060	Leather VI 6	Leather VI	1375
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Req (Per Application		•
Fabric: 12 Yards	Fabric: 3 Yards	Fabric: 3 Yards	Fabric: 3 Yards	Fabric: 1 Y	ard Fabric: 2	Yards
Leather: 216 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 54 Sq. Fr	. Leather: 18 S	q. Ft. Leather: 36	Sq. Ft.
				Tota	l Required	
					olstery: Fabric: 12	Yards
				Срыс	Leather: 216	

### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	BASE FINISH
	Indicate fabric choice for:	Indicate flammability:	Options for metal finish:
	Back upholstery Arm upholstery Seat Cushion upholstery Seat upholstery Pillow upholstery See options for fabrics at www.hbfiextiles.com	U = Cal 117	BL = Black Powder Coat  BSS = Brushed Stainless Steel +\$600  PSS = Polished Stainless Steel +\$400
•	•	•	

HLC919-023.Back.Arm.SeatCush.Seat.Pillow.Flammability.Metal Example: HLC919-023.950-88.950-88.950-88.950-88.950-88.U.BL

92



ОН 30 26 AΗ OW 35 WBA 27 OD 301/2 DED SH 18 DEW SD 213/8 R Shipping Weight 130 30.8

Dimensions


Cube 30.8

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified 
Indoor Advantage™ certified

Fully Upholstered	Metal Base - Black P	owder Coat
I unly opinoistered	IVICIAL DASC - DIACK I	OWUCI COAL

Fabric Placement:	(To Calculate, Beg	in with Base Price and	l add Upcharges)	Base Price:	2825
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:	
COM/COL 3095	COM/COL 70	COM/COL 100	COM/COL 70	COM/COL 30	
Grade A 2920	Grade A 25	Grade A 35	Grade A 25	Grade A 10	
Grade B <b>3000</b>	Grade B 45	Grade B 65	Grade B 45	Grade B 20	
Grade C <b>3095</b>	Grade C 70	Grade C 100	Grade C 70	Grade C 30	
Grade D <b>3185</b>	Grade D 90	Grade D 135	Grade D 90	Grade D 45	
Grade E <b>3275</b>	Grade E 115	Grade E 165	Grade E 115	Grade E 55	
Grade F <b>3375</b>	Grade F <b>140</b>	Grade F 205	Grade F 140	Grade F 65	
Grade G <b>3505</b>	Grade G 170	Grade G 255	Grade G 170	Grade G 85	
Grade H <b>3625</b>	Grade H 200	Grade H 300	Grade H 200	Grade H 100	
Grade J <b>3720</b>	Grade J 225	Grade J 335	Grade J 225	Grade J 110	
Grade K <b>3895</b>	Grade K 270	Grade K 400	Grade K 270	Grade K 130	
Grade L <b>4160</b>	Grade L 335	Grade L 500	Grade L 335	Grade L 165	
Grade M <b>4520</b>	Grade M 425	Grade M 635	Grade M 425	Grade M 210	
Leather I 5120	Leather I 575	Leather I 860	Leather I 575	Leather I 285	
Leather II 5760	Leather II 735	Leather II 1100	Leather II 735	Leather II 365	
Leather III 6400	Leather III 895	Leather III 1340	Leather III 895	Leather III 445	
Leather IV 7040	Leather IV 1055	Leather IV 1580	Leather IV 1055	Leather IV 525	
Leather V 7680	Leather V 1215	Leather V 1820	Leather V 1215	Leather V 605	
Leather VI 8320	Leather VI 1375	Leather VI 2060	Leather VI 1375	Leather VI 685	
Upholstery Requires:	Upholstery Requires (Per Application):				
Fabric: 8 Yards	Fabric: 2 Yards	Fabric: 3 Yards	Fabric: 2 Yards	Fabric: 1 Yard	
Leather: 144 Sq. Ft.	Leather: 36 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 36 Sq. Ft.	Leather: 18 Sq. Ft.	
				Total Requ	ired
				Upholstery:	
				1 3	Leather: 144 Sq. l

### PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC919-041.Back.Arm.SeatCush.Seat.Flammability.Metal Example: HLC919-041.950-88.950-88.950-88.950-88.U.BL



ОН 30 AΗ 26 OW 57 WBA 49 OD 301/2 DED SH 18 DEW SD 213/8 R Shipping Weight 180 49.3 Cube


Dimensions

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Fully Upholstered | Metal Base - Black Powder Coat

	(10 Calcul	ate, Begi	n with Base I	Price and	add Upcharg	ges)	Base Price:		4435	
Upholstery:	Back Upholstery:		Arm Upholstery:		Seat Cushior Upholstery:	ı	Seat Upholstery:			
COM/COL 4735	COM/COL	100	COM/COL	100	COM/COL	<b>70</b>	COM/COL	30		
Grade A <b>4540</b>	Grade A	35	Grade A	35	Grade A	25	Grade A	10		
Grade B <b>4630</b>	Grade B	65	Grade B	65	Grade B	45	Grade B	20		
Grade C 4735	Grade C	100	Grade C	100	Grade C	<b>70</b>	Grade C	30		
Grade D <b>4840</b>	Grade D	135	Grade D	135	Grade D	90	Grade D	45		
Grade E <b>4935</b>	Grade E	165	Grade E	165	Grade E	115	Grade E	55		
Grade F <b>5050</b>	Grade F	205	Grade F	205	Grade F	140	Grade F	65		
Grade G 5200	Grade G	255	Grade G	255	Grade G	170	Grade G	85		
Grade H 5335	Grade H	300	Grade H	300	Grade H	200	Grade H	100		
Grade J <b>5440</b>	Grade J	335	Grade J	335	Grade J	225	Grade J	110		
Grade K <b>5635</b>	Grade K	400	Grade K	400	Grade K	270	Grade K	130		
Grade L 5935	Grade L	500	Grade L	500	Grade L	335	Grade L	165		
Grade M <b>6340</b>	Grade M	635	Grade M	635	Grade M	425	Grade M	210		
Leather I 7015	Leather I	860	Leather I	860	Leather I	575	Leather I	285		
Leather II 7735	Leather II	1100	Leather II	1100	Leather II	735	Leather II	365		
Leather III 8455	Leather III	1340	Leather III	1340	Leather III	895	Leather III	445		
Leather IV 9175	Leather IV	1580	Leather IV	1580	Leather IV	1055	Leather IV	525		
Leather V 9895	Leather V	1820	Leather V	1820	Leather V	1215	Leather V	605		
Leather VI <b>10,615</b>	Leather VI	2060	Leather VI	2060	Leather VI	1375	Leather VI	685		
Upholstery Requires:	Upholstery F (Per Applica		Upholstery l (Per Applica		Upholstery F (Per Applica		Upholstery I (Per Applica			
Fabric: 9 Yards	Fabric: 3	Yards	Fabric: 3	Yards	Fabric: 2	Yards	Fabric: 1	Yard		
Leather: 162 Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 54	Sq. Ft.	Leather: 36	Sq. Ft.	Leather: 18	Sq. Ft.		
							7	otal Requir	red	
								Jpholstery:	Fabric: 9	Y

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC919-042.Back.Arm.SeatCush.Seat.Flammability.Metal Example: HLC919-042.950-88.950-88.950-88.950-88.U.BL



ОН 30 26 AΗ OW 79 WBA 49 301/2 OD DED SH 18 DEW SD 213/8 R Shipping Weight 230 67.8

Dimensions


Cube

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified  $\stackrel{\textstyle \cdot}{\text{Indoor Advantage}}{}^{\scriptscriptstyle{\text{TM}}}\text{ certified}$ 

Fully Upholstered | Metal Base - Black Powder Coat

Fabric Placement:	(To Calculate, Begi	in with Base Price and	l add Upcharges)	Base Price:	5245
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:	
COM/COL 5575	COM/COL 100	COM/COL 100	COM/COL 100	COM/COL 30	
Grade A 5360	Grade A 35	Grade A 35	Grade A 35	Grade A 10	
Grade B <b>5460</b>	Grade B 65	Grade B 65	Grade B 65	Grade B 20	
Grade C 5575	Grade C <b>100</b>	Grade C 100	Grade C 100	Grade C 30	
Grade D <b>5695</b>	Grade D 135	Grade D 135	Grade D 135	Grade D 45	
Grade E <b>5795</b>	Grade E <b>165</b>	Grade E 165	Grade E 165	Grade E 55	
Grade F <b>5925</b>	Grade F <b>205</b>	Grade F 205	Grade F 205	Grade F 65	
Grade G 6095	Grade G 255	Grade G 255	Grade G 255	Grade G 85	
Grade H <b>6245</b>	Grade H 300	Grade H 300	Grade H 300	Grade H 100	
Grade J <b>6360</b>	Grade J 335	Grade J 335	Grade I 335	Grade J 110	
Grade K <b>6575</b>	Grade K 400	Grade K 400	Grade K 400	Grade K 130	
Grade L <b>6910</b>	Grade L 500	Grade L 500	Grade L 500	Grade L 165	
Grade M <b>7360</b>	Grade M 635	Grade M 635	Grade M 635	Grade M 210	
Leather I 8110	Leather I 860	Leather I 860	Leather I 860	Leather I 285	
Leather II 8910	Leather II 1100	Leather II 1100	Leather II 1100	Leather II 365	
Leather III 9710	Leather III 1340	Leather III 1340	Leather III 1340	Leather III 445	
Leather IV 10,510	Leather IV 1580	Leather IV 1580	Leather IV 1580	Leather IV 525	
Leather V <b>11,310</b>	Leather V 1820	Leather V 1820	Leather V 1820	Leather V 605	
Leather VI 12,110	Leather VI 2060	Leather VI 2060	Leather VI 2060	Leather VI 685	
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Require (Per Application):	es
Fabric: 10 Yards	Fabric: 3 Yards	Fabric: 3 Yards	Fabric: 3 Yards	Fabric: 1 Yard	
Leather: 180 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 18 Sq. F	t.
				Total Re	equired
				Upholste	
				-Pasteri	Leather: 180 Sc

### PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLC 919-043. Back. Arm. Seat Cush. Seat. Flam mability. Metal $Example:\ HLC 919-043.950-88.950-88.950-88.950-88.U.BL$ 



### **November Specifications**

Collection Details Lounge Chair

Upholstered

Base Options Black Powder Coat | White Powder Coat | Brushed Stainless Steel | Polished Stainless Steel | Ash

	List Prices	Sq.Ft.	Yards	Dimensions	
November HLN113-081					
	COM/COL 3840       Grade G       3940       Leather I       4345         Grade A       3795       Grade H       3970       Leather II       4505         Grade B       3815       Grade J       3995       Leather III       4665         Grade C       3840       Grade K       4040       Leather IV       4825         Grade D       3860       Grade L       4105       Leather V       4985         Grade E       3885       Grade M       4195       Leather VI       5145	36	2	OH 27½ OW 26 OD 28 SH 16¾ SD 20	AH WBA DED DEW R
	Grade F 3910			Shipping Weight Cube	44 25

 $Fully\ Upholstered\ Seat\ and\ Back\ |\ Metal\ Base\ -\ Self\ Return\ -\ Black\ Powder\ Coat$  Note: Please contact the HBF\ Client\ Experience\ Team\ (855-423-2020)\ or\ your\ sales\ rep\ for\ a\ list\ of\ approved\ textiles.

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

Indicate fabric choice:

See options for fabrics at www.hbftextiles.com

Indicate flammability:

U = Cal 117

BSRBL = Black Powder Coat
BSRBS = Brushed Stainless Steel +\$100
BSRPSS = Polished Stainless Steel +\$200
BSRWI = White Powder Coat

HLN113-081.Fabric.Flammability.Base

Example: HLN113-081.950-88. U.BSRBL

96



	List Prices		Sq.Ft.	Yards	Dimensions	
November HLN113-101						
	COM/COL 3425         Grade G         352           Grade A         3380         Grade H         355           Grade B         3400         Grade J         358           Grade C         3425         Grade K         362           Grade D         3445         Grade L         365           Grade E         3470         Grade M         378           Grade F         3495	5 Leather II 4505 60 Leather III 4665 25 Leather IV 4825 60 Leather V 4985	36	2	OH 27½ OW 26 OD 28 SH 16¾ SD 20  Shipping Weight Cube	AH WBA DED 22½ DEW 26 R 46 25

Fully Upholstered Seat and Back | Ash Base

Note: Please contact the HBF Client Experience Team (855-423-2020) or your sales rep for a list of approved textiles.

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	SPECIES & FINISH
	Indicate fabric choice:	Indicate flammability:	Options for wood finishes: AH = Ash
	See options for fabrics at www.hbftextiles.com	U = Cal 117	310 = Smoke Opaque
	www.nojiexiiies.com		400 = Clear
			402 = Black Opaque
			403 = Grey Opaque
			404 = Warm White Opaque
			405 = Mist Opaque
			406 = Denim Opaque 407 = Pewter Opaque
			408 = Peppercorn Opaque
			901 = Amber
			902 = Designer White Opaque
			911 = Warm Brick
			929 = Nutmeg
			937 = Bark
			984 = Dark Roast 993 = Sumatra
			993 = Sumatra
		•	•

HLN113-101.Fabric.Flammability.Wood Example: HLN113-101.950-88.U.AH400



### **Perfect Pitch Specifications**

Collection Details Lounge Chair | Sofa

Wood Frame | Upholstered

**Wood Options** Frame available in Ash.

Refer to HBF Standard Ash finishes for color selection. Finish selection must be noted on order.

	List Prices		Sq.Ft.	Yards	Dimensions	
Perfect Pitch HLL209-011						
	COM/COL         3480         Grade C           Grade A         3345         Grade F           Grade B         3415         Grade J           Grade C         3480         Grade K           Grade D         3545         Grade L           Grade E         3615         Grade N           Grade F         3695         Grade N	H     3880     Leather II     5480       3945     Leather III     5960       4080     Leather IV     6440       4280     Leather V     6920	108	6	OH 30¼ OW 30¾ OD 33¾ SH 17¾ SD 22¼  Shipping Weight Cube	AH WBA DED DEW R 80 38

Fully Upholstered | Ash Frame

Due to design details of this product, fabric with horizontal and vertical lines or patterns may appear distorted when used on seating with significant curves. Mohair, velvet and other pile fabrics are not recommended for this product. A list of all HBF Textiles approved product is available upon request. All COM products being considered must be approved by HBF prior to placing the order; please send cutting for approval.

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	SPECIES & FINISH
TTO MEDIA	Indicate fabric choice:	Indicate flammability:	Options for wood finishes: AH = Ash
	See options for fabrics at www.hbftextiles.com	U = Cal 117	AH = Ash  310 = Smoke Opaque  400 = Clear  402 = Black Opaque  403 = Grey Opaque  404 = Warm White Opaque  405 = Mist Opaque  406 = Denim Opaque  407 = Pewter Opaque  408 = Peppercorn Opaque  901 = Amber
			902 = Designer White Opaque 911 = Warm Brick 929 = Nutmeg 937 = Bark
			984 = Dark Roast 993 = Sumatra
•			

HLL209-011.Fabric.Flammability.Wood Example: HLL209-011.950-88.U.AH400



	List Prices					Sq.Ft.	Yards	Dime	ensions		
Perfect Pitch HLL209-013											
	Grade B <b>5815</b>	Grade H Grade J Grade K Grade L Grade M	7620	Leather I Leather II Leather III Leather IV Leather V Leather VI	9120 10,120 11,120 12,120 13,120 14,120	225	121/2	OH OW OD SH SD Shipp Cube	30¼ 84½ 33¾ 17¾ 22¼ ing Weight	AH WBA DED DEW R	20 781/4

Fully Upholstered | Ash Frame

Due to design details of this product, fabric with horizontal and vertical lines or patterns may appear distorted when used on seating with significant curves. Mohair, velvet and other pile fabrics are not recommended for this product. A list of all HBF Textiles approved product is available upon request. All COM products being considered must be approved by HBF prior to placing the order; please send cutting for approval.

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage^{rss}\ certified}$ 

### PLEASE SPECIFY THE FOLLOWING TO ORDER:

Lucopei			
MODEL Number	TEXTILES	FLAMMABILITY	SPECIES & FINISH
	Indicate fabric choice:	Indicate flammability:	Options for wood finishes: AH = Ash
	See options for fabrics at www.hbftextiles.com	U = Cal 117	310 = Smoke Opaque
			400 = Clear 402 = Black Opaque
			403 = Grey Opaque
			404 = Warm White Opaque
			405 = Mist Opaque 406 = Denim Opaque
			407 = Pewter Opaque
			408 = Peppercorn Opaque
			901 = Amber
			902 = Designer White Opaque
			911 = Warm Brick
			929 = Nutmeg 937 = Bark
			984 = Dark Roast
			993 = Sumatra
•			•

HLL209-013.Fabric.Flammability.Wood Example: HLL209-013.950-88.U.AH400



### **Salon Specifications**

**Collection Details** Lounge Chair | Sofa Wood Frame | Upholstered

**Wood Options** Frame available in Ash | Walnut.

Refer to HBF Standard Ash and Walnut finishes for color selection. Finish selection must be noted on order.

	List Prices		Sq.Ft.	Yards	Dimensions	
Salon HLN309-011						
	COM/COL         3810         Grade G           Grade A         3730         Grade H           Grade B         3770         Grade J           Grade C         3810         Grade K           Grade D         3845         Grade L           Grade E         3885         Grade M           Grade F         3935	3985         Leather I         4695           4040         Leather II         4975           4080         Leather III         5255           4160         Leather IV         5535           4275         Leather V         5815           4430         Leather VI         6095	63	31/2	OH 29¾ OW 28½ OD 30¼ SH 18 SD 26	AH 19½ WBA 25 DED DEW R
Fully Upholstered   Open Back   Walnut C					Shipping Weight Cube	63 37

Salon seating is crafted with a bent plywood walnut shell that surrounds the open back. In order to maintain the natural wood appearance of the edge of the shell, a smoothing compound is added to fill the edges rather than applying a wood edge band. Variations in the transition of the wood finish from the edge to the shell itself are a natural part of the original design for this Salon lounge chair.

Due to design details of this product, fabric with horizontal and vertical lines or patterns may appear distorted when used on seating with significant curves. Mohair, velvet and other pile fabrics are not recommended for this product. A list of all HBF Textiles approved product is available upon request. All COM products being considered must be approved by HBF prior to placing the order; please send cutting for approval.

Note: Please contact the HBF Client Experience Team (855-423-2020) or your sales rep for a list of approved textiles.

Product Rated at 350 lbs.

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified Indoor Advantage™ certified

### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	SPECIES & FINISH	
	Indicate fabric choice:	Indicate flammability:	Options for wood finishes: AH = Ash	Options for wood finishes: NT = Walnut
	See options for fabrics at	U = Cal 117		
	www.hbftextiles.com		310 = Smoke Opaque	310 = Smoke Opaque
			400 = Clear	400 = Clear
			402 = Black Opaque	402 = Black Opaque
			403 = Grey Opaque	403 = Grey Opaque
			404 = Warm White Opaque	404 = Warm White Opaque
			405 = Mist Opaque	405 = Mist Opaque
			406 = Denim Opaque	406 = Denim Opaque
			407 = Pewter Opaque	407 = Pewter Opaque
			408 = Peppercorn Opaque	408 = Peppercorn Opaque
			901 = Amber	902 = Designer White Opaque
			902 = Designer White Opaque	911 = Warm Brick
			911 = Warm Brick	929 = Nutmeg
			929 = Nutmeg	937 = Bark
			937 = Bark	984 = Dark Roast
			984 = Dark Roast	993 = Sumatra
			993 = Sumatra	
•	•	•		

 $HLN 309 \hbox{-} 011. Fabric. Flammability. Wood$ Example: HLN309-011.950-88.U.AH400



	List Prices				Sq.Ft.	Yards	Dime	ensions		
Salon HLN309-021										
	Grade A 3725 Grade B 3775 Grade C 3825 Grade D 3875	Grade H 41 Grade J 41 Grade K 42 Grade L 44	<ul> <li>Leather I</li> <li>Leather II</li> <li>Leather III</li> <li>Leather IV</li> <li>Leather V</li> <li>Leather VI</li> </ul>	4965 5325 5685 6045 6405 6765	81	41/2	OH OW OD SH SD Shipp Cube	29½ 28½ 29½ 18½ 22½ ing Weight	AH WBA DED DEW R	201/2 23

Fully Upholstered | Closed Back | Walnut Frame

Standard with welt around outback and arms.

Due to design details of this product, fabric with horizontal and vertical lines or patterns may appear distorted when used on seating with significant curves. Mohair, velvet and other pile fabrics are not recommended for this product. A list of all HBF Textiles approved product is available upon request. All COM products being considered must be approved by HBF prior to placing the order; please send cutting for approval.

Product Rated at 350 lbs.

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	SPECIES & FINISH	
	Indicate fabric choice:	Indicate flammability:	Options for wood finishes: AH = Ash	Options for wood finishes: NT = Walnut
	See options for fabrics at	U = Cal 117		
	www.hbftextiles.com		310 = Smoke Opaque	310 = Smoke Opaque
			400 = Clear	400 = Clear
			402 = Black Opaque	402 = Black Opaque
			403 = Grey Opaque	403 = Grey Opaque
			404 = Warm White Opaque	404 = Warm White Opaque
			405 = Mist Opaque	405 = Mist Opaque
			406 = Denim Opaque	406 = Denim Opaque
			407 = Pewter Opaque	407 = Pewter Opaque
			408 = Peppercorn Opaque	408 = Peppercorn Opaque
			901 = Amber	902 = Designer White Opaque
			902 = Designer White Opaque	911 = Warm Brick
			911 = Warm Brick	929 = Nutmeg
			929 = Nutmeg	937 = Bark
			937 = Bark	984 = Dark Roast
			984 = Dark Roast	993 = Sumatra
			993 = Sumatra	
•	•	•		

HLN309-021.Fabric.Flammability.Wood Example: HLN309-021.950-88.U.AH400



	List Prices		Sq.Ft.	Yards	Dimensions	
Salon HLN309-013						
	COM/COL         5860         Grad           Grade A         5680         Grad           Grade B         5770         Grad           Grade C         5860         Grad           Grade D         5945         Grad           Grade E         6035         Grad	e H 6390 Leather II 8525 e J 6480 Leather III 9165 e K 6660 Leather IV 9805 e L 6925 Leather V 10,445	144	8	OH 32 OW 80 OD 31½ SH 18 SD 22	AH 21½ WBA 76 DED DEW R
	Grade F <b>6145</b>				Shipping Weight Cube	169 67.4

Fully Upholstered | Walnut Frame

Standard with welt around outback and arms.

Due to design details of this product, fabric with horizontal and vertical lines or patterns may appear distorted when used on seating with significant curves. Mohair, velvet and other pile fabrics are not recommended for this product. A list of all HBF Textiles approved product is available upon request. All COM products being considered must be approved by HBF prior to placing the order; please send cutting for approval.

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	SPECIES & FINISH	
	Indicate fabric choice:	Indicate flammability:	Options for wood finishes: AH = Ash	Options for wood finishes: NT = Walnut
	See options for fabrics at	U = Cal 117		
	www.hbftextiles.com		310 = Smoke Opaque	310 = Smoke Opaque
			400 = Clear	400 = Clear
			402 = Black Opaque	402 = Black Opaque
			403 = Grey Opaque	403 = Grey Opaque
			404 = Warm White Opaque	404 = Warm White Opaque
			405 = Mist Opaque	405 = Mist Opaque
			406 = Denim Opaque	406 = Denim Opaque
			407 = Pewter Opaque	407 = Pewter Opaque
			408 = Peppercorn Opaque	408 = Peppercorn Opaque
			901 = Amber	902 = Designer White Opaque
			902 = Designer White Opaque	911 = Warm Brick
			911 = Warm Brick	929 = Nutmeg
			929 = Nutmeg	937 = Bark
			937 = Bark	984 = Dark Roast
			984 = Dark Roast	993 = Sumatra
			993 = Sumatra	
•	•	•		

HLN309-013.Fabric.Flammability.Wood Example: HLN309-013.950-88.U.AH400

**Base Finishes** 

### Scoop Specifications Collection Details Lounge Chair Upholstered

Metal - Satin Pewter Powder Coat | Black Powder Coat | Wood - Matte Black


	List Prices		Sq.Ft.	Yards	Dimensions		
Scoop HLP402-011							
	COM/COL         3755         Grade G         4010         Leath           Grade A         3640         Grade H         4085         Leath           Grade B         3700         Grade J         4140         Leath           Grade C         3755         Grade K         4255         Leath           Grade D         3810         Grade L         4420         Leath           Grade E         3865         Grade M         4640         Leath           Grade F         3930	er II 5420 er III 5820 er IV 6220 er V 6620	90	5	OH 32½ OW 29½ OD 32½ SH 19¾ SD 20¼ Shipping Weight Cube	AH WBA DED DEW R	20¼ 22½ 29½ 29½

Fully Upholstered | 4-Prong Metal Base - Swivel Return - Satin Pewter Powder Coat

Due to design details of this product, fabric with horizontal and vertical lines or patterns may appear distorted when used on seating with significant curves. Velvet and other pile fabrics are not recommended for this product. A list of all HBF Textiles approved product is available upon request. All COM products being considered must be approved by HBF prior to placing the order; please send cutting for approval.

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified
Indoor Advantage™ certified

### PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLP402-011.Fabric.Flammability.Base

Example: HLP402-011.950-88.U.BL


	List Prices				Sq.Ft.	Yards	Dime	ensions		
Scoop HLP402-021										
	Grade A 3685 Grade B 3755 Grade C 3820 Grade D 3885	Grade G 412 Grade H 422 Grade J 428 Grade K 442 Grade L 462 Grade M 488	Leather II Leather III Leather IV Leather V	5340 5820 6300 6780 7260 7740	108	6	OH OW OD SH SD Shipp Cube	0 0	DED DEW R	19¼ 21¾ 30

Fully Upholstered | Fixed Matte Black Wood Plinth Base

Due to design details of this product, fabric with horizontal and vertical lines or patterns may appear distorted when used on seating with significant curves. Velvet and other pile fabrics are not recommended for this product. A list of all HBF Textiles approved product is available upon request. All COM products being considered must be approved by HBF prior to placing the order; please send cutting for approval.

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage^{\bowtie}\ certified}$ 

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLP402-021.Fabric.Flammability.Base

Example: HLP402-021.950-88.U.PWS




## Ski Specifications Collection Details Lounge Chair | Sofa Upholstered Base Finishes Black Powder Coat | White Powder Coat | Brushed Stainless Steel | Polished Stainless Steel

	List Prices			Sq.Ft.	Yards	Dimensions	
Ski HLP212-011							
	COM/COL       4180       Grade G         Grade A       4045       Grade H         Grade B       4115       Grade J         Grade C       4180       Grade K         Grade D       4245       Grade L         Grade E       4315       Grade M         Grade F       4395	4580 Leather II 4645 Leather III 4780 Leather IV 4980 Leather V	5700 6180 6660 7140 7620 8100	108	6	OH 30¾ OW 33 OD 33 SH 18 SD 21 Shipping Weight	
						Cube	37

Fully Upholstered | Metal Base - Black Powder Coat

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  $Indoor\ Advantage^{\text{\tiny{TM}}}\ certified$ 

### PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLP212-011.Fabric.Flammability.Base

Example: HLP212-011.950-88.U.BL




	List Prices						Sq.Ft.	Yards	Dime	ensions		
Ski HLP212-013												
	COM/COL Grade A Grade B Grade C Grade D Grade E Grade F	5260 5370 5480 5595	Grade H Grade J	6260 6480 6815	Leather I Leather II Leather III Leather IV Leather V Leather VI	8015 8815 9615 10,415 11,215 12,015	180	10	OH OW OD SH SD Shipp Cube	30¾ 84¼ 33 18 21 sing Weight	AH WBA DED DEW R	22¼ 74¼

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Fully Upholstered | Metal Base - Black Powder Coat

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLP212-013.Fabric.Flammability.Base

Example: HLP212-013.950-88.U.BL

### **Social Series Specifications**

Collection Details	Lounge Chair
Frame Finishes	Black Powder Coat   Polished Chrome



107

### Dimensions

### Social HLS719-011



Arms  $\mid$  Upholstered Seat, Back, and Arm Caps  $\mid$  Metal Frame - Black Powder Coat Product Rated at 500 lbs.

ОН	29¾	AH 22½	2
OW	291/4	WBA 26½	2
OD	261/2	DED	
SH	16¾	DEW	
SD	19	R	
Shipp	ing Weight	47	

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage^{rss}\ certified}$ 

Fabric Placement:	(To Calculate, Begi	n with Base Price and	add Upcharges)	Base Price:	3125
Upholstery:	Arm Pad Upholstery:	Back Upholstery:	Seat Upholstery:		
COM/COL 3200	COM/COL 5	COM/COL 25	COM/COL 45		
Grade A 3150	Grade A 0	Grade A 10	Grade A 15		
Grade B <b>3175</b>	Grade B 5	Grade B 15	Grade B 30		
Grade C <b>3200</b>	Grade C 5	Grade C 25	Grade C 45		
Grade D <b>3225</b>	Grade D 10	Grade D 35	Grade D 55		
Grade E <b>3245</b>	Grade E 10	Grade E 40	Grade E 70		
Grade F <b>3280</b>	Grade F 15	Grade F 50	Grade F 90		
Grade G 3315	Grade G 20	Grade G 65	Grade G 105		
Grade H 3350	Grade H 25	Grade H 75	Grade H 125		
Grade J <b>3375</b>	Grade J 25	Grade J 85	Grade J 140		
Grade K <b>3425</b>	Grade K 30	Grade K 100	Grade K 170		
Grade L <b>3500</b>	Grade L 40	Grade L 125	Grade L 210		
Grade M <b>3600</b>	Grade M 50	Grade M 160	Grade M 265		
Leather I 3770	Leather I 70	Leather I 215	Leather I 360		
Leather II 3950	Leather II 90	Leather II 275	Leather II 460		
Leather III 4130	Leather III 110	Leather III 335	Leather III 560		
Leather IV 4310	Leather IV 130	Leather IV 395	Leather IV 660		
Leather V 4490	Leather V 150	Leather V 455	Leather V 760		
Leather VI 4670	Leather VI 170	Leather VI 515	Leather VI 860		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 2¼ Yards	Fabric: ¼ Yard	Fabric: ¾ Yard	Fabric: 1¼ Yards		
Leather: 40½ Sq. Ft.	Leather: 4½ Sq. Ft.	Leather: 13½ Sq. Ft.	Leather: 22½ Sq. Ft.		
				Total Requi	red
				Upholstery:	Fabric: 21/4 Y
				1	Leather: 40½ So

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	FRAME FINISH
	Indicate fabric choice for:	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	Options for metal finish:
	Arm Cap	Back upholstery	Seat upholstery	U = Cal 117	BL = Black Powder Coat POL = Polished Chrome +\$200
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		
			•	•	

HLS719-011. Arm Cap Fabric. Back Fabric. Seat Fabric. Flammability. Finish

Example: HLS719-011.950-88.950-88.950-88.U.BL



### **Trestle Specifications**

Collection Details Lounge Chair | Sofa

Wood Frame | Upholstered

**Wood Options** Frame available in Oak.

Refer to HBF Standard Oak finishes for color selection. Finish selection must be noted on order.

	List Prices						Sq.Ft.	Yards	Dime	ensions		
Trestle HLR312-011												
	Grade B 3 Grade C 3 Grade D 3 Grade E 3	3530 3580 3630 3680	Grade G Grade H Grade J Grade K Grade L Grade M	3860 3930 3980 4080 4230 4430	Leather I Leather II Leather III Leather IV Leather V Leather VI	4770 5130 5490 5850 6210 6570	81	4½	OH OW OD SH SD Shipp Cube	32 30 31 17¾ 22½ sing Weight	AH WBA DED DEW R 81 37.5	22½ 22¾

Fully Upholstered | Oak Frame

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	SPECIES & FINISH
NOWBER	Indicate fabric choice:	Indicate flammability:	Options for wood finishes:
	See options for fabrics at www.hbfiextiles.com	U = Cal 117	310 = Smoke Opaque 400 = Clear 402 = Black Opaque 403 = Grey Opaque 404 = Warm White Opaque 405 = Mist Opaque 406 = Denim Opaque 407 = Pewter Opaque 408 = Peppercorn Opaque 901 = Amber 902 = Designer White Opaque 911 = Warm Brick
			929 = Nutmeg 937 = Bark
			984 = Dark Roast 993 = Sumatra

HLR312-011.Fabric.Flammability.Wood Example: HLR312-011.950-88.U.RK400



	List Prices						Sq.Ft.	Yards	Dime	ensions		
Trestle HLR312-013												
	COM/COL Grade A Grade B Grade C Grade D Grade E	5335 5425 5515 5600 5690	Grade H	5920 6045 6135 6315 6580 6935	Leather II Leather III Leather IV Leather V	7540 8180 8820 9460 10,100 10,740	144	8	OH OW OD SH SD	32 77 <sup>3</sup> / <sub>4</sub> 31 17 <sup>3</sup> / <sub>4</sub> 22 <sup>1</sup> / <sub>2</sub>	AH WBA DED DEW R	22½ 71¾
	Grade F	5800							Shipp Cube	oing Weight	159 75.8	

Fully Upholstered | Oak Frame

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage^{rs}\ certified}$ 

### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	SPECIES & FINISH
NUMBER	Indicate fabric choice:	Indicate flammability:	Options for wood finishes: RK = Oak
	See options for fabrics at www.hbftextiles.com	U = Cal 117	310 = Smoke Opaque 400 = Clear 402 = Black Opaque 403 = Grey Opaque 404 = Warm White Opaque 405 = Mist Opaque 406 = Denim Opaque 407 = Pewter Opaque 408 = Peppercorn Opaque 901 = Amber 902 = Designer White Opaque 911 = Warm Brick 929 = Nutmeg 937 = Bark 984 = Dark Roast 993 = Sumatra
•	•	•	

HLR312-013.Fabric.Flammability.Wood Example: HLR312-013.950-88.U.RK400

# Top Upholstered | Saddle Stitch | Contrasting Thread Option Tri-Sew Detail Thread color must be specified on the Triscape Pouf for each line item. Specify STD for standard colors. However, thread color may be specified in one of twelve contrasting colors:



Shape Soft Triangle



	List Prices		Sq. Ft	Yards	Dimensions
Triscape HAK614-011					
	Grade A 1095 G Grade B 1115 G Grade C 1140 G Grade D 1160 G	Grade H         1270         Leather II           Grade J         1295         Leather III           Grade K         1340         Leather IV           Grade L         1405         Leather V	1645 36 1805 1965 2125 2285 2445	2	OH 16½ AH OW 22½ WBA OD 22 DED SH 16½ DEW SD R
	Grade F <b>1210</b>				Shipping Weight 21 Cube 16.2

Fully Upholstered | Saddle Stitch | Contrasting Thread Option

### PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES  Indicate fabric choice:	FLAMMABILITY  Indicate flammability:	STITCH OPTION  Indicate thread:
	See options for fabrics at www.hbftextiles.com	U = Cal 117	10 = White 20 = Beige 22 = Yellow 39 = Brown 44 = Red 45 = Orange 58 = Blue 67 = Green 77 = Purple 84 = Light Grey 89 = Dark Grey 90 = Black SM = Standard Match
•	•	•	

HAK614-011.Fabric.Flammability.Stitch Exampl

Example: HAK614-011.950-88.U.SM




## Westwood Specifications Collection Details Lounge Chair | Sofa Wood Frame | Upholstered Wood Options Frame available in Maple. Refer to HBF Standard Maple finishes for color selection. Finish selection must be noted on order.

	List Prices	Sq. Ft	Yards	Dimensions
Westwood HLU301-021				
	COM/COL         4670         Grade G         5075         Leather           Grade A         4490         Grade H         5200         Leather           Grade B         4580         Grade J         5290         Leather           Grade C         4670         Grade K         5470         Leather           Grade D         4755         Grade L         5735         Leather           Grade E         4845         Grade M         6090         Leather	II 7335 III 7975 IV 8615 V 9255	8	OH 30½ AH 20 OW 34½ WBA 23 OD 39 DED SH 18 DEW SD 24 R
	Grade F <b>4955</b>			Shipping Weight 80 Cube 37


Fully Upholstered | Loose Cushion | Maple Frame | Spring Down Option

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage^{rs}\ certified}$ 

### PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLU301-021.Fabric.Flammability.Wood Example: HLU301-021.950-88.U.NE637




	List Prices		Sq. Ft	Yards	Dimensions
Westwood HLU301-013					
	Grade A       7545       Grade H       88         Grade B       7725       Grade J       92         Grade C       7900       Grade K       93         Grade D       8080       Grade L       10         Grade E       8255       Grade M       10	720 Leather I 970 Leather II 145 Leather III 500 Leather IV 0,035 Leather V	11,955 288 13,235 14,515 15,795 17,075 18,355	16	OH 30½ AH 20 OW 84 WBA 73 OD 39 DED SH 18 DEW SD 24 R
	Grade F <b>8470</b>				Shipping Weight 170 Cube 81.8

Fully Upholstered | Loose Cushion | Maple Frame | Spring Down Option

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

### PLEASE SPECIFY THE FOLLOWING TO ORDER:



HLU301-013.Fabric.Flammability.Wood Example: HLU301-013.950-88.U.NE637