

Welcome to the Honda ZR-

Combining style with dynamic driving performance, intelligent features, innovative safety and exceptional comfort, the all-new ZR-V is **the hybrid unleashed.**

04	FULL HYBRID
08	PERFORMANCE
14	INTERIOR
20	EXTERIOR
26	TECHNOLOGY
30	SAFETY
36	STYLE
40	YOUR ZR-V







ZR-V e:HEV Full Hybrid


The ZR-V uses a combination of electric motors and a petrol engine to create copious, electric power that drives you along for mile after enjoyable mile, while a regenerative braking system returns waste energy to top-up the EV battery. Simple and yet clever, the ZR-V is dependable, dynamic electrification.

The beating heart of the ZR-V is the advanced e:HEV powertrain with its performance, economy and three autonomous drive modes: Electric drive provides silent, instant power; Hybrid drive gives you sporty responsiveness and long-range potential, while Engine drive engages during sustained higher-speed cruising.

5.7L/100KM COMBINED FUEL ECONOMY 5-YEAR/100,000KM POWERTRAIN WARRANTY









Full power, total control

Engineered with a sporty chassis, the ZR-V displays agile handling and a composed ride. Couple this dynamic stamina with the advanced e:HEV powertrain and you will have a rewarding and energetic drive. If numbers are your thing, we think maximum torque of 315Nm and maximum power of 184PS* will impress and, more tangibly, mean you get all the performance you need, whenever you need it.

Adding further to your driving pleasure are **selectable drive modes.** The default is the Normal mode, giving you all-round high performance. If the mood takes you, you can increase the dynamism with Sport mode or increase efficiency with Econ mode. There is also a Snow mode, which changes the ZR-V's set-up to provide the optimum drive in wintry conditions.

315NM TORQUE POWER 184PS* 0-62 MPH 7.8 TO 8.0 SECONDS









The ZR-V provides a complete driving experience thanks to its ergonomic design. Features such as body-stabilising front seats, intuitive driving controls and a clear view of the road are examples of what we mean by this. Put simply, everything is intended to make **you feel at one with the car.**

Naturally, driver comfort and innate quality are paramount in a vehicle of this class. The way things look, sound, feel and function should reassure and delight. Special attention has been paid to the car's construction so that any vibration is comprehensively absorbed, contributing to your well-being and letting you focus clearly on the drive. Inside the ZR-V is a fabulous place to be.

AGILE, DYNAMIC PERFORMANCE A DRIVER'S CAR A REFINED CABIN SPACE FOR ULTIMATE COMFORT









Premium materials surround you in the ZR-V. Noiseless design is the name we give the appearance of its sweeping, cohesive fascia. Detailed accents on the interior, **multiple recharging ports** and personal storage throughout the cabin make the ZR-V a pleasing experience for all.

With calm, ambient lighting and a sliding panoramic glass roof on the Advance grade, we've designed the ZR-V's cabin around modern life. Heated front and rear seats are swathed in leather upholstery* to ensure maximum comfort and a luxurious, sporty feel.

REDUCE FATIGUE WITH BODY-STABILISING SEATS

HEATED SEATS FRONT AND REAR'

Space for every lifestyle

When you live life to the full, you need space. Lots of it, for people and possessions. So, we've designed the ZR-V to offer the flexibility and practicality that your lifestyle demands. Its vast boot can accommodate almost anything with its **generous 1,322 litre capacity*.** What is more, it is easy to access thanks to the hands-free power tailgate and the rear seat split-folds, making loading a cinch. All-in-all, the ZR-V is the perfect travelling companion.

BOOT CAPACITY 1,322 LITRES HANDS-FREE POWER TAILGATE"









Sporty good looks

The all-new ZR-V has been designed to appeal to the senses, with a bold and athletic form made real by its sculpted curves. Its inner strength and quality are elevated to give a powerful road presence, with wide wheel arches accentuating the sporty stance.

An aerodynamic rear spoiler and twin exhausts add a touch of kinetic style, while the fluent and sleek finish is complemented by a choice of **five exciting paint** colours with metallic and pearlescent finishes.

5 COLOUR OPTIONS

REAR ROOF SPOILER







Function and purpose underpin the ZR-V's sporty style, with unique designs of 18" alloy wheel, specific to each grade, creating a stand-out identity. Details matter, and extensive use of LEDs allow for the front and rear lights to be fashioned into contemporary forms, to accentuate the car's personality.

By using a weight-saving aluminium bonnet,

the ZR-V's already eager performance and efficiency are further enhanced, while its low centre of gravity adds to the assured handling and ride. To craft your own look, styling accessories are available as packs or as individual items, making your ZR-V as unique as you are.

SCULPTED CURVES WITH SLEEK LINES

LED LIGHTING FUNCTION WITH FORM





The world at your fingertips

An informed driver is a better driver. That's why the ZR-V's crystal-sharp, digital multi-info display really scores, with everything presented logically and clearly in front of the driver. On the Advance grade, there is also a head-up display that communicates essential data even more quickly. More proof of Honda's commitment to enhancing the driving experience.

The latest-generation Honda CONNECT infotainment, with smartphone integration via Apple CarPlay[®] and Android Auto[™], is standard on all models and accessed via a centrally mounted 9" touchscreen. Additionally, it includes satellite navigation and DAB digital radio, bringing you a new world of audio content. Also available is a Honda premium audio system*. This is an audiophile's paradise, with twelve Bose speakers, optimally positioned to deliver full surround sound.

PREMIUM AUDIO
WITH BOSE SPEAKERS'

WIRELESS DEVICE CHARGING*











Extra smart, extra safe

We are committed to keeping you and your passengers secure, which is why we've packed a great deal of safety technology into the ZR-V. Take something as simple as the windscreen wipers. The washer nozzles are built-in to the wiper arms to ensure the fluid goes where it's really needed, to quickly give you a cleaner view out.

All-round visibility is aided by a rear-view camera, whilst multiple airbags provide comprehensive protection in the event of an accident. We've even included rear seat belt reminders for your back seat passengers to tell them when it's time to buckle up.

Honda SENSING

Honda SENSING is an intelligent suite of advanced safety features that will assist you as you drive.

Collision Mitigation Braking System

If there is the possibility of a collision with a vehicle or a pedestrian, this feature will alert you to the danger as well as reducing your speed to help minimise the severity of any impact.

Lane Departure Warning

If the car moves out of its lane without you activating the indicator, then alerts will flash and sound to help bring your attention to correcting the lane drift.

Road Departure Mitigation

A windscreen-mounted camera detects whether the car is veering off the road and applies subtle steering corrections to keep your vehicle in its lane. In certain conditions, it can also apply braking force.

Lane Keeping Assist System


A feature that helps keep you in the middle of your lane, providing a less stressful driving experience by reducing the need for steering correction movements and driving effort on the motorway.

Adaptive Cruise Control with Low-Speed Following

This function maintains a set cruising speed and following distance relative to the vehicle in front of you. If the detected vehicle comes to a stop, the function will decelerate and stop your vehicle without you having to keep your foot on the brake. Once the car in front starts moving again, simply tap the accelerator to resume the operation.







Sty







Dynamic and intelligent

ZR-V: a unique presence on the road, with smooth athletic lines, exceptional comfort and advanced technology, that not only keeps you safe, but also connected to the things you love. A car that looks to the future, you will enjoy driving today.



YOUK ZR-V







e:HEV Elegance

The **Elegance** comes fully equipped with a range of advanced features to enhance your driving experience:

- · Honda SENSING
- Honda CONNECT with Navigation, 9" Touchscreen, AM/FM/DAB Digital Radio, Apple CarPlay® and Android Auto™
- · Heated Front Seats
- · Adaptive Cruise Control
- · Low-Speed Following
- x8 Speakers
- x2 Front USB Ports
- · 18" Alloy Wheels with a Gun Metallic Paint Finish
- · Front and Rear Parking Sensors
- · Rear-view Camera
- · Body Colour Mirrors





e:HEV Sport

As well as many of the features available on the Elegance grade, the **Sport** grade includes:

- · Wireless Charging
- · Sports Pedals
- x2 Front and x2 Rear USB Ports
- · Fabric and Black Leather Upholstery
- 18" Alloy Wheels with a Matt Black Paint Finish
- · Power Tailgate with Kick Sensor and Walk-away Close
- · Driver Seat Electric Height Adjustment
- Privacy Glass
- High Gloss Black Window Garnish
- · Black Mirrors





e:HEV Advance

As well as many of the features available on the Elegance and Sport grades, the **Advance** grade includes:

- · Leather Upholstery
- · Heated Front and Rear Seats
- · Heated Steering Wheel
- · Premium Audio with x12 Bose Speakers
- 18" Alloy Wheels with a Gloss Black and Diamond Cut Finish
- · Panoramic Glass Roof

Colour your life

Choose from a range of contemporary colours that reflect your personality and the dynamic styling of the ZR-V.







DIAMOND DUST PEARL

PLATINUM WHITE PEARL



ZRV

RUSE BLACK METALLIC

Feel good inside

High-quality fabric and premium leather complement the stylish interior of your ZR-V and, of course, make you feel comfortable, on every journey.

	Black Fabric	Black Leather and Fabric	Black Leather
ELEGANCE	•		
SPORT		•	
ADVANCE			•











Aero Pack

The Aero Pack has been specifically designed to enhance and complement the dynamic look and feel of the ZR-V. **The pack includes** a front aero bumper, a tailgate decoration, side skirts and door mirror covers, all finished in Dusk Grey Metallic complemented by a body-coloured tailgate spoiler.





FRONT AERO BUMPER

Enhance the dynamic styling of your ZR-V with our distinctive front aero bumper.

TAILGATE SPOILER

Our body-coloured tailgate spoiler has been designed to complement the lines of the roof and emphasise the sporty look.



fit your ZR-V.



TAILGATE DECORATION

Accentuate the premium look of your car with this attractive tailgate decoration.

SIDE SKIRTS

Give your ZR-V an exciting and athletic profile with these stylish and sleek side skirts.

Robust Pack

The name speaks for itself – it's the perfect pack for the more adventurous, the ones who prefer to take the scenic route. **The pack includes** a front lower decoration and a tailgate decoration, both finished in Dusk Grey Metallic, together with running boards and mud flaps.







TAILGATE DECORATION

Enhance the smart and sophisticated look of your car with this premium tailgate decoration.

FRONT LOWER DECORATION

Give your ZR-V a more rugged and distinctive look. Perfect for your active lifestyle.



RUNNING BOARDS

Our genuine running boards not only help you and your passengers enter and exit more easily, but they also give your ZR-V a powerful and tough look.

FRONT AND REAR MUD FLAPS

Practical and durable, these subtle mud flaps protect your ZR-V against dirt and stones. The kit includes four pieces, for both the front and rear of the car.

PubMo				
Engine 1 ingrine 1959				
PubMo		Elegance	Sport	Advance
Intelligent Multi Mode Drive Intelligent Multi Mode Drive Intelligent Multi Mode Drive Deplacement Role 1903	Engine			
Displacement Col. 1903 1908 1908 1909	Engine Type	i-MMD	i-MMD	i-MMD
Bore x Scroke (mml) 61 x 96.7 61 x 96.7 61 x 96.7 Composable Ratio 133-02.28 13.90.28 13.90.28 White Takin 4 x 40xes 4 x 10xes 1 x 10xes Intrinsion Standard FLIBCH-610 FLIBCH-612 FLIBCH-612 Four Pequired Unleaded 059 Unleaded 059 Unleaded 059 Bernard Standard FLIBCH-612 TLIBCH-612 Bernard Standard FLIBCH-612 TLIBCH-612 Bernard Standard FLIBCH-612 TLIBCH-612 Bernard Standard Max Tray (War Firm) 1036W (§ 5000 1036W § 5000 1056W § 6000 Bernard Standard Max Tray (War Firm) 118.6 g 4000 118.6 g 4500 108.6 g 4500 Beactive Motor Max Tray (Will Fig) 118.6 g 4000 118.6 g 4500 108.6 g 4500 Beactive Motor Max Tray (Will Fig) 118.6 g 4000 118.6 g 4500 108.6 g 4500 Beactive Motor Max Tray (Will Fig) 118.6 g 4000 118.6	Engine Name	Intelligent Multi-Mode Drive	Intelligent Multi-Mode Drive	Intelligent Multi-Mode Drive
Compression Retion 13.99-258 13.91-258 13.91-258 Value Irain 4 values 4 values 4 values Emission Standard EURO-60 EURO-60 EURO-60 Link Required Unleaded (25) Unleaded (75) Unleaded (75) Performance Engine Maximum Power (MW at rpm) 105kW g 6000 105kW g 6000 105kW g 6000 Engine Maximum Power (MW at rpm) 18.8 g 6000 18.8 g 6000 18.8 g 6000 Engine Maximum Power (MW at rpm) 18.8 g 6000 18.8 g 6000 18.8 g 6000 Engine Maximum Torque (MW pins) 18.9 g 6000 18.8 g 6000 18.8 g 6000 Engine Maximum Torque (MW pins) 18.9 g 6000 18.8 g 6000 18.8 g 6000 Engine Maximum Torque (MW pins) 18.9 g 7000 18.9 g 7000 18.8 g 6000 Engine Maximum Torque (MW pins) 18.9 g 7000 18.9 g 7000 18.9 g 7000 Engine Maximum Torque (WW pins) 18.9 g 7000 18.9 g 7000 18.9 g 7000 Engine Maximum Torque (WW pins) 18.9 g 7000 18.9 g 7000 18.9 g 7000 Engine Maximum Torque (WW pi	Displacement (cc)	1993	1993	1993
Value Train 4 valves 4 valves 4 valves 4 valves 6 valves	Bore x Stroke (mm)	81 x 96.7	81 x 96.7	81 x 96.7
Entel Decounted EURO-6D EURO-6D EURO-6D Perf Ormance Unleaded (85) Unleaded (85) Unleaded (85) Engine Maximum Power (IW at rom) 1056W (§ 6000 1056W (§ 6000 1056W (§ 6000 Engine Maximum Power (IV at rom) 145 (§ 6000 143 (§ 6000 146 (§ 6000 Electric Motor Max. Toroug (Ivm at rom) 186 (§ 4000 186 (§ 4000 186 (§ 4000 Electric Motor Max. Toroug (Ivm) 315 315 315 O - 62mph Seconda) 78 79 8 Max. Speed (Erm?) 67 67 67 Evel Economy and Emissions (WLTP)† 108 109 111 Medium - CO2 g/km 108 109 111 Medium - CO2 g/km 108 109 111 Medium - CO2 g/km 108 109 111 Extra High - CO2 g/km 108 109 111 Storal High - CO2 g/km 100 131 132 Combined - FC Moloim 5.7 5.8 5.8 Dimensions 100 154	Compression Ratio	13.9±0.26	13.9±0.26	13.9±0.26
	Valve Train	4 valves	4 valves	4 valves
Performance Engine Maximum Power (kW at pm) 105kW @ 6000 105kW @ 6000 105kW @ 6000 Engine Maximum Power (kW at pm) 143 @ 6000 143 @ 6000 143 @ 6000 Engine Maximum Power (kW at pm) 186 @ 4500 186 @ 4500 186 @ 4500 Engine Maximum Torque (km at pm) 186 @ 4500 186 @ 4500 186 @ 4500 Electric Motor Max, Torque (km) 135 (84) 335 (84) 335 (84) Electric Motor Max, Torque (km) 315 315 316 0 - 62mph (Seconds) 28 79 8 0 - 62mph (Seconds) 77 67 67 Max, Speed (km/h) 1773 173 1173 Sound Lewel Drive-by (d8) 67 67 67 Fuel Economy and Emissions (WLTP)+ Lew- CO2 gkm 108 109 111 Medium - CO2 gkm 102 103 104 Medium - CO2 gkm 198 196 186 Extra kigh - CO2 gkm 184 164 165 Combined - CO2 gkm 184 164 165 </td <td>Emission Standard</td> <td>EURO-6D</td> <td>EURO-6D</td> <td>EURO-6D</td>	Emission Standard	EURO-6D	EURO-6D	EURO-6D
	Fuel Required	Unleaded (95)	Unleaded (95)	Unleaded (95)
Engine Maximum Power (PS at rpm) 143 @ 6000 143 @ 6000 123 @ 6000 Engine Maximum Torque (Nm at rpm) 186 @ 4500 186 @ 4500 186 @ 4500 Electric Motor Max. Power (WV [PS]) 135 [Re4) 135 [Re4] 135 [Re4] Electric Motor Max. Torque (Nm) 315 316 315 [Re4] Mex. Speed (Rmh) 78 79 8 Mex. Speed (Rmh) 173 173 173 Sound Level: Drive-by (IB) 67 67 67 FUELE Economy and Emissions (WLTP)+ Low-CO2 g/km 108 109 111 Medium - CO2 g/km 108 109 111 Medium - CO2 g/km 102 103 104 High - CO2 g/km 119 120 121 Extra High - CO2 g/km 130 131 132 Combined - FC (Vlokm 5.7 5.8 5.8 Dimensions 57 5.8 4.568 Width Imm) 4568 4.568 4.568 Width Imm) 1840 1840	Performance			
Engine Maximum Torque (Nm at rpm) 186 @ 4500 186 @ 4500 186 @ 4500 Electric Motor Max. Power (kW [PS]) 135 (84) 135 (84) 135 (84) Electric Motor Max. Power (kW [PS]) 315 315 315 0 + GZmph (Seconds) 7.8 7.9 8 Max. Speed (km/h) 173 173 173 Max. Speed (km/h) 173 67 67 FUEL ECONOMY and Emissions (WLTP)+ Low-CO2 g/km 108 109 111 Medium - CO2 g/km 102 103 104 High - CO2 g/km 104 164 165 Ectra sign - CO2 g/km 150 131 132 Ectra sign - CO2 g/km 150 131 132 Combined - CO2 g/km 150 131 132 Ectra sign - CO2 g/km 150 184 164 Dimensions Length (rmm) 4568 4568 4568 Length (rmm) 1840	Engine Maximum Power (kW at rpm)	105kW @ 6000	105kW @ 6000	105kW @ 6000
Electric Motor Max. Power (kW (PS)) 135 (184) 13	Engine Maximum Power (PS at rpm)	143 @ 6000	143 @ 6000	143 @ 6000
Belectric Motor Max. Torque (Nm) 315 315 315 315 315 0 + 62mph (Seconds) 7.8 7.9 8 8 7.9 8 8 7.9 8 7.5	Engine Maximum Torque (Nm at rpm)	186 @ 4500	186 @ 4500	186 @ 4500
1	Electric Motor Max. Power (kW [PS])	135 (184)	135 (184)	135 (184)
Max. Speed (km/h) 173 173 173 173 175 5ound Level: Drive-by (dB) 67 67 67 FUEI Economy and Emissions (WLTP)† Low - CO2 g/km 108 109 111 Mddium - CO2 g/km 109 120 121 Extra High - CO2 g/km 109 120 121 Extra High - CO2 g/km 130 131 132 Combined - CC2 g/km 130 131 132 Combined - CC2 g/km 130 131 132 Combined - FC l/Yookm 5.7 5.8 5.8 Dimensions Length (mm) 4.668 4.568 4.568 Width (mm) 1840 1840 1840 1840 1898 189	Electric Motor Max. Torque (Nm)	315	315	315
Sound Level Drive-by (dB) 67 67 67 67	0 → 62mph (Seconds)	7.8	7.9	8
Fuel Economy and Emissions (WLTP)†	Max. Speed (km/h)	173	173	173
Medium	Sound Level: Drive-by (dB)	67	67	67
Medium — CO2 g/km 102 103 104 High — CO2 g/km 119 120 121 Extra High — CO2 g/km 164 164 165 Combined — CO2 g/km 330 131 132 Combined — FC I/100km 5.7 5.8 5.8 Dimensions Length (mm) 4568 4568 4568 Width (mm) 1840 1840 1840 Overall Width (mm) with Door Mirror Folded 1898 1898 1898 Height — Unladen (mm) 1620 1620 1620 Wheelbase (mm) 2657 2657 2657 Track Front (mm) 1595 1595 1595 Track Rear (mm) 1615 1615 1615 Ground Clearance – with Full Load (mm) 129.93@MPW 129.93@MPW 129.93@MPW 129.93@MPW Turning Radius – at Wheel Centre (m) 5.5 5.5 5.5 5.5	Fuel Economy and Emissions (WLTP)†			
High - CO2 g/km 119 120 121 Extra High - CO2 g/km 164 164 164 165 Combined - CO2 g/km 130 131 132 Combined - FC1/100km 5.7 5.8 5.8 5.8 Dimensions Length (mm) 4568 4568 4568 4568 Width (mm) 1840 1840 1840 1840 Overall Width (mm) with Door Mirror Folded 1898 1898 1898 Height - Unladen (mm) 1620 1620 1620 Wheelbase (mm) 2657 2657 2657 Track Front (mm) 1595 1595 1595 Track Rear (mm) 1615 1615 1615 Ground Clearance - with Driver (mm) 180@MRO 180@MRO 180@MRO Turning Cround Clearance - with Full Load (mm) 13. (Outside Tyre) Kerb to Kerb 11.3 (Outsid	Low-CO2 g/km	108	109	111
Extra High - CO2 g/km 164 164 165 Combined - CO2 g/km 130 131 132 Combined - FC I/100km 5.7 5.8 5.8 5.8 Dimensions Length (mm) 4568 4568 4568 4568 Width (mm) 1840 1840 1840 1840 Overall Width (mm) with Door Mirror Folded 1898 1898 1898 Height - Unladen (mm) 1620 1620 1620 Wheelbase (mm) 2657 2657 2657 Track Front (mm) 1595 1595 1595 Track Rear (mm) 1615 1615 Ground Clearance – with Driver (mm) 180@MRO 180@MRO 180@MRO Ground Clearance – with Full Load (mm) 129.93@MPW 129.93@MPW Turning Circle – at Body (m) 1.3 (Outside Tyre) Kerb to Kerb 11.3 (Outside Ty	Medium – CO2 g/km	102	103	104
Combined - CO2 g/km 130 131 132 Combined - FC I/100km 5.7 5.8 5.8 Dimensions Length (mm) 4568 4568 4568 Width (mm) 1840 1840 1840 Overall Width (mm) with Door Mirror Folded 1898 1898 1898 Height - Unladen (mm) 1620 1620 1620 Wheelbase (mm) 2657 2657 2657 Track Front (mm) 1595 1595 1595 Track Rear (mm) 1615 1615 1615 Ground Clearance – with Driver (mm) 180@MRO 180@MRO 180@MRO Ground Clearance – with Full Load (mm) 12933@MPW 12933@MPW 12933@MPW Turning Circle – at Body (m) 11.3 (Outside Tyre) Kerb to Kerb Turning Radius – at Wheel Centre (m) 5.5 5.5	High – CO2 g/km	119	120	121
Combined - FC I/100km 5.7 5.8 5.8 Dimensions Length (mm) 4568 4568 4568 Width (mm) 1840 1840 1840 Overall Width (mm) with Door Mirror Folded 1898 1898 1898 Height - Unladen (mm) 1620 1620 1620 Wheelbase (mm) 2657 2657 2657 Track Front (mm) 1595 1595 1595 Track Rear (mm) 1615 1615 1615 Ground Clearance – with Driver (mm) 180@MRO 180@MRO 180@MRO Ground Clearance – with Full Load (mm) 1293@MPW 1293@MPW 1293@MPW Turning Circle – at Body (m) 11.3 (Outside Tyre) Kerb to Kerb 15.5 5.5	Extra High – CO2 g/km	164	164	165
Dimensions Length (mm) 4568 4568 4568 4568 Width (mm) 1840 1840 1840 Overall Width (mm) with Door Mirror Folded 1898 1898 1898 Height - Unladen (mm) 1620 1620 1620 Wheelbase (mm) 2657 2657 2657 Track Front (mm) 1595 1595 1595 Track Rear (mm) 1615 1615 1615 Ground Clearance - with Driver (mm) 180@MRO 180@MRO 180@MRO Ground Clearance - with Full Load (mm) 129.93@MPW 129.93@MPW 129.93@MPW Turning Circle - at Body (m) 11.3 (Outside Tyre) Kerb to Kerb	Combined – CO2 g/km	130	131	132
Length (mm) 4568 4568 4568 Width (mm) 1840 1840 1840 Overall Width (mm) with Door Mirror Folded 1898 1898 1898 Height – Unladen (mm) 1620 1620 1620 Wheelbase (mm) 2657 2657 2657 Track Front (mm) 1595 1595 1595 Track Rear (mm) 1615 1615 1615 Ground Clearance – with Driver (mm) 180@MRO 180@MRO 180@MRO Ground Clearance – with Full Load (mm) 129.93@MPW 129.93@MPW 129.93@MPW Turning Circle – at Body (m) 11.3 (Outside Tyre) Kerb to Kerb 11.3 (Outside Tyre) Kerb to Kerb 11.3 (Outside Tyre) Kerb to Kerb Turning Radius – at Wheel Centre (m) 5.5 5.5 5.5	Combined – FC I/100km	5.7	5.8	5.8
Width (mm) 1840 1840 1840 Overall Width (mm) with Door Mirror Folded 1898 1898 1898 Height - Unladen (mm) 1620 1620 1620 Wheelbase (mm) 2657 2657 2657 Track Front (mm) 1595 1595 1595 Track Rear (mm) 1615 1615 1615 Ground Clearance - with Driver (mm) 180@MRO 180@MRO 180@MRO Ground Clearance - with Full Load (mm) 129.93@MPW 129.93@MPW 129.93@MPW Turning Circle - at Body (m) 11.3 (Outside Tyre) Kerb to Kerb 11.3 (Outside Tyre) Kerb to Kerb 11.3 (Outside Tyre) Kerb to Kerb 15.5 5.5	Dimensions			
Overall Width (mm) with Door Mirror Folded 1898 1898 1898 Height - Unladen (mm) 1620 1620 1620 Wheelbase (mm) 2657 2657 2657 Track Front (mm) 1595 1595 1595 Track Rear (mm) 1615 1615 1615 Ground Clearance - with Driver (mm) 180@MRO 180@MRO 180@MRO Ground Clearance - with Full Load (mm) 129.93@MPW 129.93@MPW 129.93@MPW Turning Circle - at Body (m) 11.3 (Outside Tyre) Kerb to Kerb Turning Radius - at Wheel Centre (m) 5.5 5.5 5.5	Length (mm)	4568	4568	4568
Height - Unladen (mm) 1620 1620 1620 Wheelbase (mm) 2657 2657 2657 Track Front (mm) 1595 1595 1595 Track Rear (mm) 1615 1615 1615 Ground Clearance - with Driver (mm) 180@MRO 180@MRO 180@MRO Ground Clearance - with Full Load (mm) 129.93@MPW 129.93@MPW 129.93@MPW Turning Circle - at Body (m) 11.3 (Outside Tyre) Kerb to Kerb 11.3 (Outside Tyre) Kerb to Kerb 11.3 (Outside Tyre) Kerb to Kerb Turning Radius - at Wheel Centre (m) 5.5 5.5 5.5	Width (mm)	1840	1840	1840
Wheelbase (mm) 2657 2657 Track Front (mm) 1595 1595 1595 Track Rear (mm) 1615 1615 1615 Ground Clearance – with Driver (mm) 180@MRO 180@MRO 180@MRO Ground Clearance – with Full Load (mm) 129.93@MPW 129.93@MPW 129.93@MPW Turning Circle – at Body (m) 11.3 (Outside Tyre) Kerb to Kerb 11.3 (Outside Tyre) Kerb to Kerb 11.3 (Outside Tyre) Kerb to Kerb Turning Radius – at Wheel Centre (m) 5.5 5.5 5.5	Overall Width (mm) with Door Mirror Folded	1898	1898	1898
Track Front (mm) 1595 1595 1595 Track Rear (mm) 1615 1615 1615 Ground Clearance – with Driver (mm) 180@MRO 180@MRO 180@MRO Ground Clearance – with Full Load (mm) 129.93@MPW 129.93@MPW 129.93@MPW Turning Circle – at Body (m) 11.3 (Outside Tyre) Kerb to Kerb 11.3 (Outside Tyre) Kerb to Kerb 11.3 (Outside Tyre) Kerb to Kerb Turning Radius – at Wheel Centre (m) 5.5 5.5 5.5	Height – Unladen (mm)	1620	1620	1620
Track Rear (mm) 1615 1615 1615 Ground Clearance – with Driver (mm) 180@MRO 180@MRO 180@MRO Ground Clearance – with Full Load (mm) 129.93@MPW 129.93@MPW 129.93@MPW Turning Circle – at Body (m) 11.3 (Outside Tyre) Kerb to Kerb 11.3 (Outside Tyre) Kerb to Kerb 11.3 (Outside Tyre) Kerb to Kerb Turning Radius – at Wheel Centre (m) 5.5 5.5 5.5	Wheelbase (mm)	2657	2657	2657
Ground Clearance – with Driver (mm) 180@MRO 180@MRO 180@MRO Ground Clearance – with Full Load (mm) 129.93@MPW 129.93@MPW 129.93@MPW Turning Circle – at Body (m) 11.3 (Outside Tyre) Kerb to Kerb 11.3 (Outside Tyre) Kerb to Kerb 11.3 (Outside Tyre) Kerb to Kerb Turning Radius – at Wheel Centre (m) 5.5 5.5 5.5	Track Front (mm)	1595	1595	1595
Ground Clearance – with Full Load (mm) 129.93@MPW 129.93@MPW 129.93@MPW Turning Circle – at Body (m) 11.3 (Outside Tyre) Kerb to Kerb 11.3 (Outside Tyre) Kerb to Kerb 11.3 (Outside Tyre) Kerb to Kerb Turning Radius – at Wheel Centre (m) 5.5 5.5 5.5	Track Rear (mm)	1615	1615	1615
Turning Circle – at Body (m) 11.3 (Outside Tyre) Kerb to Kerb 11.5 (Outside Tyre) Kerb to Kerb 11.6 (Outside Tyre) Kerb to Kerb 11.7 (Outside Tyre) Kerb to Kerb 11.8 (Outside Tyre) Kerb to Kerb 11.9 (Outside Tyre) Kerb to Kerb to Kerb 11.9 (Outside Tyre) Kerb to Kerb	Ground Clearance – with Driver (mm)	180@MRO	180@MRO	180@MRO
Turning Radius – at Wheel Centre (m) 5.5 5.5 5.5	Ground Clearance – with Full Load (mm)	129.93@MPW	129.93@MPW	129.93@MPW
	Turning Circle – at Body (m)	11.3 (Outside Tyre) Kerb to Kerb	11.3 (Outside Tyre) Kerb to Kerb	11.3 (Outside Tyre) Kerb to Kerb
Steering Wheel Lock to Lock (wheel turns) 2.4 2.4 2.4	Turning Radius – at Wheel Centre (m)	5.5	5.5	5.5
	Steering Wheel Lock to Lock (wheel turns)	2.4	2.4	2.4

Key:◆ Standard / – Not available

 $^{^{\}dagger}$ Economy & Emissions figures: (WLTP**) Range 4.5-7.3 (I/100km), CO2 102-165 (g/km). Figures, sourced from EU regulated laboratory test results, are provided for comparison purposes and may not reflect real-life driving experiences.

	Elegance	Sport	Advance
Capacity			
Fuel Tank (Litres)	57	57	57
Seating Capacity (Persons)	5	5	5
Boot Capacity – Rear Seat up (litres, VDA method)	380	380	370
Boot Capacity – Rear Seat up (litres, VDA method) incl. Sub Boot/Luggage Floor Box	390	390	380
Boot Capacity – Rear Seat Down Load to Roof (litres, VDA method)	1312	1312	1291
Boot Capacity – Rear Seat Down Load to Roof (litres, VDA method) incl. Sub Boot/Luggage Floor Box	1322	1322	1301
Boot Capacity – Rear Seat Down Load to Window (litres, VDA method)	876	876	866
Boot Capacity – Rear Seat Down Load to Window (litres, VDA method) incl. Sub Boot/Luggage Floor Box	886	886	876
Weight			
Kerb Weight (kg)	1589	1604	1639
Max. Permissible Weight (kg)	2100	2130	2155
Payload (kg)	511	526	516
Max. Permissible Axle Weight – Front/Rear (kg)	1120 / 1030	1145/1045	1155/1060
Max. Towing Weight (kg) Braked	750	750	750
Max. Towing Weight (kg) Unbraked	700	700	700
Max. Trailer Nose Weight (kg)	75	75	75
Max. Roof Load (kg)	65	65	65
Function and Technology			
Agile Handle Assist (AHA)	•	•	•
Drive Mode – Econ/Normal/Snow/Sport	•	•	•
Electric Parking Brake with Automatic Brake Hold	•	•	•
Electric Power Steering (EPS)	•	•	•
Head Up Display	-	+	•
Hill Start Assist (HSA)	•	•	•
Hill Descent Control	•	•	•
Idle Stop/HEV Mode	•	•	•
Power Meter	•	•	•
Regenerative Braking/Deceleration Control (Paddle)	•	•	•
7" Multi Info Display	•	•	-
10.2" Full Digital Display	_	-	•
Metal Paddle Shift	•	•	•
Front Accessory Socket	•	-	-

	Elegance	Sport	Advance
Safety			
ABS (Anti-Lock Braking System)	•	•	•
Airbags – Front Centre	•	•	•
Airbags – Front Driver and Passenger	•	•	•
Airbags – Driver's Side Knee	•	•	•
Airbags – Passenger's Side Knee	•	•	•
Airbags – Passenger SRS Airbag with Cut Off Switch	•	•	•
Airbags – Rear Side	•	•	•
Airbags – Side (Front)	•	•	•
Airbags – Side Curtain (Front and Rear)	•	•	•
Brake Assist	+	•	•
Collision Mitigation Braking System	+	•	•
Collision Mitigation Throttle Control (RR and FR)	•	•	•
Deflation Warning System	•	•	•
Driver SRS Airbag (Single Stage inflation)	•	•	•
eCall* (Europe)	•	•	•
Electronic Brakeforce Distribution	•	•	•
Emergency Stop Signal	•	•	•
Forward Collision Warning	•	•	•
Adjustable Speed Limiter	•	•	•
Intelligent Speed Limiter	•	•	•
ISOFIX Points/i-Size	•	•	•
Lane Departure Warning	•	•	•
Lane Keeping Assist System	•	•	•
Low-Speed Braking System	•	•	•
Low-Speed Following	•	•	•
Road Departure Mitigation	•	•	•
Traffic Jam Assist	•	•	•
Traffic Sign Recognition System	•	•	•
Vehicle Stability Assist	•	•	•
Whiplash Lessening Front Headrests	•	•	•
Security			
Immobiliser System	•	•	•
Remote Central Locking with x2 Keys	•	•	•
Security Alarm System	•	•	•
Selectable Door Unlock	•	•	•
Smart Entry and Start	•	•	•
Parcel Shelf	•	•	•

	Elegance	Sport	Advance
Interior Trim	Liegaries	Sport C	Advance
Soft Pad Leather (Synthetic) with Silver Painted Ornament Panels	•	+	•
Platinum Chrome Plated Interior Door Handles	•	*	•
Pedals	Normal	Sports	Sports
Steering Wheel – Leather	•	•	•
Jpholstery	Black Fabric	Black Fabric and Leather	Black Leather
Front Console and Instrument Panel Garnish	•	•	•
Door Lining	Stitch Styling	Stitch and Pearl Styling	Stitch and Pearl Styling
Interior Lights			
Ambient Light Door Handle (Front and Rear)	-	-	•
Ambient Light (Driver/Passenger Footwell)	-	•	•
Ambient Light Roof (Front Roof Line)	-	•	•
Courtesy Light	•	•	•
Front Map Light	•	•	•
Rear Reading Light	•	•	•
Sunvisor Vanity Mirror Illumination	•	•	•
Boot Light	•	•	•
Audio and Communications			
Bluetooth™ Hands Free Telephone (HFT)	•	+	•
DAB Digital Radio	•	•	•
Honda CONNECT with Navigation 9" Touchscreen, AM/FM/DAB Digital Radio, Apple CarPlay® and Android Auto™, Live Traffic Info)	•	•	•
Speakers	8	8	12 – Bose Premium Audio
Speakers – Front Tweeter	•	•	•
Speakers – Centre	-	-	•
Subwoofer	-	-	•
Steering Wheel Remote Audio Controls	•	•	•
2 Front USB Ports	•	•	•
k2 Rear USB Ports	-	•	•
Wireless Apple CarPlay®	•	•	•
Wireless Charging	-	+	•

Comfort and Convenience	Elegance	Sport	Advance
Front and Boot Accessory Socket	-	•	•
Air Conditioning – Dual Zone Climate	•	•	•
Air Conditioning – Rear Vent	•	•	•
Auto Dimming Rear View Mirror	•	•	•
Auto Wipers	•	•	•
x4 Cargo Net Hooks	•	•	•
Adaptive Cruise Control	•	•	•
Door Mirrors – Electrically Adjustable and Folding/Heated	•	•	•
Door Mirrors – Exterior Mirror Tilt for Reverse	•	•	•
Driver and Front Passenger Seat Armrest	•	•	•
Electric Windows Front and Rear	•	•	•
Front Seat – Driver Electrical Adjustment (8-way)	-	•	•
Front Seat – Driver Manual Adjustment (6-way)	•	-	-
Front Seat – Passenger Manual Adjustment (6-way)	•	-	-
Front Seat – Passenger Electrical Adjustment (4-way)	-	•	•
Front Seat – Manual Height Adjustment (Driver)	•	-	-
Front Seat – Electric Height Adjustment (Driver)	-	•	•
Front Seat – Manual Height Adjustment (Passenger)	•	=	-
Front Seat Pockets (Passenger)	•	-	-
Front Seat Pockets (Driver and Passenger)	-	•	•
Heated Seats	Front	Front	Front and Rear
Heated Steering Wheel	-	-	•
Key Fob with Mirror and Window Operation	•	•	•
Luggage Floor Box – 10 litres	•	•	•
Parking Sensors (x4 Front and x4 Rear)	•	•	•
Power Tailgate (Kick Sensor and Walk Away Close)	-	•	•
Rear Bench 60/40 Split	•	•	•
Rear Seat Centre Armrest	•	•	•
Rear-view Camera	•	•	•
Sun Visor Vanity Mirrors	•	•	•
Sunglasses Box	•	•	•
Tilt and Telescopic Steering Wheel	•	•	•

	Elegance	Sport	Advance
Exterior			
Body Colour Shark Fin Antenna	•	•	•
e:HEV Emblem	•	•	•
Exhaust (Tail Pipe Finisher)	-	•	•
Body Colour Exterior Door Handle Finish	•	•	•
Grille Design	Black Vertical	Black Honeycomb	Black Vertical
Mirror Colour	Body	Black	Body
Sliding Panoramic Glass Roof	-	-	•
Privacy Glass	-	•	•
Body Colour Spoiler	•	•	•
Front Bumper Design	Urban	Sport	Urban
Front and Rear Lower Bumper – Black with Skid Garnish	•	-	-
Front and Rear Lower Bumper – Black with Dark Gun Metallic Varnish	-	•	-
Front and Rear Lower Bumper – Black with Light Gun Metallic Varnish	-	-	•
Black Window Garnish	Low Gloss	High Gloss	Low Gloss
Active Cornering Lights	-	-	•
Exterior Lights			
Adaptive Driving Beam	-	-	•
Auto Headlights	•	•	•
Auto Headlight Adjuster	-	-	•
LED Daytime Running Light	•	•	•
Headlight Auto On/Off Timer (Coming Home/ Leaving Home Function)	•	•	•
LED Headlight	•	•	•
High Beam Support System (HSS)	•	•	•
LED Rear Light	•	•	•
Front Turn LED Lights	•	•	•
Wheels and Tyres			
Tyre Repair Kit	•	+	•
Alloy Size and Design	18" Gun Metallic	18" Matt Black	18" Gloss Black Diamond Cut
Tyre Size	225 / 55 R18	225 / 55 R18	225/55 R18







The supedification details do not apply to any particular product which is supplied or offered for sale. The manufacturers reserve the right to vary their specifications, including colours, with or without notice and at such times in such manner as they think fit. Major as well as minor changes may be involved. Every effort, however, is made to ensure the accuracy of the particulars contained in this brochure. This publication shall not constitute in any circumstances whatsoever an offer by the Company to any person. All sales are made by the Distributor or Dealer concerned subject to and with the benefit of the standard Conditions of Sale and Warranty given by the Distributor or Dealer, copies of which may be obtained from them on request. This publicity material applies to the UK only Trade Descriptions Act (1968). Whilst efforts are made to ensure specification accuracy, brochures are prepared and printed several months in advance of distribution and consequently cannot always immediately reflect either changes in specification or in some isolated cases the provision of a particular feature. Customers are always advised to discuss specification details with the supplying Dealer especially if your model selection is dependent upon one of the features advertised.

Honda (UK) – Cars Cain Road, Bracknell, Berkshire, RG12 1HL. Honda Contact Centre – Telephone: 0845 200 8000 www.honda.co.uk A division of Honda Motor Europe Ltd. No. 857969 Registered in England and Wales Part No: CAR-HR-V e:HEV EIL 0721 Issue Date: 07/21.



Honda sources paper responsibly from manufacturers within the EU.
Please don't bin me, pass me onto a friend or recycle me.

HONDA