



# MRO ISSUE #7 Solutions

## SUSTAINABLE TECHNOLOGY

HELPING YOU TO CREATE ENERGY  
CONSCIOUS INNOVATIONS



### UPDATE

Our ESG  
Commitment

Page 8



### LATEST NEWS

EWB Australia  
Sponsorship

Page 9



### FEATURE

Schneider  
Highlights

Page 30



### NEW RANGE

Mechanical  
Maintenance

Page 36



### ADVICE

Fluke Energy  
Saving Tips

Page 38

[nz.rs-online.com](http://nz.rs-online.com)



# Supporting you every day, we're by your side



We carry more than 600,000 industrial and electronics products from over 2,500 leading suppliers. From the niche specialists to the big global brands, we stock every brand you're likely to have heard of, and many more besides. This includes our own-brand RS PRO, which offers more than 50,000 products.

With fast and easy access to a broad range of products, reliable delivery, expert technical advice and solutions to streamline your processes, we'll help you keep things running smoothly.



## Customer Service

Take advantage of our customer support, technical advice & dedicated account managers.




## Competitive Quotes

Local team dedicated to quoting you the best price possible for all your orders.



## Flexible Delivery

Free next-working-day available, scheduled deliveries, or plan ahead with advance orders.



## Easy Ordering

Order online, by phone, by fax, or on your mobile phone via our easy-to-use website.

From same day delivery to procurement solutions, visit RS Online to connect to a wide range of helpful services to increase productivity, save you time and money.

## How can we help you today?

### Order Your Way!

- **Online** at [nz.rs-online.com](http://nz.rs-online.com)
- **On the go** with the RS Online mobile site
- **On the phone** at 0800 888 780
- **Email** [ordersnz@rs-components.com](mailto:ordersnz@rs-components.com)

### Customer Services & Technical Support

Mon - Fri 9am - 5pm  
T: 0800 888 780 | F: 0800 888 700  
Order & General Support: [supportnz@rs-components.com](mailto:supportnz@rs-components.com)  
Quotes: [quotesnz@rs-components.com](mailto:quotesnz@rs-components.com)  
Product & Technical Support: [nztech@rs-components.com](mailto:nztech@rs-components.com)  
Credit & Billing Support: [creditnz@rs-components.com](mailto:creditnz@rs-components.com)  
Payment & Deposit Slips: [rreceipts.nz@rs-components.com](mailto:rreceipts.nz@rs-components.com)



# WELCOME

**We can't wait until tomorrow to create a more sustainable world; we need to start making changes now.**

Engineers are at the forefront of shaping the world we live in. With responsibility for the design of products from the ground up, including the materials and parts selected, as well as product performance such as power consumption and efficiency, engineers have an opportunity to tackle sustainability issues at source.

In this edition of MRO Solutions, we highlight our wide range of energy-efficient products and sustainable technologies to help you shape tomorrow, today!

## Contents

4	LATEST NEWS
6	RS ESG: ADVANCING SUSTAINABLY
8	RS ESG: OUR PEOPLE & COMMUNITY
10	OUR SERVICE SOLUTIONS
12	INFINEON: SMART SEMICONDUCTORS FOR ENERGY-EFFICIENT INDUSTRIAL AUTOMATION
14	SUSTAINABLE SEMIS
15	LOW ENERGY OPTOELECTRONICS
16	RENEWABLE ENERGY
17	ARTICLE: RENEWABLE ENERGY TECHNOLOGY
18	DESIGNSPARK ARTICLE ACTIVIST ENGINEERING ENGINEERING FOR A BETTER WORLD
20	TE CONNECTIVITY MOVING AWAY FROM A CENTRALISED ENERGY INFRASTRUCTURE
22	CABLE & WIRE
24	CONNECTORS
26	ARTICLE: WHY SUSTAINABILITY MATTERS IN THE MIDST OF SUPPLY CHAIN DISRUPTIONS
28	SCHNEIDER SOLUTIONS
30	SCHNEIDER ARTICLE: ECOSTRUXTURE FOR EMOBILITY
31	AUTOMATION SOLUTIONS
32	ENCLOSURES & THERMAL MANAGEMENT
34	FESTO
36	RS PRO: YOUR SMART CHOICE FOR MECHANICAL MAINTENANCE
38	FLUKE ARTICLE: 14 WAYS HIDDEN AIR LEAKS WREAK HAVOC ON EQUIPMENT
40	FLUKE SOLUTIONS
42	TEST & MEASUREMENT
44	TOOLS, SOLDERING & ESD
46	CONSUMABLES

Regards,

Scott Philbrook  
**Managing Director**  
**RS Components ANZ**



This edition of MRO Solutions was printed on Monza Recycled Hi Gloss Paper.

Monza Recycled contains 100% recycled fibre and is FSC® Mix Certified, which ensures that pulp is derived from well-managed forests and recycled wood of fibre. Monza Recycled is manufactured by an ISO 14001 certified mill.

# LATEST NEWS

## WEBINAR 7 APRIL 2022 SUSTAINABLE TECHNOLOGIES

Learn how sustainability is not only at the forefront of product development, but how these products and technologies can help you save energy & wastage.

Join us on the 7th April or watch online after the event for insights from the leading industry experts from Schneider Electric, Fluke, Phoenix Contact, ABB & RS PRO and help your business become more sustainable in its operations.

[nz.rs-online.com/sustainable-tech](https://nz.rs-online.com/sustainable-tech)



FLUKE®



## RS HELPS TO STRENGTHEN THE COMMUNITY

RS AUSTRALIA CONTRIBUTES TO SUNCORP STADIUM'S ANNUAL CHRISTMAS LUNCH FOR THE HOMELESS & DISADVANTAGED

For 364 days of the year Suncorp Stadium hosts international sports and music stars from around the country and the world with the 365th day saved for welcoming those less fortunate in the community into the venue for Christmas.

Volunteers from Suncorp Stadium will join Communitify and venue caterers The O'Brien Group Australia to put on a day of Christmas celebrations.

Suncorp Stadium General Manager Alan Graham said the annual lunch is another pillar of the venue's corporate social responsibility.

"Suncorp Stadium is an icon of the Queensland landscape and as such it is our duty to play an active role in supporting and enhancing the local community" he said.


"We are so grateful to the many sponsors who have provided support."

This year, guests will take away Christmas hampers containing life's necessities like toiletry packs, food, blankets, clothing and other essential goods.

**“** Another huge thank you to our friends over at RS Components Australia for your donation providing more goodies for our takeaway hampers. Our Annual Christmas Day Lunch for the homeless & disadvantaged is only possible with the generosity of companies like RS Components!

- Suncorp Stadium

**”**





# RS CELEBRATES INTERNATIONAL WOMENS DAY

## AND RAISES THOUSANDS FOR LOCAL CHARITY



**Colleagues across RS Components joined together on International Women's Day to share why inclusion and equality are important to us.**

**Together we can forge women's equality. Collectively we can all #BreakTheBias.**

**Celebrated annually worldwide on March 8, International Women's Day (IWD) is designed to recognise women's achievements and reinforce equality. This year's campaign theme was #BreakTheBias. Colleagues from across the globe came together to celebrate and strike the #breakthebias pose!**

Group Head of Diversity and Inclusion, Jessica Chu said: "Celebrating IWD across Electrocomponents today is hugely important so we can recognise the amazing female talent we have in our organisation. It's also a day that reminds us of the work we still need to do to reach our ESG gender target of 40% women on our senior leadership team by 2030. We also need to take the time to recognise the journey we are on to ensure we develop and grow our own pipeline of women,

and additionally, ensure we are attracting and recruiting new diverse female talent."

Thanks to the hard work, kindness and contributions from our ANZ team, we were able to raise over \$1160 for Dress for Success Charity plus clothing donation boxes!

By supporting the Dress for Success Charity Drive, we are helping women to get back into work, reconnecting them to their community and helping them transition into a new chapter in their life. For many of these women, the donation will be a lifeline that helps provide the support they need to overcome the barriers they have faced and to embark upon the path towards financial independence.

**#BreakTheBias**

### ABOUT THE CHARITY

**Dress for Success** helps underprivileged women looking to re-enter the workforce with modern business attire and support on the job application process.

*"At Dress for Success, our core styling service depends on impeccable donated workwear, shoes, and accessories so we can dress our clients to nail that interview and thrive in their new role."*





# ADVANCING SUSTAINABILITY

## Advancing sustainability in our organisation and yours



**We are developing sustainable operations and product and service solutions to reduce environmental impacts and tackle climate change.**

Electrocomponents is at the heart of the global industrial sector. We provide products and service solutions that help our customers design, build, maintain, improve and protect their equipment and operations. Every day, we help our customers make amazing happen for a better world – from enabling innovative solutions to keeping businesses, critical industries and communities running.

We are committed to being a strong and sustainable business and bringing our people, customers, suppliers and communities together to accelerate our positive impact. We are determined to leverage our global scale and innovative product and service solutions to advance sustainability and improve lives. By doing so, we know we can play a key role in helping to address some of the world's biggest challenges; from tackling climate change, to building engineering and innovation skills and championing diversity and inclusion.

To make this happen, we're introducing For a better world - our 2030 action plan to support a more sustainable and inclusive world. We've set four global goals by 2030 focused on: advancing sustainability; championing education and innovation; empowering our people; and doing business responsibly. Vision & Strategy

### **Our Progress in Australia & New Zealand**

- CO2 performance and energy use ahead of plan due lower energy use during COVID-19 lockdowns
- Intensity-performance improving supported by strong sales growth
- Waste intensity improving as tonnage is reduced but reductions are in recycled material so % waste recycled is down and % waste to landfill is up.
- Packaging – minor local purchases - weights flat
- Water use down due to working from home

[nz.rs-online.com/esg](https://nz.rs-online.com/esg)

**62%**

reduction in Scope 1 and 2 emissions



**67%**

group electricity usage from renewable sources



**40%**

reduction in waste intensity




**22%**

reduction in packaging intensity



**100%**

Australian warehouse lights are now LED





# OUR PEOPLE & COMMUNITY

**People and innovation are key to driving the change towards a more sustainable and inclusive world.**

**Our focus is on enabling education and innovation that improve lives and inspire the next generation of engineers. Across our communities worldwide, we are implementing educational initiatives to help students realise the potential of careers in technology and engineering.**

We have a strong track record in implementing educational initiatives and we work in collaboration with educational institutions, businesses, industry bodies and governments. We believe that we have a responsibility to enlighten, motivate and excite young people about the career possibilities available in the engineering industry.



## **Two days paid volunteering**

To enable our people to participate in educational initiatives and provide support in their communities, we have introduced two paid volunteering days for all employees. Our people will be able to volunteer for their chosen charitable cause or for our global social commitment, The Washing Machine Project, or for our education partner, Engineers Without Borders-International.







## Helping improve the lives of 100,000 people worldwide.

We are supporting The Washing Machine Project with essential funding, products and expertise to deploy at least 7,500 machines to disadvantaged families and communities in 10 countries over the next three years. Some 70% of the world's population does not have access to an electric washing machine and many people have to wash their clothes by hand in rivers, lakes and buckets. Handwashing

is predominantly left to women and girls, forcing them to spend up to 20 hours per week on this task causing severe back and joint pain and painful skin irritation, as well as preventing the chance of an education.

The Washing Machine Project has built an affordable, easy to maintain, manual crank washing machine, requiring no electricity, using 50% less water than handwashing and reducing the time spent on this task by 75%.

Together, our goal is to improve the lives of 100,000 people by offering them better health, education and economic opportunities.

Find out more at:

[electrocomponents.com/esg](https://electrocomponents.com/esg)



## Partnering with Engineers Without Borders

We are proud to announce our partnership with Engineers Without Borders Australia, and their School Outreach program designed to inspire students from diverse backgrounds to create a better world through engineering. The EWB and RS partnership aims to not only inspire STEM, but strengthen relationships with First Nations communities, as well as contribute to initiatives that increase cultural

understanding, the access of First Nations Australians to appropriate technology, and strengthen their career opportunities within the engineering sector.

EWB began in Melbourne in 2003 with a small group of engineers dedicated to harnessing the potential of engineering to create an equitable reality for the planet and its people. Today, the EWB community includes thousands of people and dozens of organisations working together to engineer a better world.

The EWB partnership is a significant step in our commitment as a business to create long standing ties with the ATSI community.

We also have a Global partnership with Engineers Without Borders-International to involve 20,000 students in engineering design challenges that address global issues

We recognise the need to tackle the skills gap and support the next generation of engineers who will shape our future world. We are supporting 20,000 engineering students from Australia, South Africa, UK and US who participate in the Engineers Without Borders annual competition, Engineering for People Design Challenge.

Find out more at:

[nz.rs-online.com/ewb](https://nz.rs-online.com/ewb)



# Our Solutions

**Our solutions support you across the product lifecycle through design, build and maintain.**

We can also give you advice on flexible delivery options, cost-saving ways to help you manage your inventory and procurement, through to preventative maintenance and eCommerce solutions.

## Product Support

- We offer easy access to product support resources online or by phone.
- Our Customer Services team can help understand your needs offering product support or directing your enquiry to a qualified engineer.
- Speak to a live chat member on our website for help in finding products or other technical information.
- Or take a look at our technical data sheets which are available at product level. This can help save time, allowing you access to technical information 24/7.



## Delivery and Invoice Options

**With a range of flexible delivery and invoicing options all designed to suit you**

- From same day to next working day to call off and consolidated delivery, we've a range of flexible delivery options to suit you.
- Stay in control of your spend and reduce your purchase to pay costs with our invoicing and payment services.



## Calibration

**The RS calibration service maintains compliance across a wide range of assets to international standards.**

- From thermometry to test meters and measuring devices, you can be confident your equipment is compliant.
- Buy new, calibrated, ready-to-use equipment or, request recalibration of your own products with a fast turnaround and delivery.
- ISO9001:2015 Standard or NATA-accredited laboratory
- Have full traceability of your equipment's conformity for audit purposes.





## Procurement Solutions

**We have different solutions to help you manage your RS orders.** From simple web tools to integrated eProcurement solutions.

Our procurement solutions support customers with complex needs to drive vendor consolidation, reduce costs, improve productivity and deliver innovation.

### Product Plus

**RS Product Plus is an exclusive service for customers looking to consolidate their spend.** Our specialist team can support your requirements and help you source products not published on our website.

Using our expertise and relationships with over 2,500 key manufacturers, we provide access to over a million products. We will also let you know if we find an alternative product offering extract functionality or value for money benefits.

- **Consolidate your vendors:** saving time managing multiple suppliers and reducing purchase-to-pay costs
- **Leverage your spend:** by placing your orders with fewer suppliers
- **Save time and speed up sourcing:** as there's no need for your teams to search and negotiate with multiple suppliers



## eCommerce Solutions

For a more efficient process for your industrial and electronics product procurement, we have a service to fit your business requirements. From web-based and mobile ordering through to integrated procurement solutions.

### PurchasingManager™

A free web order management solution that helps you manage your spend, whilst providing visibility of orders placed through the RS website.

### PunchOut

Integrated into your own eProcurement system, providing fast and easy access to our full product range and purchase information.

### eOrdering

Fast and secure ordering direct from your system to ours. Improves accuracy by eliminating order and invoicing errors.

### eInvoicing

Fast and secure invoicing direct from our system to yours. Eliminates paper, whilst saving you time and money in administration processes.



Learn more at [nz.rs-online.com/services](https://nz.rs-online.com/services) or contact our team



# SMART SEMICONDUCTORS FOR ENERGY-EFFICIENT INDUSTRIAL AUTOMATION


**Industrial automation is leading the way to the fourth industrial revolution, also known as Industry 4.0. It is the essential driver for efficiency in global productivity; a growing number of smart factories all over the world increasingly rely on automation. At its core, industrial automation helps companies use all resources for manufacturing and other value-generating processes as efficiently as possible – from base materials to energy.**

Big Data analytics lets manufacturers not only continuously improve their products and processes, but also lets them develop new services such as predictive maintenance and automated software updates. Smart semiconductor solutions are the essential gatekeepers for these developments and innovations. At many automation touchpoints they ensure efficient and secure data flow, control the speed of industrial motors and facilitate unexpected gains in overall flexibility.

## INDUSTRIAL AUTOMATION RELIES ON ALL KINDS OF SEMICONDUCTORS

Successful industrial automation is linked to powerful, secure and smart components. Looking at typical applications, industrial automation ranges from simple thermostats in single devices to large industrial control systems which include tens of thousands of input measurements and output control signals. They also include sensors, isolated interfaces for sampling measurement data, control applications in remote clients, classic PLCs (Programmable Logic Controllers) and other edge-control elements to the cloud for processing data.

There are power semiconductors such as IGBTs and MOSFETs, gate drivers and dedicated controllers in the field of motion control and robotics. While fully focusing this portfolio on the efficient use of energy, Infineon can address the entire range of applications including robotics, machine tools, pumps, fans and high-power drives, and can enable more while using less.



## BROAD PORTFOLIO FOR OPTIMIZED EFFICIENCY

Infineon power semiconductors connect the real and the digital world in the industrial space at the highest possible energy levels and reduce energy losses in all applications. For example, power semiconductors and related gate drivers from Infineon control the variable speed of industrial motors. Sensors measure motor speed as well as the environmental and internal conditions of a machine. Isolated interfaces operate systems in high-voltage domains, interacting e.g. with motors and low-voltage domains where controllers perform safe system operations. There are microcontrollers that perform control algorithms or AI to operate machines. Furthermore, there are connectivity devices in the area of Wi-Fi® and Bluetooth® for the Industrial Internet of Things as well as security devices which guarantee safe operation restricted to authorized users only and use of only properly certified original system elements.



## Infineon CoolSiC™ 1200 V, 45 mΩ SiC MOSFET

- Best in class switching and conduction losses
- Benchmark high threshold voltage,  $V_{th} > 4\text{ V}$
- 0V turn-off gate voltage for easy and simple gate drive
- Wide gate-source voltage range
- Robust and low loss body diode rated for hard commutation



<b>222-4865</b>	52 A, 1200 V	IMZ120R045M1XKSA1
<b>222-4867</b>	26 A, 1200 V	IMZ120R090M1HXKSA1
<b>222-4868</b>	19 A, 1200 V, (Tube of 30)	IMZ120R140M1HXKSA1
<b>222-4872</b>	4.7 A, 1200 V, (Tube of 30)	IMZ120R350M1HXKSA1

## thinQ! Silicon Carbide (SiC) Schottky Diode

- The Infineon thinQ!™ Generation 5 offers a new thin wafer technology for SiC Schottky Barrier diodes improving the thermal characteristics
- The SiC Schottky Diode devices offer advantageous high voltage power semiconductor features such as higher breakdown field strength and improved thermal conductivity allowing greater efficiency levels



<b>133-9945</b>	1200V 56A	IDH20G120C5XKSA1
<b>133-9852</b>	1200V 11.8A (Pack of 2)	IDH02G120C5XKSA1

## Infineon EiceDRIVER™ Isolated Gate Driver

- Single channel isolated gate driver
- For use with 600 V/650 V/1200 V/1700 V/2300 V IGBTs, Si and SiC MOSFETs
- Up to 14.0 A typical peak output current
- 40 V absolute maximum output supply voltage



<b>228-6505</b>	13.5 A, 35V 8-Pin (Pack of 5)	1ED3124MU12FXUMA1
-----------------	-------------------------------	-------------------

## Evaluation Board For EiceDRIVER

- The Infineon's evaluation board is in half-bridge configuration with two-level slew-rate control enabled gate driver ICs 1ED3241MC12H
- This board enables the evaluation of the slew-rate control switching scheme. The switch type can be freely chosen



<b>232-5724</b>	Evaluation Board	EVAL1ED3241MC12HTOBO1
-----------------	------------------	-----------------------

## Bridgeless Totem-Pole PFC Evaluation Board

- High efficiency bridgeless totem-pole PFC
- Perfect for high efficiency applications (close to 99%)
- Bidirectional operation (digital control)
- High power density
- Enabled by CoolSiC™ MOSFET 650V



<b>214-1996</b>	PFC Controller	EVAL3K3WTPPFCISICTOBO1
-----------------	----------------	------------------------

### Data-Logging Memory

- Nonvolatile Ferroelectric RAM Memory
- Fast write speed
- High endurance
- Low power consumption



**124-2933** 4Mbit SPI FRAM Memory 8-Pin SOIC

CY15B104Q-SXI

### CYBLE-013030-00 Bluetooth Module

- The CYBLE-01201\*-x0 module contains all the necessary components to add low-power Bluetooth BLE wireless connectivity to a project design
- It includes a royalty-free BLE stack compatible with the Bluetooth 4.1 standard



**181-3749** Single Unit

CYBLE-013030-00

### Wi-Fi Antennas with Cable

- With a micro-coaxial cable, both antennas ensure that you have a consistent and fast Wi-Fi connection for use with your devices.
- The Wi-Fi antennas are ideal for use within applications such as Machine to Machine communication (M2M), smartmeters, Industrial, Scientific & Medical (ISM) band systems, cameras, navigation devices, mobile gaming devices and ZigBee IEEE 802.15.4 devices



### molex

<b>907-6510</b>	4G (LTE), WiFi (Dual Band)	146153-0250
<b>904-8231</b>	Bluetooth (BLE), WiFi (Pack of 2)	47950-0011
<b>907-6517</b>	4G (LTE), WiFi (Dual Band)	146153-0100

### MAX44284 - Low-Power Current-Sense Amplifier

- Supports Use of Small Current-Sense Resistors to Improve Power
- Supply Conversion Efficiency and Measurement Accuracy
- Input Bias Current of 80nA (max)
- Very Low 2µV Input Offset Voltage (MAX44284F/H)



**190-6395** H version (pack of 5)

MAX44284HAUT+T

**190-6383** F version (pack of 5)

MAX44284FAUT+T

### Comparator & Voltage Reference

- 1.5V to 5.5V operating range
- 1.5µA typical supply current
- ±1.25% voltage threshold accuracy
- 10nA maximum input leakage current over temperature
- 10µs propagation delay
- Externally adjustable hysteresis (MIC841)




**177-3305** Push-Pull O/P, 12µs 5-Pin SC-70 (Pack of 5)

CY15B104Q-SXI

## Displaytech 204G series LCD Display

- The Displaytech 204G series is a STN transmissive type LCD display which has supply voltage of typically 4.2 V
- It has dot size of 0.55 X 0.55 mm and dot pitch of 0.60 X 0.60 mm
- It has low power consumption and cost effective.



*Displaytech Ltd*

<b>210-9046</b>	Yellow-Green on, Transmissive	204G CC BC-3LP
<b>210-9040</b>	Yellow-Green on, 2 × 16 Characters, Transflective	202G BC BW
<b>210-9038</b>	White on, Transflective	164G FC BW-3LP
<b>210-9035</b>	White on, 2 × 16 Characters, Transflective	162M FC BC-3LP

## TEC Flex Protect Shortpitch 300 Pre-wired LED strips

- Simple and quick plug-and-play installation
- Easy mounting on many smooth surfaces thanks to self-adhesive tape at the back
- Flexible and cuttable LED strip
- Recommended in system use with OPTOTRONIC



## OSCONIQ S 5050 Horti LED

- The ideal white LED that enables luminaires to maximize system level photon efficacy performance for horticulture applications
- Unlike conventional white LEDs, OSRAM's Horti White LEDs utilizes a customized phosphor solution designed to facilitate the increase of on-converted red photons to deliver superior fixture level efficacy



**OSRAM**

<b>210-1538</b>	White, 5000mm	TF1500S-G1-865-05
<b>210-1535</b>	White, 500mm	TF1500S-G1-827-05
<b>210-1536</b>	White, 5000mm	TF1500S-G1-840-05

**OSRAM**

<b>223-0928</b>	(Pack of 10)	GW Q9LR32.HW-AEAF-M2-1-180-R18
<b>223-0926</b>	(Pack of 10)	GW Q9LR32.HW-AEAF-M1-1-180-R18
<b>223-0930</b>	(Pack of 10)	GW Q9LR32.HW-AEAF-M3-1-180-R18

### Solar Charge Regulator Steca PR

- Hybrid controller
- State of charge determination with Steca AtonIC (SOC)
- Automatic detection of voltage
- PWM control
- Multistage charging technology



**860-2887** 20A solar charge controller

PR 2020

### RS PRO 5wp Solar Panel Kit Bulk Pack

- High-efficiency crystalline cell for "all-weather" charging
- Perfect for battery maintenance and off-grid lighting projects
- Water resistant, robust construction for outdoor use
- Inbuilt diode protects against battery discharge



**904-6128** 5W Polycrystalline solar panel

### Solar Panel Connector

- IP67 connectors designed to meet the stringent requirement of Photovoltaic installations
- Equipped MC-Multilams on the plugs make a very low contact resistant
- Central fixing hole for tying to structure.



<b>560-947</b>	Female to Male, CSA, 2.5 → 4.0mm <sup>2</sup> , Rated At 30A, 1kV	32.0018+32.0019
<b>560-997</b>	Male, CSA, 4 → 6mm <sup>2</sup> , Rated At 30A, 1kV (Pack of 5)	32.0017P0001
<b>560-975</b>	Female, CSA, 4 → 6mm <sup>2</sup> , Rated At 30A, 1kV (Pack f 5)	32.0016P0001

### RS PRO ±1% Photovoltaic Cell Analyser

- Current and voltage accuracy of ±1%
- Voltage measurement range of 0 to 60 V DC
- Current measurement range of 0.01 to 6 A
- Operating temperature range of 0°C to +50°C
- Dimensions of 155 (length) x 57 (width) x 257 mm (height)



**123-2205** Rechargeable Li-Ion Battery 12A 60V dc

### Solar Technology 80W Kit Renewable Energy Kit

- High efficiency crystalline cell for "all weather" charging
- Dimensions: 1196×542×35mm
- Weight: 7.8kg
- Amps/day: up to 35-84
- Amps/Hr: 5.12



**769-4233** 80W

STP080MA



# RENEWABLE ENERGY TECHNOLOGY

## ADVANTAGES AND DISADVANTAGES OF USING RENEWABLE ENERGY

### THE BACKGROUND

By definition, renewable energy comes from processes or sources that are continually being replenished. These include, for example, solar, wind, geothermal and hydropower.

Renewable resources are virtually inexhaustible in the long term but are limited in terms of the amount of energy generated per unit of time.

These sources are frequently considered to be green or clean energy, although there are major differences. Renewable energy sources are recyclable and clean energy doesn't release pollutants such as carbon dioxide into the atmosphere. Green energy originates from natural sources.

However, not all types of renewable energy are entirely green or clean. For instance, hydropower plants can cause deforestation and damage natural habitats.

### ADVANTAGES & DISADVANTAGES OF RENEWABLE ENERGY

Renewable energy sources will not be exhausted, at least not for many millions of years. They provide a viable alternative to non-renewable resources, such as fossil fuels. Many are also environmentally friendly and do not produce CO<sub>2</sub>.

All types of renewable energy technology have advantages and disadvantages, frequently relating to supply, which means the best solution is often to combine different types.

#### Alternative Energy Benefits

- Renewable energy provides a number of advantages, including readily available energy sources.
- As the industry has advanced, there has also been a surge in job creation, to install and develop the state-of-the-art renewable energy technology of the future. Renewables also offer improved access to energy on a global scale and may also reduce the cost of utility bills.
- One of renewable energy's major advantages is that it is mostly clean and green - especially solar and wind power.
- The effectiveness of renewables depends on the energy resource used. Some renewable sources are more readily available and effective while others, such as geothermal, are only accessible in certain locations.
- In general, renewable energy has the potential to reduce electricity sector emissions by around 80%.

#### Renewable Energy Disadvantages

- Renewable energy sources can't be relied upon. Solar power can't be generated at night or on cloudy days, and on still days, there is insufficient wind to generate power. This is one of the reasons why fossil fuels like natural gas are still used in many countries.
- Another option is to combine multiple renewable technologies, creating a more robust and flexible supply system, which

can counteract production shortfalls for a single source.

- Some renewable resources, such as biomass and hydropower, don't have these problems. However, both have their own issues in terms of environmental impact
- In addition, some renewable energy sources, like solar and wind farms, are not popular with local residents who don't want them installed near their homes.

### IN CONCLUSION

Renewable energy can play an important role in reducing greenhouse gas emissions and combatting climate change.

It can also help reduce the need to import energy and use fossil fuels which are currently the main source of carbon dioxide emissions.

Renewable energy looks set to be a major part of future energy provision, alongside other clean sources such as nuclear energy.

The shift towards a greener future for power generation is driving a rise in job creation in renewable energy industries such as solar and wind power.

Even if the main issue with renewables is linked to supply, with reliable supplies and fuel diversification, renewable energy could meet our energy needs in the years to come.

Discover our range of Renewable Energy Products and learn how energy-conscious innovations can help you design smarter solutions today, for our world's tomorrow at

 [nz.rs-online.com/sustainable-tech](https://nz.rs-online.com/sustainable-tech)



# ACTIVIST ENGINEERING ENGINEERING FOR A BETTER WORLD

Engineers have been at the forefront of shaping the world we live in. There's evidence all over our planet showing how early civilisations fashioned basic tools to build things to make life better, one of the most significant examples is The Great Pyramids. Built around 5000 years ago, these are still visible today! These days things aren't quite "built to last", with perhaps the exception of the Nokia 3110, where urban myth says that it would still likely power up after being buried in the sand for 5 Millenia!

Although the profession of engineering emerged in the 1500s, it wasn't until The First Industrial revolution in 1765 where the age of steam power led to mechanized production. The Second Industrial Revolution brought us Electricity in 1870 and the Third in 1969 brought us computing and the beginning of space exploration. We now find ourselves in the dawn of Industry 4.0, where Smart connected factories will transform manufacturing to be more efficient.

## #ActivistEngineering

Although Engineering has shaped the way we live and work, it's also contributed to many of the environmental

challenges we are living with today. Our hunger for the latest technologies has created a throwaway economy with many of our personal effects and gadgets having a much shorter lifespan than days gone by. Much of this sadly ends up in a landfill earlier than it needs to, either due to low quality or obsolescence.

Cop 26 ran during the first two weeks of November 2021 in Glasgow, Scotland. World leaders assembled to address how together we can tackle the problems that are damaging the planet and the health of its inhabitants. If we don't work together and don't act now, it may be too late to repair the damage.

As Engineers, we play a key role in society. The products and technologies we develop can directly affect people's lives and wellbeing, as well as the health of our planet.

At DesignSpark we reach and engage with millions of engineers from around the world, we work with world-leading manufactures of technologies that are the building blocks for engineers. To help us all on an engineering journey that makes a difference to the world we live in, we want

to help educate and influence engineering responsibility to all generations of engineers, so that together we can all be "Activist Engineers"

Sustainability is becoming high on the agenda for companies as well as individuals, and we all need to play our part in looking after the environment and its inhabitants. As Engineers, we can make a real difference in the way that products are being designed. From conception, ensuring that that we are designing products to last longer and use fewer components and materials, as well as being more aware of what happens to them once they have reached their end of life.

Can products be re-used, recycled, or more easily repaired? Are they using precious natural resources that end up in landfills across the world? We want you to join us and influence how design through #ActivistEngineering commits engineers to step back and ask how they can create engineering outcomes that have a more positive impact on the world around us.

## Sustainability by design

We all read every day the impact we are having on the



world around us, we all have a responsibility to make a change no matter how small that is, is there something that we could be doing but are not doing today? How can we as engineers make a difference and become active participants? By taking direct action and influencing those around us to also make a change we can become influencers for #ActivistEngineering.

We want to celebrate the role that design engineers play in solving sustainability challenges and enhancing the wellbeing of those less fortunate. How are you innovating to create fresh solutions to address current environmental issues? What can you do to make a difference or

it might be that you are already doing something?

With the introduction of new legislation and the push politically to become Net Zero, we will all be impacted by these changes in how we live and how we as consumers come to view products and how these impact the environment around us. What will this journey look like from where we are today to a world where the earth's resources become more limited, and we become less reliant upon fossil fuels for energy.

Do we all know where the raw materials come from for the products being designed and how far do they travel, how

much energy do we need to manufacture them and what are the waste products?

We need to consider the whole-life impact of our designs.

For the most impact, all design processes will need to be considered as we move forward. We need to change from being a throwaway society and we need to enact change through design to change this. What are your thoughts, how can we help, what can our suppliers do to enable this change to happen and happen faster, please tell us! We want you to share your thoughts and stories on DesignSpark.com and across social media platforms - #ActivistEngineering

**Why not join DesignSpark today at**  
[www.rs-online.com/designspark/register](http://www.rs-online.com/designspark/register)

# MOVING AWAY FROM A CENTRALISED ENERGY INFRASTRUCTURE



Our relationship with energy is under the spotlight as the effects of climate change are felt around the world. With the global population expected to reach 10 billion by the middle of this century, we must question our ever-increasing appetite for energy. New technology will be key to providing solutions that will help to reduce our impact on the environment.

Over 60% of the electricity produced globally is generated by the burning of fossil fuels. This number increases to over 80% if we include the energy created for heating and transportation. The energy industry is embracing alternative technologies such as solar and wind power to counter this dependence and help reverse our impact on the environment.

There are exciting new technologies that are reducing our need for a large, centralised energy infrastructure. Microgeneration, whether using familiar solutions such as wind and solar or newer alternatives such as biomass-fuelled power plants, is allowing many of us to generate power locally and take control of our own energy needs.

Local power generation will reduce the homeowner's reliance on energy provided by the traditional power grid. New energy storage solutions will allow the homeowner to manage their own energy supply. The growth of

electric vehicles will also play an important role, with their large storage capacity linked into an integrated energy management network.

From these new technologies has emerged the idea of New Energy, which encompasses not just clean sources but an integrated solution for the creation, storage, and transfer of power. The home itself will play a central role in the future of our energy needs, as we will no longer play a passive role in the energy market. The latest power management solutions will provide clean energy along with seamless control, allowing us to monitor our usage at the touch of a screen.

TE Connectivity has years of experience in providing components for the alternative energy market. Harnessing this expertise, TE Connectivity now offers a comprehensive range of energy management solutions that will help power the home of tomorrow. Take a look at the latest solutions available from RS Components.

STOCK NO	DESCRIPTION	MPN
185-9664	T9V SERIES PCB RELAY	2027395-5
220-5072	IHVA200 SERIES HIGH VOLTAGE CONTACTOR	1-2071499-1
190-2027	2270024-1 SOLARLOK PV4-S SERIES (PACK OF 5)	2270024-1
190-2029	2270025-1 SOLARLOK PV4-S SERIES (PACK OF 5)	2270025-1
192-0164	HEAVY DUTY CONNECTORS, 6 POSITIONS	T2040062201-000
192-0102	HEAVY DUTY CONNECTORS, 10 POSITIONS	T2040102201-000
192-0116	HEAVY DUTY CONNECTORS, 24 POSITIONS	T2040242101-000
205-0060	INTERCONTEC CONNECTORS, 8 PINS	BEGA121NN00000100000
205-0045	INTERCONTEC CONNECTORS, 12 PINS	AKUA020NN00090200000
205-0044	INTERCONTEC CONNECTORS, 12 PINS	AKUA020NN00410240000
205-0046	INTERCONTEC CONNECTORS, 17 PINS	AEGA139NN00000201000

### SOLARLOK PV4-S connector kit

- Provides waterproof protection
- Minimizes power loss by providing low contact resistance




190-2029 (Pack of 5)

2270025-1

### EPM-5001 Series SMT Optical Detector Assembly

- Fast Response
- Matched to 660nm Emitter
- High Efficiency
- Clear Epoxy Lens



197-5282 8.07mm<sup>2</sup>

10104019-20

### CGAT Adhesive lined 3:1 Heat Shrink Tubing

- High strength bonding
- Moisture proof
- Flame retarded jacket
- Environmental sealing



157-3818 12mm

CGAT-12/4-0

157-3824 18mm

CGAT-18/6-0

157-3903 24mm

CGAT-24/8-0

### DT Series Automotive Connectors

- Designed for cable to cable connections, and when mated is sealed to a high degree of environmental protection
- Safe, versatile and reliable, DT plug connectors are ideal for automotive applications



425-692 2 Way Plug Connector

DT062S-CE06

425-682 3 Way Socket Connector

DT063S-CE06

### Universal Crimp Tool

- From Deutsch, this universal hand crimp tool has an eight-indent crimp designed to be used with solid contacts sizes 12, 16 and 20
- Used with both pin and socket contacts, the crimp tool features a simple screw adjustment for height/contact size, and a dial to select applicable wire sizes



425-973 20AWG to 12AWG

HDT-48-00

### Tri-rated Cable - 4 mm<sup>2</sup> CSA, 1 kV, 41 A

- High quality range of Tri Rated cables
- Voltage rating of 600 / 1000 V
- Class 5 flexibility
- A HR PVC (Heat Resistant PVC) insulation enabling the cable to be used in high temperature applications



<b>811-1442</b>	Black (100 metre reel)
<b>906-2713</b>	Dark Blue (100 metre reel)
<b>815-8611</b>	Pink (100 metre reel)
<b>811-1454</b>	Yellow (100 metre reel)

### RS PRO Power Cords

- From RS Pro a high quality and durable range of power cords for connecting an appliance to a mains power supply



<b>321-168</b>	Unterminated to AS/NZS 3112, 2.5M
<b>321-219</b>	C19, IEC to C20, IEC, 2M
<b>445-740</b>	C14, IEC to C14, IEC, 5M

### RS PRO OM1 Multi Mode Fibre Optic Cable

- The RS Pro multimode, fibre optic cable has a straight tip (ST) to straight tip (ST) connector with a twist lock coupling that are easy to insert and remove
- The low smoke zero halogen (LSZH) cables come in OM1 and OM 2 which both work well with LED based equipment
- Available in Simplex and Duplex configurations
- Polished ceramic ferrules



<b>535-7395</b>	62.5/125µm, Orange, 2m
<b>535-7430</b>	62.5/125µm, Orange, 10m
<b>738-8492</b>	62.5/125µm, Orange, 20m

### SY Control Cable


- Galvanised steel wire braided flexible control cable designed for measuring, control or regulation under tough mechanical stresses
- For installations where free movement is required without tensile stresses
- Examples shown are 1.0mm<sup>2</sup>. Other CSAs available from 0.75mm<sup>2</sup> to 6mm<sup>2</sup>, all supplied on 50m reels (100m reel options coming soon)



<b>196-4657</b>	2 core
<b>196-4692</b>	3 core
<b>196-4683</b>	4 core
<b>196-4682</b>	5 core
<b>196-4685</b>	7 core
<b>196-4704</b>	12 core

## EcoWire Plus


- EcoWire Plus offers all of the environmental benefits of standard EcoWire such as being smaller and lighter than PVC alternatives, plus additional fluid and chemical resistance
- Up to 45% smaller and 40% lighter than XLPE
- Rated from -40°C to +110°C at 300 V
- Meets ISO 6772 for oil and hazardous fluid resistance
- Supplied on 30m reels. Examples shown. Full range available on the RS website



<b>749-5288</b>	0.08mm <sup>2</sup> black	6820 BK005
<b>749-5301</b>	0.08mm <sup>2</sup> red	6820 RD005
<b>749-5310</b>	0.08mm <sup>2</sup> white	6820 WH005
<b>749-5317</b>	0.13mm <sup>2</sup> black	6821 BK005
<b>749-5373</b>	0.33mm <sup>2</sup> black	6823 BK005
<b>749-5395</b>	0.33mm <sup>2</sup> red	6823 RD005

## Metric EcoWire®

- Metric EcoWire® saves space in your critical applications where space is at a premium
- Zero-halogen, no phthalates or heavy metals
- 600V cable that is 45% smaller and 40% lighter
- Examples shown. Full range available on the RS website



<b>201-2704</b>	0.25mm <sup>2</sup> black 100m	67025 BK033
<b>201-2731</b>	0.25mm <sup>2</sup> red 100m	67025 RD033
<b>201-2740</b>	0.5mm <sup>2</sup> black 50m	67050 BK321
<b>201-2761</b>	0.75mm <sup>2</sup> black 50m	67075 BK321
<b>201-2663</b>	1mm <sup>2</sup> black 50m	67010 BK321
<b>201-2689</b>	1mm <sup>2</sup> red 50m	67010 RD321

## ÖLFLEX® Servo FD 796 CP

- Highly flexible screened servo cable with PUR outer sheath.
- Extended line performance - long travel lengths or high acceleration.
- 600-1000V rated with a temperature range from -40°C to +90°C



<b>800-3221</b>	3C+E 1.5mm + 2×(2×0.75mm)	0027969
<b>800-3192</b>	3C+E 1.5mm + (2×1.5mm)	0027959
<b>800-3195</b>	3C+E 2.5mm + (2×1.5mm)	0027960

## T1 Twister Industrial Single Pair Ethernet (SPE)

- Robust two-wire Ethernet communication – reduces weight & cost for industrial applications
- Up to 1000m reach with 10Mbit/s data performance and PoDL functionality – reduces system complexity
- Barrier-free communication from shop floor to Cloud computing – simplifies design and implementation



<b>203-9051</b>	Industrial angled jack	09452812800333
<b>203-9053</b>	0.5m cable assembly	33280101001005
<b>203-9054</b>	1m cable assembly	33280101001010
<b>203-9055</b>	2m cable assembly	33280101001020
<b>203-9057</b>	5m cable assembly	33280101001050
<b>203-9062</b>	10m cable assembly	09456002004
<b>203-9063</b>	50m cable assembly	09456002003

## ix-Industrial®

- RJ45 performance in 70% less space – reduced PCB real-estate, increased stacking density
- Positive snap-in mating feature – robust metal construction provides effective audio confirmation of connection
- 5-point PCB THR hold-down contacts – high retention force & excellent shock/vibration performance



<b>178-4192</b>	Type B, solder termination	09451819000XL
<b>178-4193</b>	Type B, IDC termination	09451819001XL
<b>178-4195</b>	Female PCB connector	09452819000333
<b>178-4180</b>	Type A, solder termination	09451812560XL
<b>178-4182</b>	Type A, IDC termination	09451812561XL
<b>178-4184</b>	1m cable assembly	09482612749010

## Han®1A Heavy Duty Power Connectors

- Lightweight IP65 robust plastic housing & inserts – 30% smaller than full metal system
- Easy to use locking system – quick and easy click & mate design
- Modular design - power, signal & data options within the same housing



<b>188-1487</b>	Locking lever	09100005200
<b>188-1488</b>	Housing, straight	09100000300
<b>188-1489</b>	Housing, angled	09100000800
<b>188-1491</b>	Strain relief	09100005300
<b>188-1493</b>	Cable adapter	09100000400

## Buccaneer Standard Sealed Power Connectors

- IP68
- UL94HB Housing
- Insulation Resistance of >10<sup>4</sup> MΩ @ 500 V dc



<b>275-5342</b>	Screw terminal plug	PX0745/P
<b>275-5364</b>	Screw terminal socket	PX0745/S
<b>275-5392</b>	Inline coupler plug	PX0746/P
<b>275-5409</b>	Inline coupler socket	PX0746/S

## CoolSplice Connectors Reduce Wiring Time

- Time saving splice connectors using IDC connection technology - no wire stripping needed!
- Push button operation for ease of installation with industry proven reliability



<b>130-0889</b>	2 × 1.5-2.5mm <sup>2</sup>	2213600-1
<b>130-0891</b>	1 × 0.75-1.5mm <sup>2</sup> / 1 × 1.5-2.5mm <sup>2</sup>	2213600-3
<b>130-0890</b>	1 × 0.75-2.5mm <sup>2</sup> / 1 × 1.5-4mm <sup>2</sup>	2213600-2
<b>161-4013</b>	2 × 1.5-2.5mm <sup>2</sup> , box of 39	2213600-1


## PTFIX Distribution Blocks

- Distribution blocks using time-saving, tool-free push-in direct connection technology
- Compact design enables space savings of up to 50% as well as simpler wiring
- Available with 6, 12, and 18 terminal points, with various mounting options, and eleven colours for clear, intuitive, and safe installation



<b>136-3231</b>	6X2,5-NS35 Grey	3273000
<b>136-3232</b>	12X2,5-NS35 Grey	3273022
<b>136-3233</b>	18X2,5-NS35 Grey	3273044
<b>136-3240</b>	6/6X2,5-NS35 Grey	3273066
<b>136-3241</b>	6/12X2,5-NS35 Grey	3273088
<b>136-3242</b>	6/18X2,5-NS35 Grey	3273110





## Push-in Technology

Designed by PHOENIX CONTACT



# Simply unpack, connect and you're done

### PTFIX distribution blocks

Save time and space in potential distribution with the ready-to-connect Push-in distribution blocks. The blocks are available with various cross sections, numbers of positions, mounting methods, and colors. They are ready for immediate use and can be extended as needed.

To learn more visit the RS website and search for "PTFIX"



# WHY SUSTAINABILITY MATTERS IN THE MIDST OF SUPPLY CHAIN DISRUPTIONS

The year 2021 has seen one of the greatest disruptions to supply chains, with the entire industry being put through a stress test while also dealing with rising fuel costs. In addition to these disruptions, the threat of climate change due to rising emissions and its catastrophic impacts was emphasised during the COP26 held in Glasgow. After all, the supply chain industry alone accounts for more than 50 percent of annual greenhouse gas emissions. The sense of urgency surrounding climate change has pushed consumers to expect more from their suppliers, with mounting pressure from companies' stakeholders for companies to embrace sustainable solutions across their businesses. Fortunately, supply chains are still focusing heavily on their sustainability efforts, despite the disruption and rising fuel costs.

## **COVID - a hindrance to sustainability efforts**

Supply chain resilience is not novel and has been a topic of discussion by many. The supply chain industry has weathered through many unprecedented events, and several decades of experience have taught many in the field to buffer stocks, and adopt a just in time sourcing model to reduce inventory levels. However, no one could have predicted the effects COVID-19 pandemic had on supply chains. For the first time ever, the stress on supply chains was unparalleled to what years of experience had taught us. Shortages from raw materials to cars are reaching historic levels. Instead of organizations being focused on implementing sustainable practices, they were forced to turn their attention to procuring enough inventory.

## **How technology can help drive sustainability**

With each passing year, technology becomes more advanced. Together with Industry 4.0, technology can be used to aid sustainability efforts in the manufacturing industry. For example, manufacturers can invest and integrate green technology when rebuilding or restoring machines. This extends machine productivity and use, while lowering the carbon footprint. Other emerging technologies such as AI are now being used widely across the board, and have the potential to transform manual repetitive tasks into highly automated processes. Smart manufacturing also enables manufacturers to create accurate and detailed production plans and helps manufacturers predict failure and monitor product defects. However, it is not a one-way street. When making the

shift to technology, it's important for manufacturers to ensure their suppliers and business partners are also on the same page, sharing the commitment to sustainability and having the capabilities to support them in their green mission.

For example, at RS, we have adopted eProcurement solutions such as RS Purchasing Manager and Product Plus. RS' eProcurement solution allows users greater control over their procurement and purchasing processes. The solution gives businesses full visibility into their spending, and accurate purchasing data. Thus, this ensures minimal errors during procurement and maximum Purchase to Pay process at cost reductions. Such solutions increase procurement efficiency, reduce costs, and leads to less wastage. Some other processes include predictive maintenance. Adopting this technology, it allows us to push supply chains towards further transparency and sustainability. Manufacturers can get full visibility into energy consumption across operations, be able to look out for equipment reliability and maintenance, and ensure that energy is efficiently utilised.

### **Net Zero Supply Chains**

Fortunately, the commitment to tackling climate change is accelerating in all sectors of society. However, one of the ways we could accelerate the goal of achieving a net-zero supply chain is by decarbonizing supply chains. With as many as 1,400 companies pledging to reach net-zero by 2050, it is a must to adopt for manufacturers. Furthermore, it has become mandatory to meet tightening regulatory sustainability requirements and this move has compelled manufacturers to optimize their supply chains.

Some climate leading companies

have introduced low-carbon governance into their business models. This includes embedding carbon reduction considerations into product development, procurement, finance and so forth, so those management incentives are aligned around them. Some have also chosen to redesign products. For example, creating a closed-loop system that increases the number of recycled materials — a strategy increasingly embraced by electronics companies including Dell Technologies and HP Inc. Swapping out one material or component for another is also another method, as Unilever is prioritizing with its cleaning products.

Other tactics include calculating an emissions baseline and moving to share data with suppliers. Siemens, for example, is collaborating on a pilot program to measure emissions for a washing machine along the entire supply chain. Lastly, they have also set targets that “cascade” net-zero emissions ambitions down to their suppliers. Manufacturers are also seeking out environmentally responsible suppliers. They are also encouraging suppliers to set science-based reduction commitments – or require them to adhere to the targets based on the pledge.

### **How will the increased scrutiny from central banks and banks drive sustainability efforts across the industry?**

According to an article published by South China Morning Post, a past survey shows that 91 percent of global consumers expect businesses to address social and environmental issues, and 90 percent of them would boycott a company if it were engaged in irresponsible business practices. There is a clear distinction between brands that are actualizing supply chain sustainability and brands

that are marketing supply chain sustainability. A truly green supply chain is a supply chain that implements strategies and actions to improve performance in areas that are not eco-friendly or in this case, sustainable.

Governments are also increasingly aware of the dangers of climate change and many have resorted to allocating funds for sustainability projects. However, this is where greenwashing could potentially be on the rise. Stocks and funds highly rated on environmental, social and governance metrics have attracted trillions of dollars of investments in recent years. With the increased scrutiny, this means that companies will now have to actualize supply chain sustainability, instead of marketing supply chain sustainability.

It is increasingly evident that the supply chain industry will be going through massive changes in the upcoming years. Organizations will need to take a smarter approach to procurement, facilitate collaboration, and access actionable insights to drive continuous improvement and help reduce carbon emissions. In order for us to reduce carbon emissions, we will have to adapt to these changes and fortunately for us, technology is here to help us tide this through.



**ARTICLE BY**

**SUOROR ANWAR**

VP APAC, STRATEGY & COMMERCIAL  
RS COMPONENTS



## Harmony XVU Modular Tower Lights

- The innovative Harmony XVU range of Ø 60 mm tower lights and sounders offers multiple lighting patterns, mounting flexibility, modern aesthetics, and unrivalled brightness.
- IP65 and IP54 protection ratings for sounders
- Ultra-bright LED with 360° visibility
- 6 colors with 4 light patterns: steady, flashing, blinking, and rotating



<b>881-2797</b>	LED Beacon Green, Steady Light Effect	XVUC23
<b>881-2791</b>	LED Beacon Red, Steady Light Effect	XVUC24
<b>881-2832</b>	Beacon Tower Terminal Unit	XVUC21B
<b>881-2823</b>	Buzzer	XVUC9S
<b>881-2845</b>	Terminal unit, 100 → 240 V ac	XVUC21M

## Harmony Estop with Illuminated Ring

- The modular Harmony XB5 range of 22 mm plastic control and signaling units combines simplicity of installation, efficiency, flexibility, modern design and robustness to meet most industrial applications
- Complete illuminated e.stop ttr 24V 2 white/red fixed colors 1NO+2NC



<b>195-8730</b>	Round Head	XB5AS84W3B41
<b>195-8731</b>	Mushroom Head	XALK84W3BE
<b>195-8732</b>	Mushroom Head	XALK84W3BG
<b>195-8734</b>		XALK178W3B140G
<b>195-8735</b>	Legend Plate	ZBY8L330

## Harmony Wireless and batteryless package

- Wireless and batteryless package, containing a push-button, set of caps and receiver.
- Reduction of wiring allows for a quick and easy installation
- Flexible due to its mobility, giving greater control to operators. Can be used to remotely control machines up to 25 m away.



<b>739-8060</b>	Plastic, Ø22	XB5RFA02
<b>739-8064</b>	Metal, Ø22	XB4RFA02
<b>739-8067</b>	Metal, Ø22	XB4RFB01

## 3-Phase Monitoring Relay with NFC

- A 3 phase monitoring relay with configuration via FREE Zelio NFC Android App
- Monitors phase asymmetry, phase failure, undervoltage, overvoltage, over & under frequency
- 2 C/O outputs with adjustable on/off delay & voltages thresholds



<b>179-0019</b>	120-480Vac	RMNF22TB30
-----------------	------------	------------

## Harmony Complete pendant control stations

- Pendant control stations for auxiliary circuits
- Designed for mechanical handling, these highly robust pendant control stations comply with the safety requirements of IEC standards
- IP65
- Double insulated polypropylene casing
- Screw clamp connection



<b>746-8989</b>	2 push buttons, 1 emergency stop	XACA2053
<b>746-8986</b>	2 push buttons	XACA205
<b>746-8983</b>	4 push buttons	XACA481
<b>220-5173</b>	4 push buttons, 1 emergency stop	XACA4913

## Preventa 24V ac/dc Safety Relay

- Single-channel with 3 N/O safety outputs
- Monitoring of a movable guard, with emergency stop monitoring 1 or 2 channel wiring usable
- Configurable type of start is readily available for the type of activation you wish for your circuit



**447-4477** 3 Safety Contacts , 1 Auxiliary Contact XPSAC5121

## OsiSense XS Inductive Proximity Sensors

- LED indication
- Reverse polarity protection
- Overload and short circuit protection



**182-972** M30 × 1.5, 10 mm Detection, IP68 XS1M30MA250

**444-3271** M12 × 1, 4 mm Detection, IP69K XS1M30MA250

**608-5748** M30 × 1.5, 10 mm Detection, IP67 XS1M30MA250

## Harmony® XB5 Complete Pilot Lights

- This range of pilot lights from the Harmony® XB5 range of plastic control and signaling units combines simplicity of installation and flexibility
- It provides a solution for industrial applications demanding a high resistance to chemical agents and also provides double electrical insulation



**609-6265** Orange XB5AVB5

**330-8947** Red XB4BVM4

**875-2917** Green XB5EVB3

**330-8919** Green XB4BVB3

## 9012G Series Single Stage Pressure Switches

- The 9012G single stage pressure switches are control circuit rated devices
- This series of switches can be used in pneumatic and hydraulic systems and on a variety of machine and process applications to protect the equipment
- These pressure switches can be used to either control or monitor the system pressure



**124-2119** 9012GAW4

**752-2421** 9012GAW2

## OsiSense XMLA Pressure Switch

- Fixed differential
- External pressure setting window available
- 1 NO & 1 NC snap acting contacts
- Temperature range: -25 to +70 °C



**361-3429** 300bar XMLA300D2S12

## Altivar Process Variable Speed Drives

- Offers your business optimisation, real-time intelligence and provides the efficiency that you deserve. The Altivar Process Drive gives you extensive flexibility in water, wastewater, mining, minerals, metals as well as oil, gas, food and beverages



**125-3262** 3-Phase In, 0.1 → 599Hz Out, 5.5 kW, 400 V ac, 20.7 A ATV320U55N4B

**125-3255** 1-Phase In, 0.1 → 599Hz Out, 2.2 kW, 230 V ac, 24 A ATV320U22M2C

**220-8683** 3-Phase In, 4 kW, 600 V, 5.8 A, 6.5 A ATV320U40S6C

# TeSys Deca & Giga Motor Management

PROTECTION TO HELP OPTIMIZE MACHINE PERFORMANCE



## TeSys™ Deca & Giga series Motor Management

### Advanced motor protection for a wide range of applications

The TeSys Deca Circuit Breakers solutions are well known in the market since their launch, and continuously improved over the years.

In 2021, Schneider Electric brings new features to the market and makes the solutions more reliable and robust. With an integrated short circuit and extended protection against thermal overload and phase loss.

TeSys Deca Circuit Breakers helps provide consistent performance, enhanced safety and uptime, cost savings, and great functionality.

In addition, TeSys Deca Circuit Breakers combines with the TeSys Deca & Giga Contactors to offer a complete motor control solution from everything from simple machines to complex motor control centers.

Recently, Schneider Electric has launched the TeSys Giga Contactors and Overload Relays to complete the range. The new modularity and embedded diagnosis features makes the maintenance easier, quicker and smarter.

Wherever you are and anywhere your projects come together, you can trust Schneider Electric and TeSys contactors, circuit breakers, relays, and switches for unmatched reliability, complete compatibility with international standards, and the robust support of the Schneider Electric global supply network.

**Start smart, run smart and stay smart with TeSys motor controls.**



# THE SCHNEIDER ELECTRIC DIFFERENCE:



## Reliability & Quality

High electrical and mechanical endurance.  
Compliance to quality standards



## Robust & Secure

High level of protection due to high breaking capacity of up to 100kA/400V. Long term protection due to high durability. Padlock lockable without any additional accessory.




## Applications

TeSys Deca & Giga Motor Management are used in a wide range of applications across industries including HVAC, Packaging, Conveying, Pumping, Lifts, Oil & Gas, Mining etc.



Start Smart. Run Smart. Stay Smart.

Browse RS Online for the complete and consistent range of TeSys™ Deca & Giga Motor Management solutions.



[nz.rs-online.com/schneider](https://nz.rs-online.com/schneider)

Life Is On

Schneider  
Electric

## E5CC Digital Temperature Controllers

- Large white LCD display
- 15.2 mm characters
- Dual PV/SV 4-digit display
- 50 ms high-speed sampling
- Short 60 mm housing case
- Easy connection to PLC with communications that require no programming
- Component communications can be used to link temperature controllers to each other
- Easy set up with CX-Thermo software (Windows XP, 7) without additional power supply via USB conversion cable



### OMRON

<b>760-4589</b>	Relay Output 100-240V	E5CC-RX2ASM-800
<b>760-4592</b>	Voltage Output 100-240V	E5CC-QX2ASM-800
<b>760-4599</b>	Current Output 00-240V	E5CC-CX2ASM-800

## CONTACTRON '3 in 1' Hybrid Motor Starters

- The 3-phase hybrid motor starter with reversing function and current monitoring
- 75% less space required
- 75% less wiring time



### PHENIX CONTACT

<b>719-1790</b>	1 kW, 24 V dc, 2.4 A	2900574
<b>719-1768</b>	1 kW, 24 V dc, 2.4 A	2900567
<b>719-1759</b>	4 kW, 24 V dc, 9 A	2900421
<b>719-1746</b>	4 kW, 24 V dc, 2.4 A	2900414

## RS510 Series Inverter Drives

- Compact V/ F & SLV (Sensorless Vector) Control drive
- Integrated Modbus RS485 & BACnet Communication
- Integrated Speed potentiometer



### RS PRO

<b>122-3410</b>	3.7 kW, 10.1 A
<b>122-3411</b>	0.75 Kw
<b>122-3413</b>	1.5 Kw
<b>122-3414</b>	2,2 Kw

## Uninterruptible Power Supplies

- Basic UPS modules with either a self contained backup battery or supported by remotely connected lead AGM batteries
- Simple to use, no configuration and can quickly add supply resilience to a control system



### PHENIX CONTACT

<b>168-2508</b>	24Vdc 60W Self-contained UPS	2905907
<b>665-7854</b>	24Vdc 2A UPS unit	2866640
<b>665-7851</b>	12Vdc 4A UPS unit	2866598

## H3DK series multi-function timer relay

- Ecological design for reduced power consumption
- Wide power supply range reduces the number of timer models reduced
- The supply voltage ranges between 24VAC/DC to 240VAC/DC



### OMRON

<b>733-4959</b>	24 → 240 V ac/dc 0.1 s → 100 h	H3DK-M2 AC/DC24-240
-----------------	--------------------------------	---------------------



## IP66 Wall Boxes

- Body material is AISI 304 stainless steel sheets
- IP66 rating
- Double lipped edges to ensure higher strength and ease of installation
- Easy to use, including removal of the door
- Door is fitted with a polyurethane gasket



<b>758-6986</b>	300 × 300 × 200mm
<b>758-6974</b>	300 × 400 × 150mm
<b>758-6958</b>	300 × 400 × 200mm
<b>758-6999</b>	400 × 300 × 200mm
<b>758-6961</b>	400 × 500 × 200mm
<b>758-6992</b>	500 × 500 × 200mm

## KX Terminal Boxes

- Can be used for many purposes like to house various electronic, electrical and mechanical components, equipment, and devices
- Allows flexible interior installation
- Maintain high protection category
- IP 66 protection
- NEMA 4 protection category



<b>202-3837</b>	300 × 200 × 120mm	3186930
<b>202-3866</b>	400 × 200 × 120mm	3187930
<b>202-3835</b>	300 × 150 × 120mm	3188940
<b>202-3841</b>	300 × 300 × 120mm	3189940
<b>202-3820</b>	300 × 150 × 80mm	3186930
<b>202-3823</b>	400 × 200 × 80mm	3187930
<b>202-3862</b>	200 × 150 × 120mm	3188940
<b>202-3821</b>	200 × 200 × 80mm	3189940

## Changeover Enclosure Thermostat

- Wide operating temperature range of +5°C to +55°C for use in a variety of environments
- Light weight of 105g to reduce bulk and strain on equipment



<b>697-4446</b>	0 to +60 °C	01141.0-00
-----------------	-------------	------------

## Energy Saving EC Axial Fans

- Energy saving electronically commutated AC motors
- IP54 rated
- Maintenance free ball bearings



<b>701-3592</b>	1000m³/h, 26W	WIG230-EB89-01
-----------------	---------------	----------------

## Vapo Bearing 12vdc Axial Fan

- Axial fan with brushless motor for electronic equipment
- Dimensions 60 × 60 × 10 mm



<b>202-5419</b>	12.2cfm, 560mW, IP20	MF60101V3-1000U-A99
-----------------	----------------------	---------------------

## Grey Steel Vent Grille

- For ventilation by convection
- Easy 4-screw assembly



<b>517-0025</b>	110 × 330mm	2543235
-----------------	-------------	---------



**FESTO**



**Compact,  
easy to clean  
valves!**

**You want a clear run for your media.  
You rely on modularity and easy installation.  
We have the right pinch valve to meet your needs.**

**→ WE ARE THE ENGINEERS  
OF PRODUCTIVITY.**

**VZQA: Pneumatically controlled 2/2-way pinch valve in NC and NO versions.**

Versatile application areas, especially for filling and dosing applications. The elastomer closing element is perfect for all types of powder, fine granulate or any other abrasive media. The compact design allows installations in small spaces. Very easy to maintain or to exchange the sealing cartridge. Also for hygienic applications suitable for FDA approval.

**Diameter:** DN 6...25mm

**Temperature:** -5...150° C

**Media pressure:** 1...6 bar

**Flow ( $k_v$ ):** 0.7...18m<sup>3</sup>/h

[www.festo.com](http://www.festo.com)

## VUVG Solenoid Valves

- The innovative design allows the control valve to be set to internal or external pilot air supply for manifolds with sub base valves
- The connection technology is easy to change via the electrical connection box
- Pressure range -0.9 bar to 10 bar for maximised energy density and more power



### FESTO

<b>202-1343</b>	VUVG-L18-M52-RT-G14-1P3
<b>121-5890</b>	VUVG-LK14-M52-AT-G18-1R8L-S
<b>175-2143</b>	VUVG-L14-M52-AT-G18-1P3

## Reed Pneumatic Position Detector

- Compatible with all Festo T-Slots
- 24 V dc Operating Voltage
- Non-contacting or contacting sensing



### FESTO

<b>121-5826</b>	IP65, IP68, 24V dc, NO Operatio	SME-8M-DS-24V-K-5,0-OE
-----------------	---------------------------------	------------------------

## PEN Series Polyethylene Tubing

- FESTO PEN series polyethylene tubing offers high level of abrasion resistance and its suitable for a wide range of tasks. Flexible thanks to highly resistant materials and it is easy to install Superior quality pneumatic fitting
- Resistant to most cleaning agents and lubricants
- Tubing characteristics – Suitable for energy chains in applications with high cycle rates

### FESTO

<b>126-3104</b>	8mm x 50m, Blue	PEN-8X1,25-BL
<b>126-3103</b>	6mm x 50m, Blue	PEN-6X1-BL
<b>126-2777</b>	6mm x 50m, Black	PEN-6X1-SW

## Compressed air filter-regulator

- Vertical assembly position
- Manual rotary condensation drain
- Standard nominal flow rate of 5,600 l/min
- Optional mounting type of either front panel or line installation
- G1/2 pneumatic connection



### FESTO

<b>121-5670</b>	MS6-LFR-1/2-D6-CRM-AS
-----------------	-----------------------

## SV Series Monostable Pneumatic Manual Control Valve

- SV series panel mount manual control valve with M5 connection port
- Robust plastic body
- Maximum operating pressure of 8 bar
- Operating temperature of -10 °C to +60 °C



### FESTO

<b>121-5861</b>	5/2, Monostable	SV-5-M5-B
-----------------	-----------------	-----------





# Your smart choice for Mechanical Maintenance.

From bearings to solenoid valves, from seals to hoses, and with all types of fittings - pneumatic and hydraulic - RS PRO has what you need to maintain your production to high-quality standards, at the price you expect.



Find out more at [rspro.com](https://rspro.com)

## Bearings and Seals

- Our recently extended choice of bearings and seals, in a wide and specialised variety of sizes and types.



Visit [rspro.com](https://rspro.com) or scan the QR Code to view over 2,600 products in our Bearings & Seals range



## Pneumatics & Hydraulics

- Find the pneumatic parts and components you need, including fittings, seals and cylinder



Visit [rspro.com](https://rspro.com) or scan the QR Code to view over 2,200 products in our Pneumatics & Hydraulics range



## Belts & Pulleys

- Keep your processes and machinery in motion with the right belts and pulleys.



Visit [rspro.com](https://rspro.com) or scan the QR Code to view over 700 products in our Belts & Pulleys range



## Pressure Gauges

- Prevent failures and costly downtime by avoiding under or over pressure with quality gauges from RS PRO.



Visit [rspro.com](https://rspro.com) or scan the QR Code to view over 20 products in our Pressure Gauges range



## Air Hoses

- Rely on strong, flexible and highly pressure-resistant RS PRO air hoses



Visit [rspro.com](https://rspro.com) or scan the QR Code to view over 200 products in our Air Hoses range



## Structural Systems

- Build your own framework or a customised structural system with our extensive RS PRO offering



Visit [rspro.com](https://rspro.com) or scan the QR Code to view over 350 products in our Structural Systems range



# EXPEDITING AIR LEAK DETECTION



**FLUKE**®

Today's problem: up to 40% of the world's industrial energy is lost due to leaks in compressed air systems. Globally billions of dollars vanish due to energy loss and downtime associated with low air pressure.

Even the most minor air leaks can compound product and energy waste and lost production time—especially for a production line that cannot function without compressed air to run its tools and processes.

If there isn't enough compressed-air pressure for the equipment to function at optimal levels, the results will be costly.

The more leaks in the system, the harder the compressor needs to work to deliver the needed air to the equipment, which is not optimal for the compressor.

This increase in demand raises the risk of an inadequate amount of compressed air for the tools and process equipment.

Compressed air leaks also increase energy costs. A single 6mm air leak can cost over \$6000 a year in energy costs



## A partner in air-leak detection

How do you stay on top of controlling air leaks with so many other priorities on your mind? That's the question a leading heavy equipment manufacturer recently answered as they discovered a new partner in air-leak detection.

This manufacturer uses between 1800 and 2600 CFM of compressed air each day. That volume of compressed air runs up to 200 torque tools per line, as well as process equipment responsible for moving large sheets of half-inch steel and positioning parts. If a single line had a leak, it could impact production and increase energy waste. And that is just one leak...

When Fluke offered this company a chance to test its new Fluke ii900 Sonic Industrial Imager (Acoustic Imager), they immediately accepted. The ii900's array of tiny super sensitive microphones detect sounds both in the human hearing range and the ultrasonic range and, even more uniquely, allows the user to actually see sound.

"Being able to visualise where the problem is adds another dimension," says the company's maintenance manager. "You can identify which thread, fitting, or hose is affected. Being able to pinpoint where the leak is coming from on that image is extremely exciting."

The ii900 can visually scan large areas from up to 50 metres away, expediting leak detection at the plant and significantly reducing the number of hours previously spent on that task.

"Some days we can find and repair 30 or 40 leaks in just a couple hours," the manager stated.

"Plus, we can use the ii900 during production hours when it's extremely loud in here and still been able to capture leaks at the rafter level up to 7 or 8 metres away".

Scanning for leaks without affecting production is a huge advantage for the manufacturer. "We never thought of testing for air leaks during production because we couldn't shut down the aisles and move people out of the area to go and look at a potential leak," says the manager. "Now, we can stand on the sideline and scan the air lines overhead while carts and people are moving underneath. We're not affecting their work, which is better for everyone."


Shop our wide range of locally stocked Fluke Test & Measurement equipment at:

 [nz.rs-online.com/fluke](https://nz.rs-online.com/fluke)

### Fluke ii900 Sonic Acoustic Imager

LeakQ™ Mode for leak detection

RS STOCK NUMBER: 187-6163



## Fluke ii900 Ultrasonic Leak Detector

- Do more with the same air compressors – delay the capital expense of purchasing an additional compressor
- Ensure proper air pressure to your pneumatic equipment
- Lower utility costs
- Reduce leak detection time
- Improve reliability in your production line



**187-6163** Fluke ii900 Acoustic Imager, 7in Display

ii900

## Fluke TiS75+ Thermal Imaging Camera

- 384 × 288 infrared resolution
- Asset Tagging
- Touchscreen IR Fusion™
- IS3 and AVI video recording
- Measure up to 550 °C
- Dew-point calculation



**215-3173** 384 × 288 (110,592 pixels)

FLK-TIS75+ 9HZ

## Fluke Ti480 PRO Thermal Imaging Camera

- 640 × 480 infrared resolution
- Increased sensitivity to visualise temperature differences
- More intuitive visual interface, improved, user-tested, touch screen interface
- Get 4× the pixel data with SuperResolution, which captures multiple images and combines them to create a 1280 × 960 image



**171-6857** 640 × 480 Resolution

FLK-TI480 PRO 9HZ

## Fluke 805 Vibration Meter

- Sensor tip design minimises measurement variations
- Low & high frequency ranges
- USB connection enables data export to Excel
- Trending in Excel using built-in templates
- Offers four-level severity scale to assess problem urgency and bearing condition



**811-1397** Acceleration, Displacement, Velocity

FLUKE 805 FC

## Fluke MDA-550 Series III Motor Drive Analyser

- Key Measurements: Inverter output voltage, DC bus voltage/ripple voltage, harmonics, unbalance
- Three-tools-in-one: Motor-drive analyser, waveform analyser, and recording data logger
- 600 V CAT IV/1000 V CAT III rated for use at the service entrance and downstream



**230-5659** 550MHz, 4 Channels

FLUKE-MDA-550-III



## Fluke 1770 Series Three-Phase Power Quality Analysers

- Automatically measure power and power quality parameters
- At-a-glance power quality health for faster troubleshooting
- Easily view V/A/Hz, power, dips, swells, and harmonics data
- Capture high-speed transients up to 8 kV



232-0535

FLUKE-1777

232-0533

FLUKE-1775

232-0531

FLUKE-1773

## 1736 and 1738 Three-Phase Energy Monitor and Loggers

- Records waveform snapshots and RMS profile
- Measure all three phases and neutral with included 4 flexible current probes
- Optimised user interface: quick, guided, graphical setup



900-9983

FLUKE 1736/B

900-9986

FLUKE-1738/EUS

## Fluke 190 Series III ScopeMeter® Test Tools

- Rated for industrial environments CAT III 1000 V/CAT IV 600 V
- Automatically capture, view and analyse complex waveforms
- Large, bright color display for easy in-the-field viewing



230-5658 500MHz, 4 Channels

FLUKE-190-504- III-S

## Fluke 729 30G FC Pressure Calibrator

- Automatic pressure generation and regulation to 300 psi
- Easily document the process using onboard test templates
- Automatic internal fine-pressure adjustment



144-5553

FLK-729 30G FC

## Fluke 754 Multi Function Calibrator

- Calibrate temperature, pressure, voltage, current, resistance and frequency
- 3 operating modes: measure; source; simultaneous measure/source
- Easy-to-follow, menu-driven display which guides users through tasks



744-2527

Fluke-754

### MIT410/2 Insulation Tester

- Designed for electrical and industrial testing
- Single range, faster continuity testing from 0.01Ω to 1MΩ (New)
- Adjustable insulation test voltage from 10V to 1000V and 200GΩ range
- 600V Trms AC and DC voltage measurement
- CAT IV 600V with PI and DAR



**Megger.**

**921-4510** 1000V, 200GΩ, CAT IV

1006-735

### Truevolt 34450A Bench Digital Multimeter

- Up to 190 readings/second
- 0.015% DCV accuracy
- 11 measurement functions
- Ultra-bright OLED with dual display capability
- Up to 50,000 memory points for data logging
- Built-in histogram function



**KEYSIGHT TECHNOLOGIES**

**773-9752** 100kHz

34450A

### FLIR MR176 Moisture Meter

- High-quality and reliable
- Thermal image resolution of 4800 pixels
- Document readings and images to share via included USB cable
- Review images and generate reports with free FLIR tools software
- Easy targeting with a laser pointer and display cross-hairs
- Vapor pressure measurement 0.0kPa to 12.0kPa
- Temperature measurement 32°F to 122°F (0°C to 50°C)
- Power source battery type



**TELEFONIP FLIR**

**922-6236** 4800 pixels

MR176

### InfiniiVision 1000 X-Series Oscilloscopes

- 50 to 100 MHz – See more signal detail with 50,000 wfms/sec update rate
- Test quickly and easily with a simple, intuitive user interface and built-in help and training signals
- Get professional-level functionality with industry-leading software analysis and 6-in-1 instrument integration
- Intuitive GUI and built-in help available in 15 different languages



**KEYSIGHT TECHNOLOGIES**

**200-5279** 50MHz, 2 Channels

EDUX1052A

**200-5274** 70MHz, 2 Channels

DSOX1202A

## MT-6600 Multifunction Tester

**3 YEAR WARRANTY**

- Test a variety of installation parameters
- 3.5 in TFT colour LCD display with 320 × 240 pixels
- Fast high current loop test
- Variable RCD current mode for customized settings
- PASS/FAIL indication for RCD tests
- Safe Earth Volt Touchpad detects raised earth voltages greater than 50 V, indicating potential dangerous situations


**144-5338** 1000V

## Industrial Multimeter With Bluetooth

**3 YEAR WARRANTY**

- Ideal for measuring a wide range of electrical parameters such as voltage, current, resistance, capacitance and frequency
- Clean and user friendly interface with a large white LED backlit display, allowing you to easily display measurements in a wide range of environments
- With Bluetooth connectivity, you can also save and share data quickly and efficiently to your smart device


**199-3846** Bluetooth Connectivity

## Multifunction Calibrator

**3 YEAR WARRANTY**

- High precision calibration of RTDs and thermocouples
- Enables calibration of any process device that measures temperature – both sensors and temperature measuring instruments
- Can source and measure 14 types of RTD and 11 types of thermocouple


**174-9557** 4-20mA

## AC Current Datalogging Clamp Meter

**3 YEAR WARRANTY**

- Flexible true RMS clamp meter specifically designed for access to awkward and hard to reach areas
- Ideal for the types of jobs where the hard jaw clamp meters are unable to gain access to, as the flexible coil can be snaked around obstructions with ease
- Plus datalogger for monitoring, and Bluetooth interface for results export


**201-0209** CAT III 1000V, CAT IV 600V

## Handheld Digital Multimeters

- Compact, rugged and high performing digital multimeters
- These handheld devices can measure capacitance, voltage, electrical current and resistance with diode and continuity check


**3 YEAR WARRANTY**
**123-3239** IDM71

**123-3242** IDM72

**123-3243** IDM73

**123-3244** IDM91E

## Colophony-Free Tin/Lead Solder Wire

- Versatile soldering wire that can be used for a wide range of soldering tasks
- Alloy used consists of 60% tin and 40% lead
- Melting point between 183-188°C
- Low odour formulation with 1.1% flux content
- Soldering iron typical tip temperature for this solder wire is 320-360°C



**3 YEAR WARRANTY**

**800-7661** 0.7MM  
**756-8871** 0.4MM

## ESD Grounding

- Our RS Pro range of hard-wearing ESD grounding straps have been designed to ensure efficient static bleeding, to ensure a reliable method of static dissipation
- Premium quality fabric band and cord set
- Fully adjustable wrist strap fits all sizes



**3 YEAR WARRANTY**

**287-7379** Banana Plug - Croc Clip  
**287-7414** Banana Plug - Press Stud

## VDE Tool Kit

- Tool kit containing all the essential hand tools for electrical work
- All tools tested to IEC 60900
- Kits contains: combination pliers, long nose pliers, cutters, Ph2 screwdriver, 4 & 5.5mm slotted screwdrivers in a plastic case with transparent lid



**3 YEAR WARRANTY**

**473-350** 7 Piece

## Retractable Automatic Knife Standard Blade

- Aluminium-bodied safety knife with automatic blade retraction
- When cutting, the blade remains outside the body, but when pressure is relaxed the spring loaded blade retracts into the handle
- Supplied with one blade



**3 YEAR WARRANTY**

**615-9164** Automatic

## Insulated Crimping Tool

- Offers precision, consistent and reliable crimp
- DuoTech soft grip handle allows for optimum user comfort and ergonomics, while it works as a non-slip handle with little friction to avoid any injury or accidental slipping
- Self-releasing mechanism allows tool to be locked in place for a secure crimp
- Suitable from crimping insulated terminals 0.5 to 6mm



**3 YEAR WARRANTY**

**192-3665** 0.5 - 0.6mm<sup>2</sup>

## FX600 Soldering Iron

- Lightweight, ergonomic handpiece
- Compact size
- Suitable for SMD and Through hole applications


**768-8985** 50W

FX600-14

## Knipex Electrical Safety Mat

- For added protection when working live or close to live parts


**665-4640** 1m x 1m x 1mm

98 67 10

## BE-9881S Insulated Ergo™ 1000V Live Working 5 piece Screwdriver set

- Conforms to IEC 60900, DIN EN 60900, VDE 0680 part 2
- All products are manufacture date marked
- Vanadium steel blades, hardened and chrome plated
- Tips are black oxide finished for high accuracy
- 3-part rounded ergonomic handle (with hanging hole) prevents pressure points and ensures optimum torque


**288-8004** 5 Piece

BE-9881S

## Carbon Steel Insulated Plier Set

- Digitally controlled heat gun with safety heat indicator and four memory programmes
- One-hand operation with soft grip handle and 3m power cord
- Maximum temperature 650°C and airflow of 500L/min
- Ideal for shrinking heat shrink tubing, film or packaging; stripping paint; drying out wood; softening adhesives or thawing frozen pipes


**204-3825** 2 Piece

PG-2

## Bondhus Ball End L-Wrench Hex Key Set

- Ball End Tips 25° working angle for quick funnelling into screw
- Up to 20% stronger, with more torque and higher wear resistance than standard steel
- Environmentally safe finish for better corrosion resistance and grip
- Metric Range: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- Imperial Range: 0.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"


**2552612944** 9PCE Metric

BD10999

**204-3815** 13PCE Imperial

BD10937

### 3M™ Aluminium Foil Tape 425

- Thermally conductive tape helps dissipate heat and improves heating and cooling efficiency to protect temperature sensitive materials
- Resistant to chemicals to protect surfaces during de-paint process and other chemical masking operations



## 3M

<b>175-7785</b>	12mm	425 - 12,7MM (21203)
<b>175-7791</b>	19mm	425 - 19,1MM (21205)
<b>175-7808</b>	25mm	425 - 25,4MM (R06933)
<b>144-4029</b>	38mm	425 38MMX55M
<b>175-7814</b>	50mm	425 - 50,8MM (R06933)
<b>144-4030</b>	75mm	425 75MMX55M

### High Energy Alkaline AAA Batteries

- High energy density
- Less health and environmental effects
- Long-term shelf life and reliability.



## VARTA

<b>176-9039</b>	1.5V, 20 Pack	4903121492
-----------------	---------------	------------

### Nylon Non-Releasable Cable Ties

- High quality
- Suitable for a multitude of uses
- Easy to thread




Visit [rspro.com](http://rspro.com) or scan the QR Code to view over 100 size and pack quantity options

<b>233-506</b>	190 X 4.8 MM, PACK 1000
<b>233-499</b>	100 X 2.5MM, PACK 1000
<b>233-493</b>	380 X 7.6MM, PACK 100
<b>233-487</b>	300 X 4.8MM, PACK 100
<b>233-483</b>	368 X 4.8 MM, PACK 100
<b>233-471</b>	203 X 4.6MM, PACK 100
<b>233-477</b>	292 X 3.6 MM, PACK 100
<b>233-465</b>	150 X 3.6 MM, PACK 100
<b>233-455</b>	100 X 2.5 MM, PACK 100
<b>213-2997</b>	250 X 4.8 MM, PACK 1000
<b>209-8137</b>	361 X 4.8 MM, PACK 100
<b>811-1482</b>	100 X 2.5 MM, PACK 100
<b>811-1509</b>	380 X 7.6 MM, PACK 100
<b>811-1511</b>	300 X 7.6 MM, PACK 100
<b>811-1515</b>	450 X 8 MM, PACK 100
<b>811-1524</b>	610 X 9 MM, PACK 100
<b>811-1666</b>	203 X 4.6 MM, PACK 1000
<b>811-1669</b>	380 X 7.6 MM, PACK 1000
<b>811-1678</b>	450 X 8 MM, PACK 100
<b>811-1684</b>	340 X 7.6 MM, PACK 100
<b>811-1486</b>	142 X 3.2 MM, PACK 100
<b>811-1688</b>	300 X 7.6 MM, PACK 100
<b>811-1495</b>	190 X 4.8 MM, PACK 100

### 3M™ Cubitron™ II Silicon Carbide Discs

- The Cubitron II range of Fibre Discs are made with precision shaped ceramic grain technology
- Designed with ultra-sharp, fast-cutting points that wear evenly
- The disk runs cool and optimises mineral breakdown to maximise disc life. Delivering better productivity, disc life and grinding speed



## 3M

<b>910-7949</b>	178mm, P320 Grit	3M 987C diam 178, 36+
<b>910-7945</b>	115mm, Very Fine Grade, P240 Grit	3M 987C diam 115, 60+

# FROM HEAD- TO-TOE

WE CAN PROTECT YOU



[nz.rs-online.com/protect](https://nz.rs-online.com/protect)

PPE PRODUCTS AND SOLUTIONS TO KEEP  
YOUR PEOPLE SAFE IN ANY INDUSTRY



# RIGHT PRODUCTS. RIGHT TIME.

WE'LL HELP YOU GET THE JOB DONE

We offer a broad and extensive product range to support our industrial and electronics customers with 500,000+ stocked products, from over 2,500 suppliers – including our own brand, RS PRO.

## Electrical, Automation & Cables

AUTOMATION & CONTROL GEAR  
CABLES & WIRES  
ENCLOSURES, STORAGE & MATERIAL HANDLING  
FUSES, SOCKETS & CIRCUIT BREAKERS  
HVAC, FANS & THERMAL MANAGEMENT  
LIGHTING  
RELAYS  
ROBOTS & ROBOT PARTS  
SWITCHES

## Electronics Components, Power & Connectors

BATTERIES & CHARGERS  
CONNECTORS  
DISPLAYS & OPTOELECTRONICS  
PASSIVE COMPONENTS  
PCB PROTOTYPING  
POWER SUPPLIES & TRANSFORMERS  
RASPBERRY PI, ARDUINO & DEVELOPMENT TOOLS  
SEMICONDUCTORS

## Mechanical Products & Tools

ABRASIVES & ENGINEERING MATERIALS  
ADHESIVES, SEALANTS & TAPES  
FACILITIES CLEANING & MAINTENANCE  
FASTENERS & FIXINGS  
HAND TOOLS  
PLUMBING & PIPELINE  
PNEUMATICS, HYDRAULICS & POWER TRANSMISSION  
POWER TOOLS, SOLDERING & WELDING

## IT, Test & Safety Equipment

COMPUTING & PERIPHERALS  
OFFICE SUPPLIES  
PPE & WORKWEAR  
SECURITY & IRONMONGERY  
SITE SAFETY  
TEST & MEASUREMENT

