

rspro.com



SITE SAFETY RANGE GUIDE



CONTENTS

SITE AND SAFETY PROTECTION SELECTION GUIDE

PRODUCT RANGE

SAFETY BARRIERS

Steel

Plastic

Steel with fixing plate	5	
Steel - to embed	11	
Plastic	13	
Expandable	14	

PROTECTION BUMPERS

Rubber

Steel

Foam Flexible

COMPLIMENTARY PRODUCTS

15	Mirrors	
16	Anti-Slip	
17	Accessories	
21		





3

4

5

26 28

29 30

31



SITE SAFETY AND PROTECTION

Site Safety and Protection

Security is a key element in the site protection such as warehouses. Due to the interaction between pedestrians, vehicles and goods, there are many risks of accidents such as collisions or falling loads. It is essential to implement protection systems to avoid these risks.

To ensure the safety of people (staff or visitors) and infrastructure (machines, vehicles, racks, etc.), it is essential to identify risk areas and install safety devices to protect the work environment within the company. What protection solutions should be put in place to ensure personnel safety while protecting equipment?

STAFF:

Define traffic path to avoid trolley/ pedestrian accidents.

- Security Barriers
- Safety Mirrors ٠
- **Plastic and Steel Posts** ٠

Anti-slip Protections



EQUIPMENT & BUILDINGS:

Protect equipment from impact from forklifts and vehicles.

- Safety Barriers
- Steel Posts



RACKS AND DOCKS:

Protecting infrastructure and reducing risk in collisions.

• Protection Bumpers





SITE SAFETY SELECTION GUIDE






PROTECTION BUMPERS

Material	Rubber	Steel	Foam	Flexible
			ATTIM	Y
Protects	Equipment	Equipment	Equipment	Equipment
FILECIS	Equipment	Racks & Docks	Racks & Docks	Racks & Docks

COMPLEMENTARY PRODUCTS

Material	Mirrors	Anti-slip	Accessories
Protects	Pedestrians Equipment	Pedestrians	Pedestrians



- Protective bar
- Protects fragile or dangerous installations from shocks
- Epoxy paint
- · Phosphating before painting which increases corrosion resistance and improves paint adhesion
- With mounting plate
- Fasteners not included



Related Accessories Fixing Bolts M12 × 80mm



Buy this and more at **rspro.com**



5

Safety Railings with Cross Bar

The industrials and manufacturing plants are complex in means of diversity of the protections required. Factories and plants need this special attention and for that they must install equipments specially designed for the security of the workers or for the protection of the machines or installations.



STOCK NO	840-0629	204-1781	125-2176	125-2179	125-2180
	F	P	F	P	
WIDTH	1000mm	1000mm	1000mm	1000mm	1500mm
HEIGHT	1000mm	1000mm	1000mm	1000mm	1000mm
DIAMETER	Ø 40mm	Ø 40mm	Ø 40mm	Ø 40mm	Ø 40mm
MATERIAL	Steel	Galvanised Steel	Steel	Steel	Steel
COLOUR	Black, Yellow	Grey	Red, White	Yellow	Yellow
WEIGHT	6.8 kg	6.8kg	6.8kg	6.8kg	8.5kg
PLATE DIMENSION	150 × 150mm	150 × 150mm	150 × 150mm	150 × 150mm	150 × 150mm

PRO

Safety Railing with Cross Bar Continued

The industrials and manufacturing plants are complex in means of diversity of the protections required. Factories and plants need this special attention and for that they must install equipments specially designed for the security of the workers or for the protection of the machines or installations.







Safety Railings with Protective Plate

These barriers will protect equipments in all industrial areas. They are made of steel thickness 3mm, and have a plate with 4 fixing holes. They will definitely improve the safety in your industrial plants.

Fixations are not included.



STOCK NO 🔓	174-5902	174-5904	174-5901	174-5903
HEIGHT	350mm	600mm	350mm	600mm
WIDTH	750mm	750mm	1000mm	1000mm
DIAMETER	Ø 76mm	Ø 76mm	Ø 76mm	Ø 76mm
DEPTH	160mm	160mm	160mm	160mm
MATERIAL	Steel	Steel	Steel	Steel
COLOUR	Black, Yellow	Black, Yellow	Black, Yellow	Black, Yellow
WEIGHT	9.5kg	13kg	11.10kg	15.5kg
PLATE DIMENSION	160 × 140 × 10mm			

PRO



Corner Safety Railings

Corner protection guards offer excellent protection for property and machinery against trolleys, forklift trucks.

Fixations are not included.



ѕтоск но ₿	174-5899 174-5900		174-5898
			Π
COLOUR	Black, Yellow	Black, Yellow	Black, Yellow
HEIGHT	350mm	600mm	1200mm
WIDTH	600mm	600mm	600mm
DIAMETER	Ø 76mm	Ø 76mm	Ø 76mm
MATERIAL	Steel	Steel	Steel
WEIGHT	12.5kg	15.5kg	23.5kg
PLATE DIMENSION	160 × 140 × 10mm	160 × 140 × 10mm	160 × 140 × 10mm



Modular Safety Railings

The industrials and manufacturing plants are complex in means of diversity of the protections required. Factories and plants need this special attention and for that they must install equipments specially designed for the security of the workers or for the protection of the machines or installations.



STOCK NO	174-5912	174-5914	174-5916	174-5918	174-5919	174-5917	174-5920
			Ţ	F	Ŧ	\square	F
HEIGHT	-	-	1000mm	1000mm	1000mm	1000mm	1000mm
WIDTH	650mm	700mm	200mm	200mm	380mm	800mm	-
DIAMETER	Ø 40mm	Ø 40mm	Ø 40mm	Ø 40mm	Ø 40mm	Ø 40mm	Ø 40mm
MATERIAL	Steel	Steel	Steel	Steel	Steel	Steel	Steel
COLOUR	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow
WEIGHT	0.8kg	0.9kg	3.06kg	2.54kg	3.11kg	6.6kg	3.4kg
PLATE DIMENSION	no fixing plate	no fixing plate	140 × 140mm	140 × 140mm	140 × 140mm	60 × 150mm	60 × 150mm



Embeddable Railings

RS PRO is proud to introduce this heavy-duty safety barrier. This safety barrier is made from steel, colour coded yellow and black. This barrier is suitable for indoor applications such as restricting access to a specific area, no-go zones and doorways. For outdoor applications, you can find them being used in car parks, as road barriers, impact protection and as railing for steep drops for pedestrians.

The durability of this safety barrier means you can quickly set up permanent area restrictions. This barrier has a featured horizontal crossbar that ensures fantastic impact protection and effective traffic control. This barrier can be attached to the ground with fixings purchased separately or embedded directly into the ground.



STOCK NO ₿	204-1774	204-1773
WIDTH	500mm	1000mm
HEIGHT	1200mm	1200mm
DIAMETER	Ø 40mm	Ø 40mm
MATERIAL	Steel	Steel

MATERIALSteelCOLOURBlack, YellowWEIGHT3.55kg

SAFETY BARRIERS STEEL - TO EMBED



Embeddable Railing Bases

Suitable for securing safety barriers for indoor applications such as restricting access to a specific area, no-go zones and doorways. For outdoor applications, you can find them being used in car parks, as road barriers, impact protection and as railing for steep drops for pedestrians.

The durability of this safety barrier base means you can quickly set up barriers for area restrictions. This base makes the barriers removable and easy to move quickly and safely. This barrier base is ideal for situations such as a docking area for forklifts as it ensures the ease of removal of barriers whilst protecting workers.



STOCK NO	204-1777	204-1779	204-1775	204-1780	204-1778	204-1776
					T	1
FIXING SLEEVE	Single	Single	Single	Double	Double	Double
	300mm	200mm	200mm	200mm	300mm	200mm
HEIGHT	30011111	Econini				
DIAMETER	40mm	40mm	40mm	40mm	40mm	40mm
						40mm Steel
DIAMETER	40mm	40mm	40mm	40mm	40mm	

SAFETY BARRIERS PLASTIC

Traffic Barrier

When it comes to traffic control look no further than RS PRO. Here we are proud to introduce this extremely durable, heavy-duty, polypropylene safety barrier that can withstand adverse weather conditions and extreme working environments.

The RS PRO traffic barrier's primary purpose is to act as an obstacle, structure, or fencing that prevents pedestrians from accessing restricted areas and provide visibility to potentially dangerous areas. This traffic barrier is fully adaptable, multiple barriers can interconnect via integrated plugs.



HEIGHT	1015mm
LENGTH	2080mm
MATERIAL	PP
COLOUR	Orange
WEIGHT	20.60kg
FEET DIMENSION	600 × 100 × 60mm








Barriers

RS PRO expandable barriers are ideal for use as a safety barrier to separate spaces in both commercial and industrial environments. Used to block pedestrian traffic to areas that are temporarily off-limits for cleaning or maintenance or to signal pathways that are closed to vehicle traffic in warehouses.

For easy storage, the barrier folds down to a fraction of its full length.



STOCK NO	625-0942	174-5891	174-5928	625-1103
ТУРЕ	Folding Barrier	Folding Barrier	Retractable Barrier	Fencing
HEIGHT	1000mm	1600mm	Dimensions of the box = 270mm	1000mm
WIDTH	2400mm	3000mm	Dimensions of the box = 390mm	50m
DEPTH	400mm	400mm	Depth of the box = 120 mm	-
MATERIAL	PP (Polypropylene)	Steel	Polyester	PP
COLOUR	Red, White	Red, White	Orange, White	Orange
DETAIL	Base can be weighted with water.	Four wheels on the foot of the barrier allow for easy movement and brakes on the wheels keep the barrier securely in place while it's in use.	Tape Length: 15m Tape Height: 30cm	Can be used with steel spikes and caps.

RS PRO Site Safety Range Guide

PROTECTION BUMPERS RUBBER

Impact Protectors

Impact protectors are vital in a workplace where vehicles are reversing, moving heavy loads or parking in high traffic areas that might result in injury or damage to equipment.

For example, having tools and toolboxes attached to walls or walkways for workers or visitors might provide a risk of being hit by reversing vehicles or not seen by forklifts carrying heavy loads and cause damage. These rubber differences soften potential impact and lessen the chance of injury.

STOCK NO	204-1757
ТУРЕ	Ground Protection
USE	Ideal for trucks and forklifts
USE MATERIAL	Ideal for trucks and forklifts Rubber
MATERIAL	Rubber
MATERIAL HEIGHT	Rubber 200mm





PROTECTION BUMPERS STEEL

DEPTH	650mm	130mm	130mm	
DIAMETER	Ø 76mm	Ø 76mm	Ø 76mm	
MATERIAL	Steel	Steel	Steel	
WEIGHT	4.8kg	3.5kg	4.5kg	
PLATE DIMENSION	130 × 70 × 10mm	130 × 70 × 10mm	130 × 70 × 10mm	

Related Accessories Fixing Bolts M12 × 80mm

Straight

Black, Yellow

86mm

400mm

SHAPE

COLOUR

HEIGHT

WIDTH

16

Straight

Black, Yellow

86mm

1200mm

130mm

Ø 76mm

Steel

6.8kg 130 × 70 × 10mm PRO

Ground Safety Railings

These protections will protect racks and other fragile equipment in all industrial areas. They are made of steel thickness 3 mm, and have a plate with 2 fixing holes per plate. They will definitely improve the safety in your industrial places.

Right Angle

Black, Yellow

86mm

650mm

Concrete fixations are sold separately.





Straight

Black, Yellow

86mm

800mm





Wall Protection

From the trusted brand RS PRO, comes a range of black and yellow wall protectors. Manufactured to industry standards these multi-use protectors are a fantastic solution in the protection of personnel and equipment in busy workplaces from damage.



STOCK NO 🔓	840-0607	204-1809	840-0619	216-7967	840-0613
	TIM	NIII			
SHAPE	Shock Absorber	Straight	Straight	Straight	Straight
WIDTH	150mm	300mm	300mm	300mm	1000mm
LENGTH	1m	1m	5m	5m	1.5m
THICKNESS	80mm	20mm	20mm	20mm	20mm
MATERIAL	EVA	NBR	NBR	NBR	NBR
COLOUR	Black, Yellow	Black, Yellow	Black, Yellow	Red, White, Grey	Black, Yellow
RESISTANCE	Acid, Grease	Petroleum-based products, acid and grease	Petroleum-based products, acid and grease	Petroleum-based products, acid and grease	Petroleum-based products, acid and grease
FEATURES	Double-sided adhesive tape	Double-sided adhesive tape	Double-sided adhesive tape	Double-sided adhesive tape	Double-sided adhesive tape



Edge & Rack Protection

Corner and edge protectors are a quick and easy solution to protecting personnel and equipment in busy workplaces. They can be attached to surfaces providing protection for any collision with an angled edge. With a high visibility black and yellow design, these foam edge protectors are often resistant to acid, oil and grease and so are suitable for use in challenging environments.



STOCK NO 🍃	204-1810	724-9779	840-0600	840-0603
		J B B B B B B B	DDDD	() DDD
SHAPE	Corner	Gutter	Gutter	Gutter
MATERIAL	EVA	EVA	EVA	EVA
COLOUR	Black, Yellow	Black, Yellow	Black, Yellow	Black, Yellow
DIMENSIONS	1000 × 180 × 160mm (L x W x H)	750mm (L)	1000mm (L)	1000mm (L)
DIAMETER	-	Ø 40mm	Ø 100mm	Ø 150mm
OPENING SIZE	-	20 × 8mm	50 × 8mm	75 × 15mm
RESISTANCE	Acid and Grease	Acid and Grease	Acid and Grease	Acid and Grease



Edge & Rack Protection with Tape

Corner and edge protectors are a quick and easy solution to protecting personnel and equipment in busy workplaces. They can be attached to surfaces providing protection for any collision with an angled edge. With a high visibility black and yellow design, these foam edge protectors are often resistant to acid, oil and grease and so are suitable for use in challenging environments.

Supplied with double adhesive-backed tape.



STOCK NO 🔓	724-9794	724-9791	204-1808	840-0616	724-9766	840-0596	840-0590
			IIII	III		DDD	DDD
SHAPE	90° Angle	90° Angle	Corner	Corner	Corner	Corner	Corner
MATERIAL	NBR	NBR	EVA	EVA	EVA	EVA	EVA
COLOUR	Black, Yellow	Red, White	Black, Yellow				
DIMENSIONS	70 × 30 × 30mm (L x W x H)	70 × 30 × 30mm (L x W x H)	400 × 150mm (L x W)	730 × 300mm (L x W)	750mm (L)	1000mm (L)	1000mm (L)
THICKNESS/DIAMETER	8mm	8mm	15mm	25mm	Ø 40mm	Ø 100mm	Ø 150mm
OPENING SIZE	N/A	N/A	75 × 75mm	150 × 150 mm	20 × 20mm	50 × 50mm	75 × 75mm
RESISTANCE	Oil and Grease	Oil and Grease	Acid and Grease	Acid and Grease	Acid and Grease	Acid and Grease	Acid and Grease
FEATURES	Double-sided adhesive tape						



Edge & Rack Protection with Tape Continued

Supplied with double adhesive-backed tape.



STOCK NO 🔓	724-9788	724-9776	724-9782	724-9785	724-9798	724-9808
		A				
SHAPE	Corner	Corner	Corner	Corner	Straight	Straight
MATERIAL	NBR	NBR	NBR	NBR	NBR	NBR
COLOUR	Black, Yellow	Red, White	Black, Yellow	Red, White	Black, Yellow	Black, Yellow
DIMENSIONS	750 × 30 × 30mm (L x W x H)	750 × 30 × 30mm (L x W x H)	5000 × 30 × 30mm (L x W x H)	5000 × 30 × 30mm (L x W x H)	750 × 60 × 10mm (L x W x H)	5000 × 60 × 10 (L x W x H)
				_	10	10
THICKNESS	8mm	8mm	8mm	8mm	10mm	10mm
THICKNESS RESISTANCE	8mm Oil and Grease	8mm Oil and Grease	8mm Oil and Grease	8mm Oil and Grease	10mm Acid and Grease	10mm Acid and Grease

Bollards/Posts

This heavy-duty security post from our RS PRO range is a type of safety barrier that cannot be broken or twisted and is produced from polyurethane making it extremely hard-wearing. Ideal for areas where the bollard is likely to get knocked repeatedly at low speeds.

RS PRO has designed these security posts that can be permanently installed with fixings purchased separately to protect an area. With excellent corrosion resistance these bollards are ideal for even harsh environments. They are particularly good in areas where there are slow-moving vehicles and high pedestrian traffic that needs crowd control.

STOCK NO 204-1814 204-1815 204-1811 MATERIAL Polyurethane Polyurethane Polyurethane HEIGHT 1130mm 1130mm 600mm WIDTH 80mm 100mm 100mm DIAMETER Ø 80mm Ø 100mm Ø 100mm

	24-111-1	I B	
			Real Property lies







Bases for Bollards/Posts

This security base post from our RS PRO range is a type of base designed for safety barriers to be fixed into the ground and easily removed making the bollards temporary rather than permanent fixtures.

RS PRO has designed these security post bases that can be permanently installed so that the post can be made to be removable, once removed the base can have the box closed meaning there is no hole in the ground. They are particularly good for car parking spaces or loading bays that need access at certain times of days but only by authorised personnel and vehicles.











Bollards/Posts with Fixing Plate

This security base post from our RS PRO range is a type of base designed for safety barriers to be fixed into the ground, once affixed, these barriers cannot be removed.

Particularly, these bollards are good for car parking spaces or loading bays that need access at certain times of days but only by authorised personnel and vehicles.





MATERIAL	Polyurethane	Polyurethane	Polyurethane	Polyurethane	Polyurethane	Polyurethane
HEIGHT	400mm	800mm	1000mm	1000mm	1000mm	1000mm
DIAMETER	Ø 100mm	Ø 100mm	Ø 80mm	Ø 140mm	Ø 160mm	Ø 270mm
DIMENSIONS BASE	200 × 200mm	200 × 200mm	150 × 150mm	300 × 300mm	250 × 250mm	430 × 430mm
COLOUR	Yellow, Black					



Guards with Fixing Plate

Flexible guards to protect structures. They will protect from vehicle impact and prevent any other damages. Thanks to the polyurethane they are made of, they will recover their original shape after a shock.

Fixations must be ordered separately.



STOCK NO 🕃	174-6002	174-6001		
MATERIAL	Polyurethane	Polyurethane		
HEIGHT	750mm	1000mm		
WIDTH	1200mm	1200mm		
DIAMETER	Ø 80mm	Ø 80mm		
COLOUR	Black, Yellow	Black, Yellow		

Flexible ground protection guard diameter 80mm. Offers excellent protection for property and machinery against trolleys, forklift trucks. Fixations are not included.



ТУРЕ	Flexible Ground Protection with Fixing Plate		
MATERIAL	Polyurethane		
HEIGHT	120mm		
WIDTH	1200mm		
DIAMETER	Ø 80mm		
COLOUR	Black, Yellow		
DIMENSIONS BASE	150 × 140		

PRO



STOCK NO 🔓	204-1787	204-1785	204-1786	174-5953	204-1788	174-5949
	A A					
DIAMETER	Ø 89mm	Ø 90mm	Ø 90mm	Ø 90mm	Ø 159mm	Ø 159mm
HEIGHT	800mm	800mm	800mm	1200mm	800mm	1200mm
MATERIAL	Stainless Steel	Steel	Steel	Steel	Stainless Steel	Steel
COLOUR	Grey	Black, Yellow	Chrome	Black, Yellow	Grey	Black, Yellow
PLATE DIMENSION	Ø 170mm	200 × 200mm	200 × 200mm	200 × 200mm	Ø 240mm	285 × 285mm
WEIGHT	3.9kg	7.4kg	7.4kg	10kg	11.5kg	21kg

POSTS STEEL

Barrier Posts

Ideal for areas where the bollard is likely to get knocked repeatedly at low speeds. RS PRO has designed these steel security posts that can be permanently installed with fixings purchased separately to protect an area. With a choice of different coloured reflective strips available. They are particularly good in areas where there are slow-moving vehicles and high pedestrian traffic that needs crowd control.

H	
Z	1




POSTS STEEL



Steel Barrier & Stanchion Chains

Temporary barriers include bollards, pedestrian barriers, retractable belt barriers, and scissor barriers, plastic work gate barriers, post base, and chain barriers. Temporary barriers are often lightweight and easy to manoeuvre. Temporary barriers are ideal for sectioning off an area that is under maintenance or repair or for crowd control and queue management.





COLOUR	Red, White	Red, White	Red, White	
MATERIAL	Steel	Steel	Steel	
KIT INCLUDES	6 Post, 12 Hooks, 15m Chain	2 Post, 2m Chain	1 Post, 2 Hook, 2m Chain	

POSTS PLASTIC



Plastic Barrier & Stanchion Chains

Temporary barriers include bollards, pedestrian barriers, retractable belt barriers, and scissor barriers, plastic work gate barriers, post base, and chain barriers. Temporary barriers are often lightweight and easy to manoeuvre. Temporary barriers are ideal for sectioning off an area that is under maintenance or repair or for crowd control and queue management.



STOCK NO 🔓	217-5261				
COLOUR	Red, White				
MATERIAL	Posts = ABS, Chain = Polypropylene				
KIT INCLUDES	6 Post, 10m Chain				



Mirrors

The dome shaped mirrors which, are also known as "convex" are designed to reflect a wider angle view of an area and exposing more of a view for those viewing the mirror. They are usually fixed to a wall, at an angle with the appropriate bracket. These are available in circular convex, full dome convex, half dome convex, quarter dome and rectangular shape. These type of safety mirrors are often put in places where a person needs to see around a corner, or to view a difficult or blind spot.

Rectangular Outdoor Safety mirrors are typically shatterproof, waterproof and are generally quite robust. They can be mounted to a wall or surface with a security bolt.



STOCK NO 🔓	663-4621	663-4624	663-4589	663-4595	663-4599	663-4609	663-4583	663-4592
ТУРЕ	Convex Mirror	Convex Mirror	Convex Mirror	Convex Mirror with Reflective tape				
SHAPE	Dome	Half Dome	Circular	Circular	Circular	Circular	Rectangular	Rectangular
DIMENSIONS	Ø 650	Ø 650	Ø 330	450mm	660mm	920mm	610 × 430mm	950 × 670mm

DIMENSIONS	Ø 650	Ø 650	Ø 330	450mm	660mm	920mm	610 × 430mm	950 × 670mm
MATERIAL	Polycarbonate	Polycarbonate	Glass	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
COLOUR	-	-	-	Red, White				
SIGHT DISTANCE	бm	6m	5m	7m	12m	20m	10m	20m
INDOOR/OUTDOOR	Indoor	Indoor	Indoor and Outdoor	Outdoor	Outdoor	Outdoor	Outdoor	Outdoor
VISIBILITY	360°	180°	130°	130°	130°	130°	130°	130°

COMPLIMENTARY PRODUCTS ANTI-SLIP

Stair Nosing

RS PRO is proud to introduce a range of stair nosing designed for use in anti-slip floor applications. These high-quality products should always be considered for reducing the risk of accidents in the workplace both commercial and industrial.

Upon inspection, the anti-slip stair nosing has an aluminium frame with an anti-slip surface, aesthetic pleasing and is easy to clean and maintain. RS PRO aluminium stair nosing is commonly used for health and safety and is perfect for high traffic areas, public entrances and stairwells.

STOCK NO 🔓	174-5941	174-5943	174-5942	174-5938	174-5940	174-5939

LENGTH	900mm	900mm	900mm	1300mm	1300mm	1300mm
WIDTH	76mm	70mm	76mm	76mm	70mm	76mm
THICKNESS	20mm	30mm	20mm	20mm	30mm	20mm
COLOUR	Black	Grey	Yellow	Black	Grey	Yellow
MATERIAL	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
SURFACE TYPE	Anti-Slip	Anti-Slip	Anti-Slip	Anti-Slip	Anti-Slip	Anti-Slip
FORMAT	Sheet	Sheet	Sheet	Sheet	Sheet	Sheet
FEATURES	Black Quartz	PVC	Fluorescent Quartz	Black Quartz	PVC	Fluorescent Quartz

Buy this and more at **rspro.com**





MATERIAL

LINK LENGTH

LINK WIDTH

CHAIN

COMPLIMENTARY PRODUCTS ACCESSORIES

Plastic Link Chain

RS PRO plastic marker chains available in a range of colours. These plastic chains can be used for various applications such as safety barrier systems as well as hanging signs and banners. These barrier chains are ideal to mark a perimeter and identify dangerous areas.

Plastic

50mm

30mm

28 links per metre - total 700 links

STOCK NO 🔓	503-685	125-2182	175-7377	503-679
	Solution of the second se	6	- Andrew -	a de de
COLOUR	Black, Yellow	Fluorescent	Green, White	Red, White
LENGTH	25m	25m	25m	25m

Plastic

-

28 links per metre - total 700 links

Plastic

50mm

28 links per metre - total 700 links



Plastic

50mm

30mm

28 links per metre - total 700 links

Buy this and more at **rspro.com**



RS PRO products are audited against demanding international standards, inspected for durability and consistency and tested by leading engineers.

Only when products have been through this process are they awarded our seal of approval, quality that can be trusted. Confidence in this process is reflected in our long product warranties, proof that our products will consistently deliver the quality you expect for a long time to come.

