

LABELING SOLUTIONS GUIDE



Shipping



Visitor Management



Medical and Health



Mailing

ALWAYS USE
**AUTHENTIC
DYMO**
LABELS





Welcome

In almost every professional setting today, there is an increased focus on creating a work environment that is safer, more productive, and more efficient. When things do go wrong, organizations need to be able to effectively respond so they can get back to delivering the best product or service possible to their customer. DYMO® can help. With a full offering of label makers and labels, DYMO® can assist organizations with a broad array of labeling applications. From labeling file folders to marking pipes, identifying cables, and printing barcodes used to track inventory, DYMO® easy-to-use solutions can help improve the safety and productivity of almost any work environment.

We are committed to environmental responsibilities, striving to become more sustainable every day — one label at a time.

DYMO® – A Better Way to Label





A better way to label

Our sustainability commitment



RECYCLED MATERIALS
FSC® CERTIFIED*



Forest Stewardship Council®*

DYMO® paper products are FSC Mix meaning that these products are made of material from well-managed, FSC®-certified forests and other controlled sources.

The Forest Stewardship Council® (FSC®) is a global, non-profit organization dedicated to the promotion of responsible forest management worldwide.



100% Post-Industrial Waste

DYMO® plastic external cassettes are made from 100% recycled material.

Our materials come from scrap materials created by manufacturers that were destined for disposal. These scraps are then processed and reused to create our label cassettes.



80% Recycled Packaging

DYMO® cardboard sleeve and box label packaging is made from 80% recycled material, while DYMO® plastic blister label packaging is made from 60% recycled material.

Our materials have been diverted and recovered from consumer waste materials that were destined for disposal and are now reused to create our packaging.



DYMO® high quality labels are produced and distributed from Belgium, Europe.

This enables DYMO® to actively reduce our carbon footprint through streamlined supply chains and protect the environment –

One label at a time.

Explore All DYMO® Products

Embossing



LetraTag®



LabelManager™



LabelWriter™



Industrial



Energy Saving



27% reduced energy consumption during production[†] between 2016–2019, achieved through modernized, more efficient machinery and production processes, lowering the carbon footprint of every label produced.

Water Saving



Reduced fresh water use by **73%** between 2009–2019 in our production processes. We have further committed that over **70%** of water used at our factory[†] comes from harvested rainwater.

Rechargeable Batteries



DYMO® was one of the first recognized manufacturers of electronic labelmakers worldwide. We lead the way with a single long-lasting rechargeable battery in the majority of our DYMO® labelers.

No Ink or Toner



DYMO® products incorporate thermal printing technology that eliminates the use of ink cartridges or toners.[‡]

[†] DYMO Production Plant (Sint Niklaas, Belgium, Europe).

[‡] For DYMO® LabelManager™, LabelWriter™, LetraTag®, Rhino™, and XTL™.

OFFICES



DYMO® label makers for offices print custom, color-coded labels for use on files, folders, bins, and shelves. Save money using thermal printing technology that eliminates the need to purchase ink or toner. With DYMO® label makers network connections can be labeled which makes component installations and maintenance simple for IT departments. DYMO® label makers for offices seamlessly integrate into current systems, include easy-to-use options to create custom labels for use throughout the office and create shipping labels in seconds.

DYMO® SOLUTIONS




Office Organization

Increase efficiency and improve asset flow with color-coded labels.



Mailing and Shipping

Print address and shipping labels with self-adhesive labels.




Visitor Management

Create visitor name badges without using ink or toner.



Networking Components

Save time and money on repairs, maintenance, and downtime.



SMALL BUSINESS



DYMO® label makers for small businesses can streamline processes, support shipments, organize files, and more. With PC and Mac® compatibility, users can plug in, create labels, and print in seconds. Easily print addresses through USPS®, UPS and FedEx® for fast, efficient mailing, and shipping. Plus, DYMO® label makers use innovative thermal printing technology that eliminates the cost of ink and toner. Lightweight and easy to use, DYMO® label makers for small businesses let your team focus on what matters most.

DYMO® SOLUTIONS



Designed to Perform

An all-in-one solution for labeling, mailing, and shipping.



Cost Saving Technology

Thermal printing eliminates the need to buy ink or toner.




Slim, Sleek Design

Lightweight DYMO® label makers make the perfect deskmate.



High-Speed Printing

DYMO® label makers can print up to 71 labels per minute.



MEDICAL AND HEALTHCARE



DYMO® label makers in medical settings can save time and resources when needed most. Quick, custom printing allows users to create labels they need in seconds. Our FSC® certified LabelWriter™ paper rolls can withstand elements, chemicals, and more — plus, they're smear and fade resistant. DYMO® label makers use innovative thermal printing technology, so users can count on the perfect label without using ink or toner. Track inventory, keep storage areas organized, and save precious time with DYMO® label makers for medical centers.

DYMO® SOLUTIONS



Create Labels Faster

One-touch fast formatting creates and prints labels in seconds.



Long-Lasting Solution

DYMO® labels withstand elements and won't fade or smear.




Save Time

Labeled inventory saves precious time in medical centers.




Identify and Track

Use durable labels on specimen samples to streamline processing.



Why use barcodes?

The use of barcodes is a common practice in many industries because of their ability to store and help organize varying amounts and types of data. When linked to a database, barcodes can also help to expedite recall and updates of information for a more efficient workflow. Using barcodes supports the fast identification of items which can help to reduce human error, increase productivity, manage assets, and improve audits.



Common applications:

Originally developed to identify railroad cars in the 1960s, the use of barcodes and barcode labels has evolved to span a variety of industries and applications.

When selecting a barcode label, be sure to ask the following questions:

- Will the label size accommodate a barcode?
- What type of environmental conditions will the label have to stand up to?
- Will the label adhere to the selected surface?

DYMO® CAN HELP WITH THESE COMMON APPLICATIONS FOR BARCODE LABELING



Retail



Asset Tracking



Inventory



Shipping



Healthcare

Below are examples of the barcode symbologies supported by DYMO® products.



Interleaved 2 of 5 – Used in warehouses for distribution and industrial applications.



UPC E – Used for point of sale trade items and when space is limited.



QR Code – Used for asset tracking, document management, marketing, and advertising. Links to websites.



UPC A – Used for point of sale trade items.



EAN 8 – Used for point of sale trade items and when space is limited. Indicates the country in which the company that sells the product is based.



ITF-14 – Stores global trade item numbers. Used on product packaging configurations (shipper, case, pallet, etc.)



Code 39 (Code 3 of 9) – Used for name badges, inventory, and industrial applications. Used by government and Dept. of Defense.



EAN 13 – Used for point of sale trade items. Indicates the country in which the company that sells the product is based.



GS1-128 (UCC/EAN 128) – Stores information like dates, batch numbers, quantities, weights, etc.



Code 128 – Used worldwide and is compact in size.



Codabar – Used in libraries, at blood banks, and at air parcels.



PDF 417 – Used in transport for identification cards and inventory management.

BARCODES SOLUTIONS FROM DYMO®



Barcode Symbology / Product	LabelManager™ 420P	LabelWriter™ 5XL	LabelWriter™ 550 Turbo	Rhino™ 6000+	Rhino™ 5200	Rhino™ 4200	XTL™ 500
Item #	S0915440	2112725	2112723	Kit: 2122966	S0841480 Kit: S0841400	S0955970 Kit: 1852998	Kit: 1873309
Code 39 w/Mod 43	✓*	✓	✓	✓*	✓*	✓*	✓
Code 39	—	—	—	—	—	—	✓*
Code 128	✓*	✓	✓	✓*	✓*	✓*	✓*
Interleaved 2 of 5	✓	✓	✓	—	—	—	—
UPC A	✓*	✓	✓	✓	—	—	✓
UPC E	✓*	✓	✓	✓	—	—	—
EAN 8	✓*	✓	✓	✓	—	—	✓*
EAN 13	✓*	✓	✓	✓	—	—	✓*
Codabar	✓	✓	✓	✓	—	—	✓*
UCC/EAN 128	✓	✓	✓	—	—	—	—
ITF-14	✓	✓	✓	—	—	—	—
PDF 417	✓	✓	✓	✓	—	—	✓*
QR Code	✓	✓	✓	✓	—	—	✓*
DYMO Software Compatibility	DYMO® Label™	DYMO® Connect	DYMO® Connect	DYMO® ID	—	—	DYMO® ID

*Barcode can be printed directly from label maker without PC or Mac® connection.



RECOMMENDED LABELS FOR BARCODES

D1 Standard Tapes

D1 Standard Tapes are suitable for many tasks and can be removed without leaving residue**.

LabelWriter™ Labels*

LabelWriter™ Labels use a direct thermal printing process.

Various size labels available.

Rhino™ Industrial Labels – Vinyl XTL All-Purpose Vinyl

Ideal for indoor/outdoor applications.

Note: XTL All-Purpose Vinyl Labels are 23' (7m) long and are not available in 3/8" (9mm) width. XTL All-Purpose Vinyl Labels are also available in 2" (51mm) width.

Rhino™ Industrial Labels – Permanent Polyester XTL Permanent Flat Surface

Professional, polished finish. Ideal for flat surfaces.


Note: XTL Permanent Flat Surface Labels are 30' (9,1m) long and are only available in 3/8" (9mm) or 1/2" (12mm) widths.

**Subject to material surface, environment condition and duration. *Subject to D1 tape size.

MAILING AND SHIPPING

Helping to improve efficiency in any mail and shipping department.

Despite the digitalization of today's world, sending and receiving mail and packages is still an everyday necessity for most businesses. The process of sending out mailings can be a time-consuming job so it's important that it happens in the most productive, efficient, and professional way possible.



Create your own desktop mailing solution

Combine any LabelWriter™ label printer with any DYMO® USB digital mailing or shipping scale to create a complete desktop mailing solution.

Using DYMO® label printers and labels for your mailing and shipping process can help you save time and have your business mailing like a pro in no time. When you use DYMO® you can enjoy these great benefits:

- **Professional looking.** Printed address labels eliminate handwriting errors.
- **Print the precise number of mailing or shipping labels needed, eliminating the waste from using inkjet or laser sheet labels.**
- **Self-adhesive labels.** This means no more cutting and taping labels.
- **No expensive ink or toner required.** The DYMO® LabelWriter™ 550 Series label printer uses smudge-proof thermal printing technology.



Print easy from eBay, Amazon, Etsy, and more.



DYMO® LABEL PRINTERS ARE EASY TO USE AND CAN HELP TACKLE A VARIETY OF MAILING AND SHIPPING NEEDS



Address Labels
Including Return



Shipping Labels
Up to 104mm x 159mm

MAILING AND SHIPPING SOLUTIONS FROM DYMO®



LabelWriter™ 450 DUO
S0838920



LabelWriter™ 5XL
2112725



LabelWriter™ 450 Twin Turbo
S0838870



LabelWriter™ 550
2112722



LabelWriter™ 550 Turbo
2112723



Connect a DYMO® LabelWriter™ label printer to your PC or Mac® and you're ready to print address labels, shipping labels, and much more. These label printers make it easy to get first-class results. Thermal printing technology eliminates the cost of ink or toner and the hassle of sheet labels. Improved resolution graphics deliver crystal clear text, graphics, and barcodes.

RECOMMENDED LABELS FOR MAILING AND SHIPPING



LabelWriter™ Labels

LabelWriter™ Durable

LabelWriter™ Labels use a direct thermal printing process.

LabelWriter™ Durable Labels have industrial-strength adhesive which sticks securely to challenging surfaces like metal tread plate, textured PVC, wood, glass, and more.



Not all label usages above apply to all LabelWriter® Labels.

Note: Only LabelWriter® Durable Labels are cleaning, chemical, water, and oil resistant.

28mm x 89mm

54mm x 70mm

102mm x 59mm



Various size labels available.

Temperature Rating: -18°C to 50°C



LabelWriter™ Labels* – Extra Large Format


Available for LabelWriter™ 4XL and LabelWriter™ 5XL only



Ideal for oversized envelopes, priority mail packages, and boxes.

Big enough to fit your return address, logo, as well as the recipient address all while meeting postal requirements.

Temperature Rating: -18°C to 50°C



What is visitor management?

Visitor management refers to the process of tracking visitors who enter and exit a facility, creating a record of the building's use. During the visitor check-in process information is often collected from each visitor including name, reason for their visit, and the date and time of check-in and check-out.



Types of visitor management systems

There are two common methods for facilitating visitor management systems – pen and paper, and electronic. The pen and paper method often utilizes a log book where visitors can sign in and handwrite the required information for check-in and checkout.

An electronic visitor management system uses a computer to record and validate visitor information. Some advantages to this type of system are that they can store a digital record of all check-in/checkout activity, allow for validation of visitor ID against internal and external databases, and enable photo ID printing on name badges for an added level of security.

Common locations for visitor management include:

- Schools
- Office Buildings
- Manufacturing
- Healthcare Facilities
- Daycare
- Government Buildings
- Museums
- Events




PRINT ANY BADGE YOU NEED

When integrated with a facility's electronic visitor management* process, DYMO® LabelWriter™ label printers help to provide quick, on-demand printing of name badges to help support the visitor check-in process.

Simple visitor-operated badge printing solutions



Print badges with barcodes and black-and-white photos



VISITOR MANAGEMENT SOLUTIONS FROM DYMO®



LabelWriter™ 550
2112722



LabelWriter™ 550 Turbo
2112723



LabelWriter™ 450 Twin Turbo
S0838870



LabelWriter™ 5XL
2112725



DYMO® LabelWriter™ label printers provide a fast, trouble-free visitor badge printing solution. Great DYMO® hardware features and specialty badge labels let you add custom capabilities to create the perfect solution for your needs — without a lot of extra work.

RECOMMENDED LABELS FOR VISITOR MANAGEMENT



LabelWriter™ Labels*

LabelWriter® Labels use a direct thermal printing process.



54mm x 101mm

Various size labels available.

Temperature Rating: -18°C to 25°C



The mark of responsible forestry



DYMO Software Development Kit

With the DYMO Software Developer Kit (free download via www.DYMO.com) for the LabelWriter™ 550 series, you can integrate the badge printing feature in any of your Windows or Mac® applications. It offers fully integrated printer control so you don't have to worry about paper type selection, printer resolutions, margins, custom page sizes, and all the other complexities of printing.



DIGITAL POSTAL SCALES



Mailing and Shipping Scales

Quickly weigh envelopes and packages up to 400 lbs (181 kg) — without a trip to the mailroom or post office. Connect the scale via USB to a PC* or Mac®** to use popular online mailing and shipping services†. Prints directly from eBay, Amazon, Etsy, and more.



Feature / Product	M2 Digital Postal Scale	M5 Digital USB Postal Scale	M10 Digital USB Postal Scale	S50 Digital USB Shipping Scale	S100 Digital USB Shipping Scale	S180 Digital USB Shipping Scale
Item #	S0928990	S0929000	S0929010	S0929020	S0929030	S0929040
Description	2 kg Digital Postal Scale	5 kg Digital USB Postal Scale	10 kg Digital USB Postal Scale	50 kg Digital USB Shipping Scale	100 kg Digital USB Shipping Scale	180 kg Digital USB Shipping Scale
Maximum Weight Capacity	2 kg	5 kg	10 kg	50 kg	100 kg	180 kg
Weight Interval	0.1 oz (3 g)	0.2 oz (6 g)	0.2 oz (6 g)	0.2 lb (0.09 kg)	0.2 lb (0.09 kg)	0.5 lb (0.23 kg)
Automatic Shut-Off	✓	✓	✓	✓	✓	✓
Hold Button <i>To Lock Weight Display</i>	✓	✓ (+LED Indicator)	✓ (+LED Indicator)	✓	✓	✓
Tare Button <i>To Weigh Contents in a Container</i>	✓	✓	✓	✓	✓	✓
USB Connection	—	✓	✓	✓	✓	✓
Detachable LCD-Display <i>Hand-Held or Wall-Mounted Use</i>	—	—	—	✓	✓	✓
Power Source <i>Batteries Excluded</i>	3 AAA	USB Cable or 3 AAA	USB Cable or 3 AAA	USB Cable, AC Adapter or 3 AAA	USB Cable, AC Adapter or 3 AAA	USB Cable, AC Adapter or 3 AAA
Platform Dimensions	6" x 6" (152mm x 152mm)	8" x 8" (203mm x 203mm)	8" x 8" (203mm x 203mm)	12" x 12" (305mm x 305mm)	12" x 12" (305mm x 305mm)	12" x 12" (305mm x 305mm)
Size	7.4" x 6.4" (188mm x 163mm)	9.0" x 8.3" (229mm x 211mm)	9.0" x 8.3" (229mm x 211mm)	15" x 16" (381mm x 406mm)	15" x 16" (381mm x 406mm)	15" x 16" (381mm x 406mm)
Weight <i>Excluding Cable</i>	1 lb (0.45 kg)	3 lbs (1 kg)	3 lbs (1 kg)	9 lbs (4 kg)	9 lbs (4 kg)	9 lbs (4 kg)

* Works with Windows XP, Windows Vista, or Windows 7.

** Works with Mac OS v10.4 or later.

† Weight restrictions may apply.

LabelWriter™ Label Printers



Feature / Product	LabelWriter™ 550	LabelWriter™ 550 Turbo	LabelWriter™ 5XL	LabelWriter™ 450 Duo	LabelWriter™ 450 Twin Turbo	LabelWriter™ Wireless
Item #	2112722	2112723	2112725	S0838920	S0838870	2000931
Product Description	Professional Label Printer for PC and Mac®	High-Speed Label Printer for PC and Mac®	High-Speed, Extra-Wide Label Printer	2-in-1 Label Printer	Dual-Roll Label and Postage Printer for PC and Mac®	Print Labels without Cables Using Wi-Fi
Capacity	Single Roll	Single Roll	Wide Format	Dual Roll	Dual Roll	Single Roll
Printing System	Direct Thermal	Direct Thermal	Direct Thermal	Direct Thermal	Direct Thermal	Direct Thermal
Print Speed (labels/min)	62 [†]	90 [†]	53 [†]	71 [†]	71 [†]	71 [†]
Maximum Print Width	59mm	59mm	104mm	59mm	59mm	59mm
Label Types	DYMO® Authentic LabelWriter® Labels Only		DYMO® Authentic LabelWriter® Labels Only	LabelWriter® and D1	LabelWriter®	LabelWriter®
Automatic Label Recognition™	✓	✓	✓	—	—	—
Connectivity	USB	USB or LAN	USB or LAN	USB	USB	USB

[†]4-line address label.

Automatic Label Recognition

Labels In. Guesswork Out.

Automatic Label Recognition recognizes and displays the label size, type, and number of labels remaining, eliminating frustration by ensuring labels never run out without notice.

Automatic Label Recognition is available only on the LabelWriter™ 5XL, 550, and 550 Turbo.

ONLY WORKS WITH
**AUTHENTIC
DYMO
LABELS**



Automatic sleep mode




All LabelWriter™ printers have automatic sleep mode — to conserve energy and reduce your costs.



Create your own desktop mailing solution

Combine any LabelWriter™ label printer with any DYMO® USB digital postal or shipping scale to create a complete mailing or shipping system.

LABEL TYPE	ITEM CODE	DESCRIPTION	SIZE (W x H mm)	ROLLS/BOX	LABELS/ROLL	ADHESIVE	MATERIAL
	S0722370	Standard Address Labels	28 x 89	2	130	Permanent	Paper
	S0722360	Standard Address Labels	28 x 89	24	130	Permanent	Paper
	2093091	Standard Address Labels	28 x 89	12	130	Permanent	Paper
	S0722380	Assorted Colour Labels	28 x 89	4	130	Permanent	Paper
	S0722400	Large Address Labels	36 x 89	2	260	Permanent	Paper
	S0722390	Large Address Labels	36 x 89	24	260	Permanent	Paper
	2093093	Large Address Labels	36 x 89	12	240	Permanent	Paper
	S0722410	Large Address Labels	36 x 89	1	260	Permanent	Transparent Plastic
	S0722520	Large Return Address Labels	25 x 54	1	500	Permanent	Paper
	S0722430	Shipping / Name Badge Labels	54 x 101	1	220	Permanent	Paper
	S0947420	High Capacity Shipping Labels	102 x 59	2	575	Permanent	Paper
	2093092	Shipping / Name Badge Labels	54 x 101	6	220	Permanent	Paper
	S0722420	Shipping / Name Badge Labels	54 x 101	12	220	Permanent	Paper
	S0904980	Extra Large Shipping Labels	104 x 159	1	220	Permanent	Paper
	S0722530	Multi-Purpose Labels	13 x 25	1	1000	Removable	Paper
	S0929120	Square Multi-Purpose Labels	25 x 25	1	750	Removable	Paper
	S0722550	Multi-Purpose Labels	19 x 51	1	500	Removable	Paper
	S0722540	Multi-Purpose Labels	32 x 57	1	1000	Removable	Paper
	S0722440	Large Multi-Purpose Labels	54 x 70	1	320	Permanent	Paper
	2093094	Large Multi-Purpose Labels	32 x 57	6	1000	Permanent	Paper
	2093095	Large Multi-Purpose Labels	32 x 57	12	1000	Permanent	Paper
	S0722460	Suspension File Labels	12 x 50	1	220	Permanent	Paper
	S0722470	Small Lever Arch File Labels	38 x 190	1	110	Permanent	Paper
	S0722480	Large Lever Arch File Labels	59 x 190	1	110	Permanent	Paper
	S0722560	Small Name Badge Labels	41 x 89	1	300	Removable	Paper
	S0929100	Appointment / Name Badge Cards	51 x 89	1	300	Non-adhesive	Paper
	2133400	Shipping / Name Badge Labels Yellow	54 x 101	1	220	Permanent	Paper
	2133399	Shipping / Name Badge Labels Red	54 x 101	1	220	Permanent	Paper

Example	Label Type	Description	Code #	Size (mm)	Rolls/Box	Label/Roll	Adhesive	Material
	Mailing	Standard Address Labels	2093091	28 x 89	12	130	Permanent	Paper
		Standard Address Labels	S0722360	28 x 89	24	130	Permanent	Paper
		Large Address Labels	2093093	36 x 89	12	240	Permanent	Paper
		Large Address Labels	S0722390	36 x 89	24	260	Permanent	Paper
	Shipping	Shipping / Name Badge Labels	2093092	54 x 101	6	220	Permanent	Paper
		Shipping / Name Badge Labels	S0722420	54 x 101	12	220	Permanent	Paper
	Multi-Purpose	Large Multi-Purpose Labels	2093094	32 x 57	6	1000	Permanent	Paper
		Large Multi-Purpose Labels	2093095	32 x 57	12	1000	Permanent	Paper



* The mark of responsible forestry
FSC® C154055



BPA Free
LabelWriter™
labels



DYMO® high
quality labels are
made in Belgium



Reach
compliant



RoHS
compliant

* All Authentic DYMO Paper LabelWriter™, LetraTag®™ labels

This information is being provided for general information purposes and the compliance standards and certifications referenced herein are based on current standards which are subject to change.

LabelWriter™ Labels Visual Guide



A visual guide to some of our most popular LabelWriter™ labels shapes and sizes.



The mark of responsible forestry

FSC® certified

DYMO® LabelWriter™ paper and DYMO® LetraTag® paper labels.

ADDRESS



36 x 89 mm
S0722410 Clear | S0722400 White


28 x 89 mm
S0722370 (130 per roll)



SUSPENSION FILE



12 x 50 mm S0722460 (220 per roll)



SHIPPING



54 x 101 mm S0722430 (220 per roll)
213340 (Yellow) | 2133399 (Red)

FILING

38 x 190 mm
S0722470 (110 per roll)

59 X 190 mm
S0722480 (110 per roll)



EXTRA LARGE SHIPPING

E	* SAMPLE * Flat Rate Envelope, Express Mail Commercial Base Pricing	Mailed from ZIP 94301
	VOID - DO NOT MAIL	
TEST SAMPLE 071V00621230		
EXPRESS EXPRESS MAIL®		
EXPRESS EXPRESS MAIL		
EO 026 409 804 US		
POSTAL USE ONLY		
Date In: Mo. Day Year		Time In: <input type="checkbox"/> AM <input type="checkbox"/> PM
Day of Delivery: <input type="checkbox"/> Next <input type="checkbox"/> Second		<input type="checkbox"/> 12 Noon <input type="checkbox"/> 3 PM
Return Receipt <input type="checkbox"/>	COD <input type="checkbox"/>	Additional Insurance <input type="checkbox"/>

For use with LabelWriter™ 4XL only
104 x 159 mm S09004980 (220 per roll)



Available as LW Durable (Plastic)
2112287

HIGH CAPACITY SHIPPING

For use with LabelWriter™ 4XL only
102 x 59 mm S0947420 (575 per roll)



LabelWriter™ Labels Visual Guide



BPA Free
LabelWriter™
labels




DYMO® high
quality labels are
made in Belgium

APPOINTMENT / NAME BADGE



41 X 89 mm S0722560 (300 per roll)

51 x 89 mm S0929100 (300 per roll)



MULTI-PURPOSE



32 x 57 mm
S0722540 (1000 per roll)
Removable

19 x 51 mm
S0722550 (500 per roll)

25 x 25 mm
S0929120 (750 per roll)

13 x 25 mm
S0722530 (1000 per roll)



LARGE MULTI-PURPOSE



54 X 70 mm
S0722440 (320 per roll)

DURABLE
LABELS

LW Durable Labels

25 x 89 2112285

25 x 25 2112286

32 x 57 2112289

19 x 64 2112284

59 x 190 2112288

59 x 102 2112290

25 x 54 2112283



SOFTWARE, INTEGRATION AND NETWORKING

Make labeling part of your seamless work process.



DYMO® Connect for Desktop

Labeling done directly from your desktop.

- Create labels with DYMO® Connect for Windows and Mac® OS.
- Print in bulk from Microsoft™ Excel™, Outlook™, and Google™ Contacts.
- Create 60+ label types through preset templates or design your own.
- Customize labels with images from your computer.
- Instantly create QR codes, barcodes, address labels and more.
- Integrated spellcheck reduces spelling errors.



DYMO® Connect Mobile App

Labeling with your mobile device has never been easier.

- Print labels faster and more easily with pre-formatted label types and templates.
- Customize labels with pictures from the Image Gallery on your smartphone or tablet.
- Intuitive design and features like spellcheck and voice-to-text make creating labels a breeze.
- Compatible with Android™ and iOS® smartphones, and LabelWriter™ Wireless.



DYMO® ID Software

Achieving labeling simplicity just got easier.

- Consistent software design between DYMO® ID software and Rhino™ 6000+ / XTL™ label makers make it easy to transition between PC and label printer.
- Quickly import data to create a series of labels in just a few steps to eliminate manual entry, saving time and increasing productivity.
- Over 200 pre-loaded symbols and images — or simply add a custom image to enhance communication and meet industry standards.
- Quick customization and upgrades — simply plug your XTL™ label maker into a PC and use DYMO® ID software to customize your preferences and keep it up to date.
- Works with the DYMO® Rhino™ 6000+ and XTL™ 500 label makers as well as DYMO® XTL™ Laminated Wire/Cable Wrap Sheet Labels.



SOFTWARE, INTEGRATION AND NETWORKING



DYMO® ID Software now with Fluke LinkWare™ Integration **Cable labeling made simple.**

- Import data from a LinkWare™ Live account in just a few steps to eliminate manual entry, saving time and increasing productivity.
- Use cable ID data with built-in label applications and time-saving templates for patch panels, wire/cable labels, and more.
- Life-like, on-screen print preview shows exactly how labels will look when applied to cables, panels, and more.



DYMO® Software Development Kits **Build DYMO® technology into your solutions.**

- Fully integrated printer control so you don't have to worry about paper type selection, printer resolutions, margins, custom page sizes, and all the other complexities of printing.
- Advanced text handling including rotation, curved text, and shrink-to-fit.
- Intelligent mail barcodes for faster delivery of mail.
- Built-in support for photo ID applications.
- Built-in support for reading, re-sizing, and printing most common graphics formats.
- Built-in support for UPC, EAN, EAN 128, ITF-14, Code-128, Code 39, Interleaved 2 of 5, IMB, POSTNET, PLANET, and other barcode symbologies.



LabelWriter™ Print Server **Network adapter for DYMO® LabelWriter® label printers.**

- Simple installation: Connects via USB, ethernet cable, and AC power source.
- Connects everyone on your local network.
- Software available in English, French, German, Dutch, and Italian.
- For LabelWriter™ 450 DUO and LabelWriter™ 450 Twin Turbo.



DYMO®



Find the right label for the right application

www.DYMO.com

Your Sales Representative

Name _____

Direct _____ Mobile _____

Email _____

newell
BRANDS

©2021 Sanford, L.P. WWW.DYMO.COM

Newell Europe Sàrl, 1214 Vernier, Switzerland

(EU) Newell Poland Services, Poznan 61-894, Poland

(UK) Newell Rubbermaid UK Services, Lichfield, Staffs, WS13 8SS, UK

Manufacturer: NWL Belgium Services BV

Industriepark-Noord 30, 9100 Sint-Niklaas, Belgium

DYMO®
© 2021 Newell Brands