

The RS logo consists of the letters 'RS' in a bold, white, sans-serif font, centered within a red square.

MAKE RS YOUR ONE-STOP SUPPLIER



Your partner for
products, services
and solutions

hken.rs-online.com

ABB AUXILIARY CONTACT, 4 CONTACT, 2NC + 2NO, SIDE MOUNT

Pack size: **1 x EA**

- Mounting Style: Side Mount
- Series: CAL19
- Contact Current Rating: 6 A
- Terminal Type: Screw
- Contact Voltage Rating: 690 V ac



8007286 4 Contacts

RELPOD PLUG IN POWER RELAY, 230V AC COIL, 6A SWITCHING CURRENT, 4PDT

Pack size: **1 x EA**

- Contact Configuration: 4PDT
- Mounting Type: Plug In
- Switching Current: 6 A
- Number of Poles: 4
- Terminal Type: Plug In



8052197 230 V ac

EMERSON - ASCO SOLENOID VALVE SCE238C005 230/50, 2 PORT(S), NC, 230 V AC, 1IN

Pack size: **1 x EA**

- Number of Ports: 2
- Connection Size: 1 in
- Default Valve Position: NC
- Suitable Applications: Air, Inert Gas, Water



488801 230 V ac

RS PRO IN-LINE THERMOCOUPLE CONNECTOR FOR USE WITH TYPE K THERMOCOUPLE, MINIATURE

Pack size: **1 x EA**

- Connector Type: In-Line
- Thermocouple Type: K
- Connector Size: Miniature Size
- Minimum Temperature: -35 °C



4559534 Thermocouple

LAG SWIVEL CASTOR WHEEL, 150KG CAPACITY, 100MM WHEEL

Pack size: **1 x EA**

- Load Capacity: 150 kg
- Overall Height: 129 mm
- Rotation: Swivel
- Wheel Width: 40 mm
- Tyre Material: Rubber



5096797 100 mm

IMPACT CONTROL 35PC CONSTRUCTION & SDB SET

Pack size: **1 x SET**

- Type: Impact Bit Set
- Size: PH1, PH2, PH3, PZ2, PZ3, T15, T20, T25, T30, T40
- Number of Pieces: 35
- Material: S2 Steel



1367197 Phillips, Pozidriv, Torx

WIFI TEMPERATURE DATALOGGER INT. PROBE

Pack size: **1 x EA**

- Number of Input Channels: 1
- Sensor Type: Humidity, Temperature
- Interface Type: Wi-Fi
- Maximum Temperature Measurement: +60 °C
- Power Source: Battery, Mains




7567336 Temperature

RS PRO GREEN/YELLOW 6 MM² HOOK UP WIRE

Pack size: **100 x MTR**

- Cross Sectional Area: 6 mm²
- Sheath Colour: Green/Yellow
- European Harmonised Code: H07V-R
- Voltage Rating: 750 V
- Outer Diameter: 4.3 → 5.2 mm



8360919 6 mm²

RS PRO BROWN 6 MM² HOOK UP WIRE

Pack size: **100 x MTR**

- Cross Sectional Area: 6 mm²
- Sheath Colour: Brown
- European Harmonised Code: H07V-R
- Voltage Rating: 750 V
- Outer Diameter: 4.3 → 5.2 mm
- Standards Met: Euroclass Eca
- Fire Behaviour: Flame Retardant
- Series: 6491X



8360915 6 mm²

6098 FILTER TYPE AXP3 NR

Pack size: 4 x EA

- For Use With: 3M 6000 Series Respirator



1814118 Gas/Particulate

3M 6000 SERIES FULL-TYPE RESPIRATOR MASK, SIZE MEDIUM

Pack size: 1 x EA

- Size: M
- Hypoallergenic: No
- Series: 6000
- Colour: Grey



2867142 Full Mask

RS PRO 3 CORE POWER CABLE, 1.5 MM², 100M, BLACK CPE SHEATH, 18 A, 450 V, 750 V

Pack size: 100 x MTR

- Number of Cores: 3
- Sheath Colour: Black
- Sheath Material: CPE
- Outer Diameter: 10.1 mm



7739045 1.5 mm²

ANSELL ALPHATEC BLUE COTTON CHEMICAL RESISTANT, CUT RESISTANT WORK GLOVES, SIZE 8,

Pack size: 1 x PR

- Primary Glove Application: Chemical Resistant, Cut Resistant
- Glove Material: Cotton
- Main Colour of Glove: Blue
- Glove Coating: PVC



2329550 8, Medium

TYVEK COVERALL, L

Pack size: 1 x EA

- Style: Coverall
- Gender: Unisex
- Material: Cotton, Polyester
- Standards Met: EU 2016/425



2498399 Large

DOLD VOLTAGE MONITORING RELAY, 3 PHASE, DPDT, DIN RAIL

Pack size: 1 x EA

- Electrical Phase: 3
- Contact Configuration: DPDT
- Voltage Sensitivity: Undervoltage
- Mounting Type: DIN Rail
- Frequency Sensing Range: 50 → 400 Hz



2408939 Voltage

BAHCO WHITE COTTON GENERAL PURPOSE WORK GLOVES, SIZE 10, LARGE

Pack size: 1 x EA

- Glove Material: Cotton
- Main Colour of Glove: White
- Glove Coating: No Coating
- Number of Gloves: 2



6880451 10, Large

HAND, PROTECTION, GAUNTLET, NATURAL RUBBER, BLACK, UNLINED, 10

Pack size: 1 x PR

- Primary Glove Application: Chemical Resistant
- Glove Material: Rubber
- Main Colour of Glove: Black
- Glove Coating: Latex
- Number of Gloves: 2



6133358 10, Large

ABB AF140-30-11-11 AF SERIES CONTACTOR, 24 V AC/DC COIL, 3-POLE, 200 A, 75 KW, 3NO, 690 V AC

Pack size: 1 x EA

- Number of Poles: 3
- Contact Voltage Rating: 690 V ac
- Contact Current Rating: 200 A
- Series: AF
- Normal State Configuration: 3NO



8007245 24 V ac/dc

SECURITY, PERSONAL ALARM, ELECTRONIC

Pack size: 1 x EA

- Sound Level: 140 dB
- Supply Voltage: 9 V



1566624 140 dB

SIBILLE WITH HOOK. POLE, TP12

Pack size: 1 x EA

- Application: Electrical
- Connecting Element Length: 1.47 m
- Kit Contents: Hook.Pole



9182460 Electrical

RS PRO BLUE 6 MM² HOOK UP WIRE MECHANICAL COMPARATOR

Pack size: 100 x MTR

- Cross Sectional Area: 6 mm²
- Sheath Colour: Blue
- European Harmonised Code: H07V-R
- Outer Diameter: 4.3 → 5.2 mm
- Standards Met: Euroclass Eca
- Fire Behaviour: Flame Retardant



8360912 6 mm²

SIBILLE ORANGE ELECTRICAL PROTECTION ELECTRICAL INSULATING GLOVES, SIZE 10, LARGE

Pack size: 1 x PR

- Glove Size: 10, Large
- Primary Glove Application: Electrical Protection
- Main Colour of Glove: Orange



9182230 10, Large

Pack size: 1 x EA

- Maximum Measurement: 10 mm
- Accuracy: ±12 μm
- Resolution: 0.01 mm
- Measurement Range: 10 mm
- Imperial or Metric: Metric



3976629 10 mm

BM POLYCOGREY LEATHER ELECTRICAL SAFETY WORK GLOVES, SIZE 10, XL, LEATHER COATING

Pack size: 1 x PR

- Glove Size: 10, EXTRA LARGE
- Main Colour of Glove: GREY
- Glove Material: Leather
- Glove Coating: Leather



2618061 10, Extra Large

Contact us to learn more about any of our products or services.

852 2421 9898

HKEnquiry@rs.rsgroup.com

hken.rs-online.com

