

3M Science.
Applied to Life.™

3M Solutions for the Chemical Industry



Bulk/Basic
Chemicals



Specialty
Chemicals



Agricultural
Chemicals



Consumer
Chemical Products



Available from:



3M Solutions for the Chemical Industry

Chemical Verticals	3
Processes & Applications.....	4
Common Hazards for Chemical Processing & Manufacturing Industry	7
Personal Safety Solutions	8
Respiratory Protection Equipment.....	8
Hearing Protection	10
Protective Apparel	12
Eye Protection	13
Head & Face Protection	14
Welding.....	15
Confined Spaces.....	16
Fall Protection	17
Cleaning & Workplace Safety Solutions	19
Floor Safety	19
Floor Care & Surface Care.....	21
Industrial Tape Solutions	23
Marking & Safety Solutions.....	23
High-Strength Bonding Tape Solutions	24
Reclosable Fastening Solutions	25
Packaging Solutions	26



Chemical Verticals



Bulk/Basic Chemicals

Bulk/ Basic chemicals produced in this sector of chemical industry are usually separate chemical elements or separate chemically-defined compounds.

The production facilities are often comprised of high volume continuous closed processes.

(E.g. propylene, butadiene, aromatics, olefins, alcohols, ethylene-based chemicals, sulfuric acid, ethanol, etc.)



Specialty Chemicals

Specialty chemicals are typically performance-oriented and may be manufactured to a customer technical specification.

Volume scale of manufacturing can be broad from small scale batch manufacturing to high volume continuous closed manufacturing.

(E.g. adhesives and sealants, water treatment chemicals, plastic additives, catalysts, coatings, fine chemicals, etc.)



Agricultural Chemicals

Agricultural chemicals are bulk liquid and solid (granular, powder) agricultural products.

(E.g. fertilizers, herbicides, pesticides, fungicides, and intermediates, such as urea, ammonia, nitric acid, and ammonium nitrate)




Consumer Chemical Products

Consumer chemical finished products are manufactured and sold for commercial or consumer usage.

(E.g. soaps, detergents, bleaches, disinfectants, toiletries, cosmetics, etc.)




Bulk/Basic
ChemicalSpecialty
ChemicalAgricultural
Chemical

Processes & Applications

Turnarounds & Maintenance (TAM)

A TAM is a planned, periodic shutdown (total or partial) of a plant that runs on a continuous (rather than batch) production cycle to perform essential maintenance, modifications, and inspection work.




Line Breaking

The act of cutting, disconnecting, or other tasks for the purpose of maintenance and repair can generically be referred to as line-breaking.



Scaffolding

Scaffolding gives access to work areas that would otherwise be difficult to reach. These structures' temporary nature exposes them to a different set of hazards than permanent structures.



Aerial Lift / MEWP

Most aerial lifts or mobile elevating work platforms (MEWPs) used onsite at industrial facilities also have built-in guardrail systems. However, this does not mean that proper fall protection is also built-in.



Confined Space

Confined spaces often have complex entry situations. Tripods are commonly used as confined space anchors but are not appropriate for all confined spaces. Confined spaces and their entry points come in different sizes and shapes, and the supporting structure, entry configuration and space depth must be considered when selecting equipment.



Surface Preparation

Surface preparation can expose workers to hazards including flying objects, overexposure to carbon dioxide, metal oxide particulates, respirable crystalline silica and airborne particulates from blasting.



Welding/Grinding/Cutting

Welders and grinders may be exposed to a wide range of hazards: heat, noise, radiation, vibration, airborne particles, space restrictions, hazards from falling objects, electrical shock, grinding swarf and more.



Crane & Rigging

Crane operators and riggers work together when operating large industrial cranes with rigging tasks to safely lift large material loads and equipment within a plant.



Painting & Coating

Workers applying specialized industrial coatings or paintings to industrial equipment to protect and extend the life of plant structures & production assets.

Processes & Applications


Operations

Operations includes daily MRO activities.

Application Descriptions



Bulk/Basic
Chemical



Specialty
Chemical



Agricultural
Chemical



Consumer
Chemical



Hazardous Material Handling / Transfers

Workers performing tasks that may require them to handle or transfer chemicals with characteristics that may cause harm when released by spilling, leaking, pumping, pouring, emitting, emptying, discharging, injecting, escaping, leaching, dumping or disposing.



Inspection & Sampling

Workers performing routine inspections of plant equipment in operations or obtaining samples of chemicals being produced at a chemical plant for product quality purposes.




General / Daily Facility Maintenance


On-site maintenance workers performing various general facility maintenance tasks while plant is operational. Some on-site maintenance workers may be contracted from other companies due to their specialized trade.



Production & Heavy Equipment Operations

On-site workers (aka operators) operate plant equipment and monitor the production process.



Bulk/Basic
ChemicalSpecialty
ChemicalAgricultural
ChemicalConsumer
Chemical

Processes & Applications

Emergency Response (on-site/in-plant)



Hazmat / Spill

On-site (aka inside the fence) emergency response team needs appropriate equipment to quickly respond to hazmat or spill incidents. Some hazmat / spill incidents may require the help of external companies specialized in handling hazardous materials.




Fire

On-site (aka inside the fence) fire brigade will need appropriate equipment to quickly respond to a plant fire or other emergency response incident at the chemical plant. Not all chemical plants will have an on-site fire brigade.



Confined Space Rescue

On-site plant emergency response team members respond to a situation where a worker needs rescue from a confined space environment. The plan should address all levels of rescue, including self-rescue and assisted rescue and have the appropriate equipment on stand-by for deployment if needed.



Rescue from Heights

On-site plant emergency response team members need to be able to quickly and safely recover a suspended casualty following a fall from height. The plant emergency response plan should address all aspects of rescue including trauma straps, automatic rescue, self-rescue and assisted rescue and have all appropriate equipment on stand by for deployment as required.



Introduction of Common Hazards for Chemical Processing & Manufacturing Industry

There are several potential occupational hazards and they can vary between the different sectors of the chemical industry.

The following hazard categories are applicable to 3M Personal Protective Equipment (PPE).

Health hazards include potential chemical exposures via inhalation, eye, body, or skin.

Physical hazards include potential hazardous exposures or risks to noise, UV, IR, temperature, fire, spills, working at heights, and confined space.

Most Common Hazards in Chemicals Manufacturing



Chemical exposures
(including airborne particulates,
gases & vapours)



Exposure to noise



Working at heights



Confined Space




**Flying Objects
and Liquid Splash**



UV IR VIS Light
(welding arc)

Hazard Control Hierarchy



Companies decide on how to manage or control the hazards/risks identified in their workplace. The principle of the hazard control hierarchy is commonly followed when dealing with hazards/risks in workplaces.

Note: Some chemicals considered hazardous according to one set of regulations and geographic area or country may not have the same hazard definitions by another.




Personal Safety Solutions

Respiratory Protection Equipment

Disposable Respirators

3M™ Aura™ Disposable Respirators 9300+Gen3 Series



3M™ Aura™ Disposable Respirator 9300+Gen3 Series is the latest generation of the best-selling 3M Aura respirator. With the original 3-panel, flat-fold design they provide comfortable, reliable FFP2 and FFP3 breathing protection. They have practical positioning tabs, braided headbands, an embossed, sculpted upper panel that helps reduce eyewear fogging and the new 3M™ Cool Flow™ Comfort Valve.



Reusable Respirators

3M™ Secure Click™ Reusable Half Mask HF-800 Series



Designed with smart and intuitive features 3M™ Secure Click™ Reusable Respirator HF-800 Series is simple, comfortable and reliable. The new 3M™ Secure Click™ Series features a quick, simple cartridge/filter connection. It works just like a seat belt. Simply align the connections and push until you hear a click and feel confident that filters and cartridges are installed properly.



3M™ Reusable Full Face Mask, FF-600 Series



3M™ Reusable Full Face Mask, FF-600 Series features a panoramic visor that is designed to prevent visual distortion and allows for a virtually unrestricted field of vision. Compatible with the 3M™ Filters, DT Series, and with options suitable for use as part of a powered air system, the FF-600 is suitable for a wide range of wearers and applications.



Applications:

Turnarounds & Maintenance

Line Breaking
Confined Space (Entry & Work Inside)

Welding/Grinding/Cutting
Painting & Coating

Operations

Hazardous Material Handling / Transfers
Inspection & Sampling
General / Daily Facility Maintenance



Personal Safety Solutions

Respiratory Protection Equipment

Powered Air Purifying Respirators

3M™ Versaflo™ Powered Air Turbo Starter Kit, TR-300+



The Versaflo™ powered air system combines performance, protection and functionality with modern, stylish, lightweight design and unrivalled comfort. Powered Air Starter Kit TR-315E+ contains TR-302E+ Turbo Unit, Particle Filter, Pre-Filter, Spark Arrestors, Standard Belt, High Capacity Battery, Battery Charger Kit and length adjusting Breathing Tube.



3M™ Versaflo™ Powered Air Turbo TR-600



With user-selectable airflow rates, rugged construction and a comfortable design that will see you through the entire shift, the 3M™ Versaflo™ Powered Air Turbo TR-600 helps provide durable protection in harsh environments.



3M™ Versaflo™ Powered Air Turbo TR-800



TR-800 is an intrinsically safe powered air turbo from the 3M™ Versaflo™ range. When coupled with the Versaflo™ family of headtops, filters and accessories, TR-800 provides protection against a variety of gases and particulate hazards. Comfort is maximised with three user selectable flow rates and controlled airflow.



3M™ Versaflo™ Powered Air Helmet, M-300 Series



3M™ Versaflo™ Helmets, M-300 Series feature lightweight, compact and well-balanced helmets that can offer integrated protection from a range of respiratory, head, eye, face and hearing hazards. It can be used with 3M™ Powered Air Respirators and Supplied Air Respirator Systems in a wide variety of applications.



3M™ Versaflo™ S-Series Hoods & Headcovers



3M™ Versaflo™ S-Series Hoods & Headcovers is a range of hoods and headcovers that can be used in many 3M™ powered air turbo and supplied air respirator combinations. They have been designed for a comfortable, stable fit and feature the innovative 3M™ Quick Release Swivel connection.



Applications:

Turnarounds & Maintenance

Line Breaking
Confined Space (Entry & Work Inside)

Welding/Grinding/Cutting
Painting & Coating

Operations

Hazardous Material Handling / Transfers
Inspection & Sampling
General / Daily Facility Maintenance

Personal Safety Solutions

Hearing Protection

Passive Hearing

3M™ PELTOR™ Earmuffs X Series



3M™ PELTOR™ Earmuffs X Series combine 3M™ PELTOR™ legendary hearing protection knowledge with our most advanced technologies, creating our most comfortable, durable earmuff. A broad range of protection in colour coded SNRs they make finding the correct protection level easier.



Different headband configurations, including helmet attachment, neck band and head banded versions available.



3M™ E-A-R™ Classic™ Earplugs



The 3M™ E-A-R™ Classic™ Earplugs are disposable and designed for insertion into the ear canal to help reduce exposure to hazardous levels of noise and loud sound up to 31 dB SNR. These products are available in a corded and uncorded version.



3M™ E-A-R™ Express™ Earplugs



The 3M™ E-A-R™ Express™ Earplugs are a push to fit design for insertion into the ear canal to help reduce exposure to hazardous levels of noise. Can be fitted using one hand or two hand insertion method. They may be used for protection against moderate to high noise environments, providing effective protection across all test frequencies.



Moderate to high noise environments.

3M™ E-A-Rsoft™ 21 Earplugs



The 3M™ E-A-Rsoft™ 21 earplugs seal the entrance part of the ear canal and may be used for protection against low to moderate noise environments, providing effective protection across all test frequencies. Provides noise reduction to 22 dB SNR as fully tested and approved against EN 352-2:2020.



Low to moderate noise environments

Applications:

Turnarounds & Maintenance

Line Breaking
Scaffolding
Aerial Lift / MEWP

Confined Space
(Entry & Work Inside)
Surface Preparation

Welding/Grinding/Cutting
Crane & Rigging
Painting & Coating

Operations

Hazardous Material
Handling / Transfers
Inspection & Sampling

General / Daily
Facility Maintenance
Production & Heavy
Equipment Operations

Personal Safety Solutions

Hearing Protection

Communication Solutions

3M™ PELTOR™ Electronic Earplug EEP-100 EU




The 3M™ PELTOR™ Electronic Earplug helps protect your hearing, and can help improve situational awareness and communications in challenging environments. The earpieces are rechargeable via a USB jack on the charging case. The small and lightweight design helps improve the overall comfort and user experience, and makes it compatible with most head borne 3M Personal Safety Equipment (PPE), such as helmets and face shields.



Compatible with most head-borne 3M PPE.



3M™ PELTOR™ WS™ LiteCom Plus Headset PMR446 MHz



3M™ PELTOR™ WS™ LiteCom Plus Headset features integrated pre-programmed two-way radio, Bluetooth® Multipoint connectivity, noise-cancelling microphones, and a level-dependent function for ambient listening. Different configurations available, including headbanded and helmet attached versions. Works best for: Noisy environments where there is a need for communication, calls and ambient listening.



3M™ PELTOR™ LiteCom Plus Headsets



3M™ PELTOR™ LiteCom Plus Headsets are our robust hearing protectors with a built-in analogue two-way communication radio, noise cancelling dynamic microphone, Lithium-Ion battery and level dependent functionality for ambient listening. Works best for: Noisy environments where there is a need for communication and ambient listening.



Applications:

Turnarounds & Maintenance

Line Breaking
Scaffolding
Aerial Lift / MEWP
Confined Space (Entry & Work Inside)

Surface Preparation
Welding/Grinding/Cutting
Crane & Rigging
Painting & Coating

Operations

Hazardous Material Handling / Transfers
Inspection & Sampling
General / Daily Facility Maintenance

Production & Heavy Equipment Operations

Emergency Response (On-Site/In-Plant)

Hazmat / Spill
Fire
Confined Space Rescue
Rescue from Heights




Personal Safety Solutions

Protective Apparel

Protective Coveralls

3M™ Protective Coverall 4510



3M™ Protective Coverall 4510 offers economic protection against biological agents, hazardous dusts and limited liquid splashes. Our PE laminate includes micro pores which allow heat and moisture to evaporate from the skin and out through the suit offering a light and comfortable yet protective solution. Type 5/6.




3M™ Protective Coverall 4530



3M™ Protective Coverall 4530 is made with a lightweight 54gsm breathable fabric that has a treatment to give limited flame spread resistance. Being lightweight it can be worn for long periods of time and helps protect the wearer against solid airborne particulates and certain limited liquid splashes (Type 5/6). In addition to the flame spread resistance treatment tested to ISO 15025:2016 and complying with ISO 14116:2015 requirements for limited flame spread Index 1, the fabric also has a treatment to help protect against static discharge (EN1149-5:2018).



3M™ Protective Coverall 4565



3M™ Protective Coverall 4565 has desirable comfort features and provides a strong barrier to certain chemicals, liquid sprays and particles. 3M protective coverall 4565 is non-microporous to offers chemical protection with permeation tested resistance and is certified to EN 14126 biological agents. Type 4/5/6.



3M™ Protective Coverall 4570



3M™ Protective Coverall 4570 is made of a strong 92gsm non-microporous PE laminate and features a double front closing system and large zip pull for easy wear. This coverall provides an excellent barrier to liquid splashes and jet sprays to Type 3 and hazardous particles to Til class 2 EN 1073-2.



Applications:

Turnarounds & Maintenance

Line Breaking
Confined Space (Entry & Work Inside)
Surface Preparation
Painting & Coating

Operations

Hazardous Material Handling / Transfers

Emergency Response (On-Site/In-Plant)

Hazmat / Spill

Personal Safety Solutions

Eye Protection

Safety Glasses

3M™ SecureFit™ Safety Glasses 400 Series

3M™ SecureFit™ Safety Glasses 400 Series comprise of a rimless lens and wide flexible temple arms for solid side protection and work well with Ear Muffs. Temples also feature 3M™ Pressure Diffusion Temple Technology (PDT) which allows the safety spectacle temples to naturally adjust to individuals head sizes, giving wearers a secure and comfortable fit. Soft, adjustable nose pads reduce slippage from head movements. In selected models contoured brow guard rests comfortably against forehead and helps provide additional coverage during impact. Soft nose bridge for a comfortable fit. Available in 7 lens options.



Safety Goggles

3M™ GoggleGear™ Safety Goggles 500 Series

3M™ GoggleGear™ 500 Series features a low-profile design with an adjustable strap, a lightweight design for all-day comfort and indirect airflow to help against fogging. 3M™ Scotchgard™ Anti-Fog Coating provides superior anti-fog and anti-scratch properties. Can be sterilised by autoclave without losing its mechanical or anti-fog performance -please refer to Note. Available in a variety of frame colours and lens options.



Note 1: Sterilisation by autoclaving - internal testing has been carried out on GG501NSGAF-EU samples subjected to 10x, 20x, 30x and 40x automatic cleaning and disinfection and sterilisation by autoclaving at 121°C. Testing was then carried out on the following properties:
 • mechanical performance (BT) • the anti-fog properties (K) • the anti-scratch properties (N) • optical performance (Class 1).
 Based on the internal testing the claims remain valid.
 Note 2: Disinfection guidance [downloadable here](#).



3M™ Solus™ 1000 Series Safety Glasses

A fogged lens can be frustrating and challenging. Removing eyewear to wipe away fog can expose eyes to potentially dangerous workplace impact hazards and debris. 3M™ Solus™ 1000 series protective eyewear features Scotchgard™ Anti-Fog lens coating – providing longer lasting fog resistance than traditional anti-fog coatings, up to 25 washings with water. Based on 3M internal testing of tap water wash cycles followed by anti-fog testing per EN 168 test method.



3M™ GoggleGear™ 6000 Series Safety Goggles

3M™ GoggleGear™ Safety Goggles 6000 Series features a large profile with indirect ventilation for air circulation with Scotchgard™ Anti-Fog and Anti-Scratch Coating. Available in a range of shroud colours and two lens options.



3M™ Comfort Line Safety Goggles 2890 Series

3M™ GoggleGear™ Safety Goggles 2890 Series are high-wrap safety goggles available with a superior anti-scratch and anti-fog coatings for increased durability and vision. Our goggles feature a modern, slim design and a wide, elastic strap for easy adjustability. For eye protection with an excellent field of vision and reduced fogging in hot or humid conditions, use 3M™ GoggleGear™ Safety Goggles 2890 Series. Available in a variety of lens options.



Applications:

Turnarounds & Maintenance

Line Breaking	Surface Preparation
Scaffolding	Welding/Grinding/Cutting
Aerial Lift / MEWP	Crane & Rigging
Confined Space	Painting & Coating
(Entry & Work Inside)	

Operations

Hazardous Material Handling / Transfers	Production & Heavy Equipment Operations
Inspection & Sampling	
General / Daily Facility Maintenance	

Emergency Response (On-Site/In-Plant)

Hazmat / Spill
 Confined Space Rescue
 Rescue from Heights




Personal Safety Solutions

Head & Face Protection

Head Protection


3M™ SecureFit™ Safety Helmet X5000 Series



3M™ SecureFit™ Safety Helmet, X5000 Series, provides secure, comfortable and adjustable head protection for workers in a variety of situations. Our helmets feature six different settings to adjust positions and 4-point chin strap selector systems to switch between EN 397 (industrial safety helmets) or EN 12492 (helmets for mountaineers) certification standards. X5000 Series safety helmets are vented, brimless and have 3M™ Uvicor™ Sensors that indicate levels of exposure to damaging ultraviolet (UV) light. They're available in a variety of colours including reflective options and are compatible with a range of faceshields and with 3M Peltor Ear muffs and Communication headsets.



3M™ SecureFit™ Safety Helmet X5500 Series




3M™ SecureFit™ Safety Helmet X5500 Series provides secure, comfortable and adjustable head protection for workers in a variety of situations. Our helmets feature adjustable positioning and easy-turning, 4-point ratchet suspension systems that features the exclusive 3M™ Pressure Diffusion Technology. X5500 Series safety helmets have 3M™ Uvicor™ Sensors that indicates damaging levels of ultraviolet (UV) light. They meet the EN397 standard for general industrial use and are available in a variety of colours with or without vents.



Face Protection


3M™ 5A-CP Faceshield



3M™ 5A-CP is an optical class 1, acetate faceshield featuring a chin cup to enhance protection against liquid splashes. 5A-CP is compatible with most of 3M hard hats and with G500 Headgear.



3M™ 5F-11 Face Shields



3M™ 5F-11 Faceshield is an optical class 1, clear curved polycarbonate faceshield with anti-fog coating. 5F-11 is compatible with most of 3M hard hats and with G500 Headgear.



3M™ Faceshield Holder



Connects 3M™ faceshields to 3M™ Safety Helmets.



Applications:

Turnarounds & Maintenance

Line Breaking
Scaffolding
Aerial Lift / MEWP
Confined Space
(Entry & Work Inside)

Surface Preparation
Welding/Grinding/Cutting
Crane & Rigging
Painting & Coating

Operations

Hazardous Material
Handling / Transfers
Inspection & Sampling
General / Daily
Facility Maintenance

Production & Heavy
Equipment Operations

Emergency Response (On-Site/In-Plant)


Hazmat / Spill
Confined Space Rescue
Rescue from Heights



Personal Safety Solutions Welding

Welding


3M™ Speedglas™ Heavy Duty Welding Helmet, G5-01 Series



3M™ Speedglas™ Heavy Duty Welding Helmet, G5-01 is specifically designed for the heavy duty welder. The helmets flip up functionality allows you to seamlessly switch between welding and grinding tasks while maintaining powered air respiratory protection.



3M™ Speedglas™ Welding Helmet 9100 MP with welding filter 9100XXi and 3M™ Adflo™ Powered Air Respirator



The 3M™ Adflo™ Powered Air Purifying Respirator System with 3M™ Speedglas™ 9100 MP Welding Helmet is designed to help protect the eyes and face from radiation, sparks, and spatter. This system also includes respiratory protection, head protection, optional hearing protection, and a flip-up welding shield.



Applications:

Turnarounds & Maintenance

Line Breaking
Scaffolding
Aerial Lift / MEWP

Confined Space
(Entry & Work Inside)
Surface Preparation

Welding/Grinding/Cutting

Operations

General / Daily
Facility Maintenance

Production & Heavy
Equipment Operations



Personal Safety Solutions Confined Spaces

Confined spaces are partially or fully enclosed spaces that meet all of the following criteria:

- ▶ Large enough for workers to enter and perform certain jobs.
- ▶ Limited or restricted means for entry or exit.
- ▶ Not designed for continuous occupancy.

The range of possible confined spaces is also extensive. type, size and hazards vary greatly, along with different standards, regulations and company policies that can apply to each working environment.


Elements of Working Safely in Confined Spaces:

Confined spaces can be complicated and anyone, in any industry, can be exposed to working in and around them. We break this complexity down to four mayor elements:




1. Plan

Before working in a confined space, start with a site evaluation then document and plan for safe confined space entries.



2. Access

Understand what you need to access a specific confined space, including a hazard assessment.



3. Work Inside

Provide the appropriate personal protection equipment to the worker to protect from hazards seen and unseen.

4. Rescue and Retrieval

Be prepared - ensure your team has a plan and are trained.



Applications:

Turnarounds & Maintenance

Line Breaking
Confined Space (Entry & Work Inside)

Operations

General / Daily Facility Maintenance

Emergency Response (On-Site/In-Plant)

Confined Space Rescue



Personal Safety Solutions

Fall Protection

Anchorage

3M™ DBI-SALA® 5 Piece Long Reach Davit High Capacity (HC) System



The 3M™ DBI-SALA® Confined Space Davit System provides a complete confined space rescue and work support system. The modular design can be separated for easy transportation and storage. System comes with 3-piece base, mast extension and davit arm. Our system is adjustable providing flexibility during installation. Certified to EN795:2012, EN1496:2006, & CEN/TS 16415:2013.



3M™ DBI-SALA® Pole Hoist System



The 3M™ DBI-SALA® Pole Hoist System features a swivel head that rotates 360 degrees, providing unparalleled flexibility in both vertical and horizontal confined-space entries.



Body Support

3M™ DBI-SALA® ExoFit™ Safety Harnesses



The 3M™ DBI-SALA® ExoFit™ XE200 comfort harnesses are built with durable 26kN polyester webbing, revolving torso adjuster (patented) for quick and easy harness fit adjustment. Front cross chest quick-connect buckle with centred D-ring. Integrated pSRL tunnel that helps quickly and easily connect and disconnect personal SRLs. Lightweight aluminium hardware and stand-up back D-ring. Auto-locking quick-connect buckles for secure contact with webbing and reduced need for readjustment. Built-in low-profile suspension trauma relief straps, hybrid comfort padding with breathable mesh under-side with added air channels, and reflective 3M Scotchlite™ panels. Models available with work-positioning belts.



Descent & Rescue Devices

3M™ DBI-SALA® Digital Winch Series



3M™ DBI-SALA® Digital winches are rated for a maximum working load of 205 kg (450 lbs). This winch has two cranking speeds capable of retrieval/descent from 4 m/min (13 ft/min) to 9 m/min (30 ft/min).



Applications:

Turnarounds & Maintenance

Line Breaking
Scaffolding
Aerial Lift / MEWP
Confined Space (Entry & Work Inside)
Crane & Rigging

Operations

General / Daily Facility Maintenance

Emergency Response (On-Site/In-Plant)

Confined Space Rescue
Rescue from Heights



Personal Safety Solutions

Fall Protection

Connecting Devices

3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline



Our 3M™ DBI-SALA® Sealed-Blok™ Retrieval Self-Retracting Lifeline, has been designed to stand up to the harshest environments. With all the features of our standard Sealed-Blok™ plus a 3-way retrieval winch. The heavy-duty design is corrosion resistant, with stainless steel endplates and aluminium housing. For reliability and quality fall protection in applications such as oil and gas rigging, confined space, saltwater environments, dirty environments and sewage plants, Sealed-Blok™ has many years of service in the field.



3M™ DBI-SALA® Ultra-Lok™ Self-Retracting Lifeline



Our 3M™ DBI-SALA® Ultra-Lok™ Cable Self-Retracting Lifeline (SRL) extends and retracts automatically, allowing the user to move and work within a recommended working area efficiently and comfortably at normal speeds.



3M™ DBI-SALA® Nano-Lok™ Personal Self Retracting Lifeline



3M™ DBI-SALA® Nano-Lok™ Self-Retracting Lifeline (SRL) with Anchor Hook is designed for ease of use and is ideal for direct connection to most harnesses. The SRL's extremely compact and lightweight design is virtually unnoticeable on one's back, staying out of the worker's way and making it ideal as a lanyard replacement.



Fall Protection for Tools

3M™ DBI-SALA® Safe Bucket



3M™ DBI-SALA® Safe Bucket with closure system for workers at height carrying heavy loads.



3M™ DBI-SALA® Coil Tethers



Use 3M™ DBI-SALA® Fall Protection for Tools tool tethers when working at height to drastically reduce the hazard of falling object incidents.



Applications:

Turnarounds & Maintenance

Line Breaking
Scaffolding
Aerial Lift / MEWP
Confined Space (Entry & Work Inside)
Crane & Rigging

Operations

Hazardous Material Handling / Transfers
General / Daily Facility Maintenance

Emergency Response (On-Site/In-Plant)

Confined Space Rescue
Rescue from Heights

Cleaning & Workplace Safety Solutions

Floor Safety

Slip Resistant & Traction Tapes

3M™ Safety-Walk™ Slip Resistant General Purpose Tape 600 Series



Offers a low-profile design and helps reduce trip hazards. This mineral-coated, slip-resistant material is adhered by a durable resin to a pressure-sensitive adhesive backed plastic film.



Different sizes available.
Colours: Black (610); Black/Yellow (613); Yellow (630)

Sorbents & Spill Kits

3M™ Chemical Sorbents



High capacity chemical sorbent pads have a scrim on one side to increase strength and eliminate linting. Pads allow the user to quickly spread sorbent on and in the path of a spill. May also be used on a work surface in anticipation of a spill or as a wipe.



3M™ Maintenance Sorbents



Ideal for placing in, under and around machines to catch drips. It is highly sorbent and non-granular so it will not damage plant equipment. This high capacity sorbent has a scrim on one side to increase strength and help eliminate linting. This conveniently sized pad (40 cm x 52 cm) allows the user to quickly spread sorbent on and in the path of a spill. It can also be used on a work surface in anticipation of a spill or as a wipe.



A busy workplace can be an accident waiting to happen. That's why 3M science is continually finding new ways to enhance facility safety – with technologies engineered to protect your workplace against slips and falls, chemical spills and more. Like you, we're dedicated to help keeping your people safe. While keeping your facility up and running.

Cleaning & Workplace Safety Solutions


Floor Safety

Matting Solutions

3M™ Nomad™ UltraClean Matting 4300



This contamination control mat is a disposable, dust collecting floor mat consisting of 40 sheets coated with a pressure sensitive adhesive. It is designed to help protect clean areas where cleanliness and hygiene are critical factors. It can assist you in obtaining ISO14644-1 certification Class 4 to 8 for clean rooms.



3M™ Nomad™ Terra Heavy Traffic Entrance Matting 8250



Coiled vinyl scraper matting suitable for use indoors, outdoors, or in recessed wells of high traffic areas. The open coil structure removes, traps and hides dirt and moisture, preventing it from being tracked back into the building. The solid vinyl backing protects floor surfaces in indoor areas, is grease and oil resistant and easy to clean.



3M™ Nomad™ Aqua Textile Drop Down Matting 85



High-performance entrance mat with a phthalate-free, slip-resistant PVC backing for high traffic applications. It features traditional deep cut pile and coir matting which provides advanced water removal and retention properties, keeping your floors cleaner and safer, for longer.



A good matting system helps to reduce your cleaning costs and to protect your floors, employees and customers as well as your bottom line.

Cleaning & Workplace Safety Solutions

Floor Care & Surface Care

Floor Maintenance

Scotch-Brite™ Clean & Shine Double Sided Floor Pads



Give your floors a stunning reflection with less time, effort and equipment. Effective with just water, this revolutionary cleaning pad gradually increases shine with each use, reducing or eliminating the need for burnishing floors.



Scotch-Brite™ Surface Preparation Pad Plus




Effectively removes floor finish, leaving a clean surface ready for recoating. Prepares wood, vinyl tile, sheet vinyl, marble, terrazzo and concrete floors for finish application. Certified by Green Seal® for Environmental Innovation based on a design for significantly improved mid-life performance compared to competitive products, extending the useful life of the floor pad and reducing solid waste generation.



Scotch-Brite™ Diamond Floor Brush 1000 and 3000 Series



Scotch-Brite™ Diamond Floor Brushes are designed to clean and polish uncoated concrete, terrazzo and potentially other stone floors in one step. Brush 1000 is a coarser grit brush intended for daily use on floors where low gloss is desired. Brush 3000 is a finer grit brush intended for daily use on floors where medium to high gloss is desired.



From cleaning to polishing to protecting, we'll help you restore, protect and maintain the perfect condition of your floors with high performance solutions that cuts costs, without compromising effectiveness and ease of use.

Cleaning & Workplace Safety Solutions

Floor Care & Surface Care

Surface Maintenance

3M™ Easy Trap™ Dusting Sheets



3M™ Easy Trap Duster system traps and holds 6 times more dust, dirt, sand and hair than traditional mops and other disposable dusting systems. Two sided disposable sheets, works in wet environments and on most horizontal surfaces. Low drag reduces worker fatigue.



3M™ Glass Cleaner and Protector



Clean and protect glass for a longer lasting shine by leaving an invisible layer of Scotchgard™ protection.



3M™ Stainless Steel Cleaner & Polish Aerosol



Cleaning sprays that create an invisible protective film which slows down the build-up of dirt particles and keeps surfaces cleaner for longer. With a pleasant citrus aroma, they clean, polish and restore a glossy sheen to stainless steel and other metal surfaces.



Scotch-Brite™ High Performance Microfibre Wipes 2010



Highly efficient, and lint free cleaning on virtually any surface, even delicate ones. These wipes easily remove dust, dirt, oil, and grease - streak free, and can be used with or without water, and with or without detergent. They are also extremely durable, and can resist up to 500 washes at 95 °C.



Scotch-Brite™ Delicate Surface Cleaning Pads 98



Scotch-Brite™ Delicate Surface Cleaning Pads are cleaning pads for use on a range of delicate surfaces such as bathtubs and washbasins. They're easy to rinse after use.



3M™ Instant Microbe Removing Wipes



Quickly traps, holds and removes 99,9% of microbes including SARS-Cov-2* to virtually eliminate cross contamination (*based on 3rd party testing with water only). Works using just water – no disinfectant, no specific PPE required. Easy to use – removes as you wipe, no dwell time.



Industrial Tape Solutions Marking & Safety Solutions

Lane Marking & Hazard Warning

3M™ Vinyl Tape 471/5702



Reilable, highly visible, highly versatile marking tape for colour coding, floor and safety marking applications. Long-term high visibility.



3M™ Vinyl Tape 764



Cost-effective choice for a variety of hazard, color coding, floor and safety marking applications in light traffic. Economical lane and colour marking.



3M™ Durable Floor Marking Tape 971



Engineered for heavy traffic and tough conditions such as scuffing from pallets and heavy equipment. Superior durability.



3M™ Vinyl Tape 766/767



Ideal for marking of equipment pinch points or gears for warning purposes and floor marking in light traffic areas. Economical safety marking.



3M™ Industrial Tapes for Marking Selection chart

Product	Product Number	Colour Marking	Floor, Wall, or Loading Dock Marking	Hazard Area Marking	Clean Removal	Traffic Areas	Key Features
	471						Long-term high visibility and abrasion resistance
	971						Scuffing from pallets and heavy equipment, fork-lift traffic
	764i						Economical lane and colour marking in noncritical applications
	5702						Long-term high visibility and abrasion resistance
	766i						Economical safety marking in noncritical applications
	767i						Ideal for marking in light traffic areas, walls and pipes

Product Use: All statements, technical information, and recommendations contained in this document are based upon tests or experience that 3M believes are reliable. However, many factors beyond 3M's control can affect the use and performance of a 3M product in a particular application, including the conditions under which the product is used and the time and environmental conditions in which the product is expected to perform. Since these factors are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for the user's method or application. All questions of liability relating to this product are governed by the terms of the sale subject, where applicable, to the prevailing law.

Industrial Tape Solutions

High-Strength Bonding Tape Solutions

3M™ VHB™ High-Strength Bonding Tape

3M™ VHB™ Tape 4910, 1.0mm



Designed to create durable and reliable bonds of transparent materials or wherever a clear bond is needed.



3M™ VHB™ Tape 5952, 1.1mm



Designed for permanent bonding to powder coated and rigid irregular surfaces. Offers good adhesion to the widest variety of surfaces, including further high and medium surface energy plastics and paints, metals and glass.



3M™ VHB™ Tape 5962, 1.6mm



Designed for permanent bonding to powder coated and rigid irregular surfaces. Offers good adhesion to the widest variety of surfaces, including further high and medium surface energy plastics and paints, metals and glass.



3M™ VHB™ Tapes GPH-110GF, 1.1mm



Designed to create durable and reliable bonds for high temperatures and multi material bonding.




Whether it's a bonding, fastening or sealing solution you're looking for, with the "short-length roll blister pack everyday essentials program" you can complete everyday jobs quickly and reliably.



Always Convenient
Fits in your toolbox



Always Clean
Comes in a dirt-protection blister/pack



Always Practical
Bonding, fastening and sealing go faster

Industrial Tape Solutions

Reclosable Fastening Solutions

3M™ Reclosable Fastening Solutions

3M™ Dual Lock™ Reclosable Fastener SJ387B



Strong, reliable and simple to use reclosable fastener for replacing screws, nails, snaps and rivets. Bonds to a variety of substrates including metals, powder-coated paints and plastics such as acrylics, polycarbonate and ABS. Indoor and outdoor use.



3M™ Dual Lock™ Reclosable Fastener SJ354B



Designed for use for plastics (acrylic, polycarbonate and ABS), powder-coated paints and low-surface energy materials (polypropylene and polyethylene). Indoor use.



3M™ Reclosable Fastener SJ352Bbk (Black)



Alternative to a wide variety of reclosable attachment methods, including zips, screws, snaps, hooks, and more.




Whether it's a bonding, fastening or sealing solution you're looking for, with the "short-length roll blister pack everyday essentials program" you can complete everyday jobs quickly and reliably.



Always Convenient
Fits in your toolbox



Always Clean
Comes in a dirt-protection blister/pack



Always Practical
Bonding, fastening and sealing go faster

Industrial Tape Solutions Packaging Solutions

Maintenance and Repair

3M™ Heavy Duty Duct Tape DT11



Versatile with good hold for everyday use in challenging applications. Sticks immediately and conforms to irregular surfaces without lifting. Water-resistant polyethylene backing resists wear and light abrasion. Applications: attach heavy poly draping, secure temporary floor coverings and pipe sealing.



3M™ General Purpose Masking Tape 201E



Premium-quality masking tape used for short-term paint masking, fixing, bundling, holding, sealing, and other applications up to a temperature of 80°C for one hour.



For any masking and duct tape, we've got you covered.

Product Range

Page	SKU Description	RS Code	Link to RS Website
8	3M™ Aura™ Particulate Respirator, FFP2, Unvalved, 9320+	7660371	+
8	3M™ Aura™ Particulate Respirator, FFP1, Valved, 9312+	7660378	+
8	3M™ Aura™ Particulate Respirator, FFP1, Unvalved, 9310+	7427487	+
8	3M™ Aura™ Particulate Respirator, FFP3, Unvalved, 9330+	2194728	+
8	3M™ Aura™ Particulate Respirator, FFP3, Valved, 9332+Gen3	1812316	+
8	3M™ Aura™ Particulate Respirator, FFP2, Valved, 9322+Gen3	1812318	+
8	3M™ Secure Click™ Half Facepiece Reusable Respirator with Speaking Diaphragm HF-802SD Medium	1901913	+
8	3M™ Secure Click™ Half Facepiece Reusable Respirator with Speaking Diaphragm HF-803SD Large	1901915	+
8	3M™ Secure Click™ Half Facepiece Reusable Respirator with Speaking Diaphragm HF-801SD Small	1901911	+
8	3M™ Secure Click™ Gas, Vapour and Particulate Filter, A1B1E1K1P3 R, with Dual Flow, D8094	1901903	+
8	3M™ Secure Click™ Particulate Filter, P3 R, D3135	1901896	+
8	3M™ Front-Fitting Reusable Full Face Mask FF-601F Small	Available on request	
8	3M™ Front-Fitting Reusable Full Face Mask FF-602F Medium	Available on request	
8	3M™ Front-Fitting Reusable Full Face Mask FF-603F Large	Available on request	
8	3M™ Particulate Filter, PF10 P3 R D, DT-1135E	Available on request	
8	3M™ Combination Filter CF32 A2B2E2K2P3 R D DT-4045E	Available on request	
9	3M™ Versaflo™ Powered Air Purifying Respirator Starter Kit, Intrinsically Safe, TR-819E	2252794	+
9	3M™ Versaflo™ Powered Air Turbo Starter Kit, TR-619E	2217283	+
9	3M™ Versaflo™ Powered Air Turbo Easy Clean Ready Kit TR-300E+ ECK	2698201	+
9	3M™ Versaflo™ Powered Air Turbo Healthcare Ready Kit TR-300E+ HKL	2698202	+
9	3M™ Versaflo™ Powered Air Respirator Starter Kit, TR-315E+	2353649	+
9	3M™ Versaflo™ Powered Air Respirator System, TR-302E+	1365563	+
9	3M™ Versaflo™ M-Series Helmet with comfort faceseal, M-306	Available on request	
9	3M™ Versaflo™ M-Series Helmet with flame resistant faceseal, M-307	2604454	+
9	3M™ Versaflo™ M-Series Helmet with flame resistant shroud, M-407	Available on request	
9	3M™ Versaflo™ M-Series Helmet with comfort faceseal, M-206	1976464	+
9	3M™ Versaflo™ M-Series Helmet with flame resistant faceseal, M-207	Available on request	
9	3M™ Versaflo™ S-Series Hood, Large, S-433L	7128613	+
9	3M™ Versaflo™ S-Series Hood, Small, S-433S	2309833	+
9	3M™ Versaflo™ Integrated Suspension Hood, Large, S-433L-5	2347761	+
9	3M™ Versaflo™ S-Series High Durability Hood, Large, S-533L	1976455	+
9	3M™ Versaflo™ Integrated Suspension Head Cover, Large, S-133L	7128616	+
10	3M™ PELTOR™ Earmuffs, 27 dB, Green, Headband, X1A	7785200	+
10	3M™ PELTOR™ Earmuffs, 26 dB, Green, Helmet Mounted, X1P3	7785219	+



Product Range

Page	SKU Description	RS Code	Link to RS Website
10	3M™ PELTOR™ Earmuffs, 26 dB, Green, Neckband, X1B	Available on request	
10	3M™ PELTOR™ Earmuffs, 30 dB, Yellow, Helmet Mounted, X2P3	7785216	+
10	3M™ PELTOR™ Earmuffs, 30 dB, Yellow, Neckband, X2B	Available on request	
10	3M™ PELTOR™ Earmuffs, 31 dB, Yellow, Headband, X2A	7785212	+
10	3M™ E-A-R™ Classic™ Earplugs, 29 dB, Corded, 200 Pairs/Box, CC-01-001	428587	+
10	3M™ E-A-R™ Classic™ Earplugs, 28 dB, Uncorded, Pillowpack, 250 Pairs/Box, PP-01-002	428571	+
10	3M™ E-A-R™ Classic™ Earplugs, 28 dB, Refill Bottle, 500 Pairs /Bottle, PD-01-001	3851283	+
10	3M™ E-A-R™ Classic™ Earplugs, 28 dB, Top Up Bag, 500 Pairs/Bag, PD-01-009	1370042	+
10	3M™ E-A-R™ E-A-Rsoft 21 Earplugs, 21 dB, Uncorded, 1000 Pairs/Box, ES-01-009	Available on request	
10	3M™ E-A-R™ Express™ Earplugs, 28 dB, Uncorded, 100 Pairs/Box, EX-01-002	2283831	+
10	3M™ E-A-R™ Express™ Earplugs, 28 dB, Corded, 100 Pairs/Box, EX-01-001	2283847	+
11	3M™ PELTOR™ Electronic Earplug EEP-100	1856819	+
11	3M™ PELTOR™ LiteCom Plus Headset, 32 dB, PMR446 MHz, Headband, MT73H7A4410EU	7897615	+
11	3M™ PELTOR™ LiteCom Plus Headset, 32 dB, PMR446 MHz, Hard Hat Attached, MT73H7P3E4410EU	2311112	+
11	3M™ PELTOR™ WS™ LiteCom Plus Headset PMR446 MHz, Analog, Headband, MT73H7A4410WS6EU	2394955	+
11	3M™ PELTOR™ WS™ LiteCom Plus Headset PMR446 MHz, Analog, Hard Hat Attached, MT73H7P3E4410WS6EU	2394956	+
12	3M™ Protective Coverall, 4510-M	Available on request	
12	3M™ Protective Coverall, 4510-L	7703655	+
12	3M™ Protective Coverall, 4510-XL	7703658	+
12	3M™ Protective Coverall, 4510-2XL	7703652	+
12	3M™ Protective Coverall, 4565-M	Available on request	
12	3M™ Protective Coverall, 4565-L	7369858	+
12	3M™ Protective Coverall, 4565-XL	7369867	+
12	3M™ Protective Coverall, 4565-2XL	7369860	+
12	3M™ Protective Coverall, 4530- M	1857219	+
12	3M™ Protective Coverall, 4530- L	1857220	+
12	3M™ Protective Coverall, 4530- XL	1857226	+
12	3M™ Protective Coverall, 4530-2XL	1857221	+
12	3M™ Protective Coverall 4570- M	8245419	+
12	3M™ Protective Coverall 4570- L	8245412	+
12	3M™ Protective Coverall 4570- XL	8245416	+
12	3M™ Protective Coverall 4570- 2XL	Available on request	



Product Range

Page	SKU Description	RS Code	Link to RS Website
13	3M™ SecureFit™ 400 Safety Glasses, Red/Grey frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF401SGAF-RED-EU	1746006	+
13	3M™ SecureFit™ 400 Safety Glasses, Blue/Grey frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF401SGAF-BLU-EU	1746007	+
13	3M™ SecureFit™ 400X Safety Glasses, Green/Clear frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF401XSGAF-GRN-EU	2034874	+
13	3M™ SecureFit™ 400X Safety Glasses, Blue/Grey frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF401XSGAF-BLU-EU	2034876	+
13	3M™ Solus™ 1000 Safety Glasses, Green/Black frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, S1201SGAF-EU	1849482	+
13	3M™ Solus™ 1000 Safety Glasses, Blue/Black frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, S1101SGAF-EU	2034866	+
13	3M™ Goggle Gear™ 500 Safety Goggles, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), GG501SGAF-EU	1772747	+
13	3M™ GoggleGear™ 6000 Safety Goggles, Blue Shroud, Neoprene Strap, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear lens, GG6001NSGAF-BLU-EU	2034901	+
13	3M™ GoggleGear™ 6000 Safety Goggles, Red Shroud, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, GG6001SGAF-RED-EU	2034905	+
13	3M™ Safety Goggles 2890 Series, Indirect Vented, Anti-Scratch / Anti-Fog, Clear Polycarbonate Lens, 2890	1363395	+
13	3M™ Safety Goggles 2890 Series, Indirect Vented, Anti-Fog, Clear Acetate Lens, 2890A	1849459	+
13	3M™ Safety Goggles 2890 Series, Sealed, Anti-Scratch / Anti-Fog, Clear Polycarbonate Lens, 2890S	1849467	+
13	3M™ Safety Goggles 2890 Series, Sealed, Anti-Fog, Clear Acetate Lens, 2890SA	7722782	+
14	3M™ Faceshield 5 Series, Clear Acetate with Chin Protection, 5A-CP	Available on request	
14	3M™ Faceshield 5 Series, Polycarbonate, Clear, 5F-11	7401438	+
14	3M™ Faceshield WP Series, Acetate, Clear, WP98	1363399	+
14	3M™ SecureFit™ X5000 Safety Helmet, Vented, Reflective, CE, White, X5001V-CE	1860605	+
14	3M™ SecureFit™ X5000 Safety Helmet, Vented, Reflective, CE, Red, X5005V-CE	Available on request	
14	3M™ SecureFit™ X5000 Safety Helmet, Vented, Reflective, CE, Blue, X5003V-CE	1860607	+
14	3M™ SecureFit™ X5500 Safety Helmet, Vented, CE, White, X5501V-CE	2698196	+
14	3M™ SecureFit™ X5500 Safety Helmet, Vented, CE, Hi-Viz Green, X5514V-CE	Available on request	
14	3M™ SecureFit™ X5500 Safety Helmet, Non-vented, CE, White, X5501NVE-CE	1860614	+
14	3M™ Hard Hat, Uvicator, Ratchet, Ventilated, Plastic Sweatband, White, G3000NUV-VI	1857244	+
14	3M™ Hard Hat, Uvicator, Ratchet, Ventilated, Plastic Sweatband, Red, G3000NUV-RD	1857235	+
14	3M™ Hard Hat, Uvicator, Ratchet, Ventilated, Plastic Sweatband, Blue, G3000NUV-BB	2309830	+
15	3M™ Adflo™ Powered Air Purifying Respirator System with 3M™ Speedglas™ G5-01 Welding Helmet, with Welding Filter G5-01VC, 617830	2698214	+
15	3M™ Adflo™ Powered Air Purifying Respirator System with 3M™ Speedglas™ G5-01 Welding Helmet, with Welding Filter G5-01TW, 617820	Available on request	
15	3M™ Adflo™ Powered Air Purifying Respirator System with 3M™ Speedglas™ 9100 MP Welding Helmet, with Welding Filter 9100XXi, 577726	2180766	+
17	3M™ DBI-SALA® 5 Piece Davit High Capacity (HC) System 8000118	Available on request	
17	3M™ DBI-SALA® 5 Piece Davit High Capacity (HC) System 8000119	Available on request	
17	3M™ DBI-SALA® Pole Hoist System 8560409	Available on request	
17	3M™ DBI-SALA® Pole Hoist System 8561235	Available on request	



Product Range

Page	SKU Description	RS Code	Link to RS Website
17	3M™ DBI-SALA® ExoFit™ XE200 Comfort Rescue Safety Harness, 1112732 Size 1	Available on request	
17	3M™ DBI-SALA® ExoFit™ XE200 Comfort Rescue Safety Harness, 1112733 Size 2	Available on request	
17	3M™ DBI-SALA® ExoFit™ XE200 Comfort Rescue Safety Harness, 1112734 Size 3	Available on request	
17	3M™ DBI-SALA® Digital Winch Series 8518558 21 m SS	Available on request	
17	3M™ DBI-SALA® Digital Winch Series 8518565 21 m SS powerdrive	Available on request	
18	3M™ DBI-SALA® Sealed-Blok™ Self Retracting Lifeline, Retrieval, 9 m Stainless steel Cable, 3400856	Available on request	
18	3M™ DBI-SALA® Ultra-Lok™ Self-Retracting Lifeline, 9 m Stainless steel Cable, 3504426	Available on request	
18	3M™ DBI-SALA® Nano-Lok™ Twin-leg 2M, Aluminium Hooks, 3101298	Available on request	
18	3M™ DBI-SALA® Safe Bucket 45.4 kg (100 lb.), Load Rated Hook and Loop Canvas, 1500134	Available on request	
18	3M™ DBI-SALA® Clip2Loop Coil Tool Tether, 10 pack, 1500060	Available on request	
19	3M™ Safety-Walk™ Slip Resistant General Purpose Tape 600 Series, Black, 51 mm x 18.3 m	3321388	+
19	3M™ Safety-Walk™ Slip Resistant General Purpose Tape 600 Series, Yellow, 51 mm x 18.3 m	3321417	+
19	3M™ Safety-Walk™ Slip-Resistant General Purpose Tapes and Treads 613, Black/Yellow Stripe, 50.8 mm x 18.3 m, Roll	2016926	+
19	3M™ Chemical Sorbent Multi-Format P-F2001, 120 mm x 15.2 m	2695201	+
19	3M™ Maintenance Sorbent Pads M-A2002, 400 mm x 520 mm, 100/Case	6112963	+
20	3M™ Nomad™ Aqua Textile Drop Down Matting Roll 85, Grey, 2 m x 20 m	2695203	+
20	3M™ Nomad™ Ultra Clean Matting 4300, Transparent, 600 mm x 1.15 m, 40 Sheets/Pad,	194528	+
20	3M™ Nomad™ Terra Heavy Traffic Entrance Matting 8250, Grey, 1.2 m x 6.1 m	Available on request	
21	Scotch-Brite™ Diamond Floor Brush 1000, 432 mm	Available on request	
21	Scotch-Brite™ Diamond Floor Brush 3000, 432 mm	Available on request	
21	Scotch-Brite™ Clean & Shine Double Sided Floor Pads, Brown, 432 mm	2595143	+
21	Scotch-Brite™ Surface Preparation Pad Plus SPPP17, Brown, 430 mm	2595144	+
22	3M™ Stainless Steel Cleaner & Polish Aerosol, 600 ml	398962	+
22	Scotch-Brite™ High Performance Microfibre Wipes 2010, Blue, 320 mm x 360 mm	399010	+
22	3M™ Glass Cleaner and Protector, Ready -To-Use, 950 ml	2595133	+
22	3M™ Dusting Sheets, White, 127 mm x 38.1 m, 250 Sheets/Roll	2595138	+
22	Scotch-Brite™ Delicate Surface Cleaning Pads 98, White, 158 mm x 224 mm	2695229	+
22	3M™ Instant Microbe Removing Wipes, EN/SP, OUS, 7.7 in x 10 in, 85 Sheets/Canister	Available on request	
22	3M™ Instant Microbe Removing Wipes, Canister Refill Rolls, 7.7 in x 10 in, 85 Sheets/Roll	Available on request	
22	3M™ Instant Microbe Removing Wipes, EN/IT, 7.7 in x 10 in, 85 Sheets/Canister	Available on request	
23	3M™ Safety Stripe Tape 5702, Black/Yellow, 50 mm x 33 m, 0.14 mm	2365218	+
23	3M™ Vinyl Tape 471F, Red, 50 mm x 33 m, 0.14 mm	6692876	+



Product Range

Page	SKU Description	RS Code	Link to RS Website
23	3M™ Vinyl Tape 471, Blue, 50 mm x 33 m, 0.14 mm	6692894	+
23	3M™ Vinyl Tape 471F, Yellow, 50 mm x 33 m, 0.14 mm	6692898	+
23	3M™ Vinyl Tape 471F, White, 50 mm x 33 m, 0.14 mm	6692885	+
23	3M™ Vinyl Tape 471F, Green, 50 mm x 33 m, 0.14 mm	2365216	+
23	3M™ Vinyl Tape 471, Black, 50 mm x 33 m, 0.14 mm	6692882	+
23	3M™ General Purpose Vinyl Tape 764, Black, 50 mm x 33 m, 0.13 mm	1891331	+
23	3M™ General Purpose Vinyl Tape 764, Blue, 50 mm x 33 m, 0.13 mm	1891332	+
23	3M™ General Purpose Vinyl Tape 764, Red, 50 mm x 33 m, 0.13 mm	3997525	+
23	3M™ General Purpose Vinyl Tape 764, Yellow, 50 mm x 33 m, 0.13 mm	3999486	+
23	3M™ General Purpose Vinyl Tape 764, White, 50 mm x 33 m, 0.13 mm	3997519	+
23	3M™ General Purpose Vinyl Tape 764, Green, 50 mm x 33 m, 0.13 mm	3997553	+
23	3M™ Durable Floor Marking Tape 971, Yellow, 50 mm x 33 m	2629114	+
23	3M™ Durable Floor Marking Tape 971 Red, 50 mm x 33 m	2629127	+
23	3M™ Durable Floor Marking Tape 971, White, 50 mm x 33 m	2629117	+
23	3M™ Durable Floor Marking Tape 971, Blue, 50 mm x 33 m	2629118	+
23	3M™ Durable Floor Marking Tape 971, Orange, 50 mm x 33 m	2629130	+
23	3M™ Durable Floor Marking Tape 971, Green, 50 mm x 33 m	2629124	+
23	3M™ Hazard Warning Tape 766i, Yellow/Black, 50 mm x 33 m	3997575	+
23	3M™ Hazard Warning Tape 767i, Red/White, 50 mm x 33 m	3997581	+
24	3M™ VHB™ Tape 4910F, Transparent, 19 mm x 11 m, 1.0 mm, Blister	1634730	+
24	3M™ VHB™ Tape GPH-110GF, Grey, 19 mm x 11 m, 1.1 mm	2233904	+
24	3M™ VHB™ Tape 5952, Black, 19 mm x 11 m, 1.1 mm	1634731	+
24	3M™ VHB™ Tape 5962F, Black, 19 mm x 8 m, 1.6 mm, Blister	1634732	+
25	3M™ Dual Lock™ Reclosable Fastener SJ387B, Black, 25 mm x 2.5 m, 6.1 mm, Blister	1634738	+
25	3M™ Hook and Loop Fastener SJ352B, Black, 25 mm x 1.25 m, 4.4 mm, Blister IPC	1634739	+
25	3M™ Dual Lock™ Reclosable Fastener Twin Pack SJ3540, Black, 25 mm x 2.5 m, IPC	1634737	+
26	3M™ Heavy Duty Duct Tape DT11, Silver, 48 mm x 54.8 m, 11 mil	2603967	+
26	3M™ Heavy Duty Duct Tape DT11, Black, 48 mm x 54.8 m, 11 mil	2603966	+
26	3M™ Masking Tape 201E, Beige, 24 mm x 50 m	2795053	+
26	3M™ Masking Tape 201E, Beige, 36 mm x 50 m	9031435	+
26	3M™ Masking Tape 201E, Beige, 48 mm x 50 m	2795069	+



Important Notice

This guide is only an outline. It should not be used as the only means for selecting 3M products. Before using any 3M products, the user must read and understand the User Instructions for each product. Specific country legislation must be observed. If in doubt, contact a relevant professional. Selection of the most appropriate PPE will depend on the particular situation and should only be made by a competent person knowledgeable of the actual working conditions and the limitations of PPE. Final determination as to the suitability of these products for a particular situation is the employer's responsibility. This information is subject to revision at any time. Always read and follow all User Instructions and technical information supplied with 3M products. In order to ensure correct operation. If you have questions contact 3M Technical Service.

Limitation of Liability

Except where prohibited by law, 3M shall not be liable or responsible for any loss or damage, whether direct, indirect, incidental, special or consequential arising out of the sale, use or misuse of 3M products, or the user's inability to use such products.

Disclaimer

3M industrial and occupational products are intended, labeled, and packaged for sale to trained industrial and occupational customers for workplace use. Unless specifically stated otherwise on the applicable product packaging or literature, these products are not intended, labeled, or packaged for sale to or use by consumers (e.g., for home, personal, primary or secondary school, recreational/sporting, or other uses not described in the applicable product packaging or literature), and must be selected and used in compliance with applicable health and safety regulations and standards (e.g., OSHA, ANSI), as well as all product literature, user instructions, warnings, and other limitations, and the user must take any action required under any recall, field action or other product use notice. Misuse of 3M industrial and occupational products may result in injury, sickness, death, or property damage. For help with product selection and use, consult your on-site safety professional, industrial hygienist, or other subject matter expert. For additional product information, visit www.3M.com.

This is a partial product listing. For a complete listing, or more information, contact your 3M Official Distributor.



3M United Kingdom PLC

3M Centre
Cain Road, Bracknell
Berkshire RG12 8HT
www.3m.co.uk

3M Ireland Limited

The Iveagh Building
Carrickmines Park,
Carrickmines, Dublin 18
www.3mireland.ie

3M a/s

Hannemanns Allé 53
DK-2300 København S
Denmark
www.3mdanmark.dk

Suomen 3M Oy

Keilaniementie 1
02150 ESPOO
PL 600, 02151 ESPOO
puh. 09 525 21 Finland
www.3msuomi.fi

3M Norge AS

Tærudgata 16
2004 Lillestrøm
Norway
www.3mnorge.no

3M Svenska AB

Herrjärvatorg 4
170 67 Solna
Sweden
www.3msverige.se

Available from:

