



3M Solutions for the Food & Beverage Industry

Safeguard your workforce, improve process efficiency, mitigate risks and protect the health of consumers.



Available from:





Total solutions for food and beverage processing

Food and beverage manufacturing is complicated. From pure ingredients to polished packaging, and all factors in between, your passion for quality comes through in every part of your processes. 3M supports food and beverage manufacturers with solutions that help make quality output a matter of routine.

3M's proven products, trusted technologies, and highly trained technical and regulatory specialists help make that complicated process easier.

- ▶ Common Hazards for the Food & Beverage Industry.3
- ▶ Personal Safety Solutions4
 - Hearing Protection4
 - Eye Protection5
 - Head & Face Protection.6
 - Respiratory Protection Equipment.7
 - Apparel & Workwear9
 - Confined Spaces.10
 - Fall Protection11
- ▶ Industrial Tape Solutions12
 - Marking & Safety Solutions.12
 - Packaging Solutions13
- ▶ Cleaning & Workplace Safety Solutions.14
 - Floor Safety14
 - Floor Care & Surface Care15
- ▶ Product Range16

*3M industrial and occupational products are intended, labeled, and packaged for sale to trained industrial and occupational customers for workplace use. Unless specifically stated otherwise on the applicable product packaging or literature, these products are not intended, labeled, or packaged for applications where the product may come in (in)direct contact with Food and/or Beverage or other uses not described in the applicable product packaging or literature, and must be selected and used in compliance with applicable health and safety regulations and standards (e.g., OSHA, ANSI), as well as all product literature, user instructions, warnings, and other limitations, and the user must take any action required under any recall, field action or other product use notice. Misuse of 3M industrial and occupational products may result in injury, sickness, death, or property damage. For help with product selection and use, consult your on-site safety professional, industrial hygienist, or other subject matter expert. For additional product information, visit www.3M.com.

Introduction of Common Hazards for the Food & Beverage Industry

There are several potential occupational hazards and they can vary between the different sectors of the food and beverage industry.

The following hazard categories are applicable to 3M Personal Protective Equipment (PPE).

Health hazards include potential chemical and biological exposures via inhalation, eye, body, or skin.

Physical hazards include potential hazardous exposures or risks due to noise, extreme temperature, explosive dusts, fire, spills, slippery surfaces, working at heights and confined space.

Most Common Hazards in Food and Beverage Processing



Exposure to noise



Chemical exposures
(including airborne particulates,
gases & vapours)



Working at heights




Confined Space



**Flying Objects
and Liquid Splash**

Hazard Control Hierarchy



Companies decide on how to manage or control the hazards/risks identified in their workplace. The principle of the hazard control hierarchy is commonly followed when dealing with hazards/risks in workplaces.



Personal Safety Solutions

Hearing Protection



Passive hearing

Earplugs

3M™ E-A-Rsoft™ Metal Detectable Earplugs

The 3M™ E-A-Rsoft™ Metal Detectable ear plugs are ideal for high noise exposure levels, particularly effective against low frequency noise. These roll down ear plugs are designed for insertion into the ear canal to help reduce exposure to hazardous levels of noise and loud sound. Available in corded version only. They are specifically designed to meet the needs of the food industry. Provides noise reduction to 34 dB SNR and fully tested and approved against EN 352-2:2020.



3M™ E-A-R™ Tracers™ Earplug

The 3M™ E-A-R™ Tracers™ Earplugs in non food colour blue are reusable and designed for insertion into the ear canal to help reduce exposure to hazardous levels of noise. A proven triple-flange design made of a pliable premoulded elastomeric polymer fits most ear canal sizes. Provides noise reduction to 29 dB SNR as fully tested and approved against EN 352-2:2020. They can be cleaned easily with soapy water and reused again and again – helping decrease waste. Supplied with a pre-tipped cord for convenient storage when not in use.



Earmuffs

3M™ PELTOR™ X2 Earmuffs

3M™ PELTOR™ Earmuffs X2 are our innovative hearing protectors with a modern slim cup design. They feature an electrically insulated, twin headband that decreases heat build-up on top of the head, and offer noise reduction up to 31 dB. Also available in helmet mounted models.

Available in headband or helmet mounted options



Communication solutions

3M™ PELTOR™ WS™ ALERT™ X Headset

Turn your hearing protection into a quiet office you wear to work. In low noise, the ambient/ environmental microphones can increase your ability to communicate with nearby colleagues and hear warning signals. Bluetooth® connection allows you to answer phone calls and listen to music/streaming while staying focused on the task at hand.

Available in headband or helmet mounted options



3M™ PELTOR™ LiteCom Plus Headsets

3M™ PELTOR™ LiteCom Plus features an integrated pre-programmed analog two-way radio, noise-cancelling microphone, and a level-dependent function for ambient listening. For effective headset-to-headset communication in noisy environments, use 3M™ PELTOR™ LiteCom Plus Headset. This headset helps protect users against hazardous noise while enabling communication in loud environments and maintaining situational awareness. The level-dependent function and noise-cancelling microphone help the user hear important sounds from their surroundings and communicate with colleagues without compromising on hearing protection. It features integrated two-way radio for communication and can be used with similar PMR radio communication systems.

Available in headband or helmet mounted options



Personal Safety Solutions

Eye Protection

Safety Glasses

3M™ SecureFit™ 200 Safety Glasses

3M™ SecureFit™ Safety Glasses, SF201SGAF-BLU-EU are lightweight safety glasses with 3M™ Pressure Diffusion Temple Technology. Our glasses feature a clear, anti-scratch and superior anti-fog lens, a wraparound design that's secure and comfortable and are easy to clean.



No removable parts. Available in blue or clear lenses.

3M™ SecureFit™ 400 Safety Glasses

3M™ SecureFit™ Safety Glasses, SF401SGAF-BLU-EU feature 3M™ Pressure Diffusion Temple Technology, wide flexible temple arms, soft, adjustable nose pads and a clear, anti-scratch and superior anti-fog, rimless polycarbonate lens. Our lightweight glasses are available with a blue/grey frame.



3M™ SecureFit™ 500 Safety Glasses

3M™ SecureFit™ 500 Series features a contemporary lens design coupled with adjustable ratchet temples and Pressure Diffusion Temple (PDT) technology to help provide a more personalised fit. Utilizing a contemporary lens shape, this sporty new model also offers self-adjusting colored temples, a variety of lens tints and models with Scotchgard™ Anti-fog coating.



Safety Goggles

3M™ GoggleGear™ Safety Goggles 500 Series

3M™ GoggleGear™ Safety Goggles 500 Series have a clear, polycarbonate lens and 3M™ Scotchgard™ Anti-Fog / Anti-Scratch Coating for superior anti-fog protection. Our low-profile goggles feature an adjustable headband to ensure a close fit and come with an optional 3M™ GoggleGear prescription insert.



3M™ GoggleGear™ 6000 Series Safety Goggles

3M™ GoggleGear™ Safety Goggles 6000 Series features a large profile with indirect ventilation for air circulation with Scotchgard™ Anti-Fog and Anti-Scratch Coating. Available in a range of shroud colours and two lens options.



Safety Overspectacles

3M™ SecureFit™ Overspectacles 3700 Series

Get over-the-glass protection with all day wearability with the 3M™ SecureFit™ 3700 Series. The adjustable ratchet temples provides angle adjustment points on the temple to help create a secure and personalized fit. Features pressure diffusion temple technology and a soft touch nosepiece to help provide all-day comfort. Contoured brow guard provide additional coverage from flying particles (X models only).





Personal Safety Solutions

Head & Face Protection

Head Protection

3M™ SecureFit™ Safety Helmets X5000 Series

3M™ SecureFit™ Safety Helmet, X5000 Series, provides secure, comfortable and adjustable head protection for workers in a variety of situations. Our helmets feature six different settings to adjust positions and 4-point chin strap selector systems to switch between EN397 (industrial safety helmets) or EN12492 (helmets for mountaineers) certification standards. X5000 Series safety helmets are vented, brimless and have 3M™ UVicator™ Sensors that indicate levels of exposure to damaging ultraviolet (UV) light.



3M™ Safety Helmets G3000 Series

3M™ Hard Hat, G3000NUV-VI is our white hard hat with ventilation holes distributed over a large area and a plastic sweatband to provide comfort. It features ratchet suspension, a softly rounded design with a short peak and a 3M™ UVicator™ sensor disc so you know when it's been over-exposed to UV radiation.



3M™ First Base™ + Bump Cap

3M™ First Base™ + Bump Cap is designed to provide limited head protection from bumps and minor lacerations to the head from stationary objects. Thanks to the patented flexible shell design manufactured from durable ABS plastic the 3M™ First Base + bump cap provides industrial bump protection to EN812.



3M™ Headgear Combinations G500 Series

Special design features make it easy to combine the G500 with other 3M™ Safety Products such as face shields, passive earmuffs or communication headsets and integrated eyewear. This high quality product provides protection against impacts from the front and side, while special attention at the design stage has ensured maximum visibility and wearer comfort.





Personal Safety Solutions

Respiratory Protection Equipment

Disposable Respirators

3M™ Aura™ Particulate Respirator 9320+

3M™ Aura™ Particulate Respirator 9320+ has an ergonomic, flat-fold, 3-panel design featuring a low breathing resistance filter media. Unvalved model with FFP2 protection level. These respirators feature an innovative chin tab for easy adjustments and an embossed, sculpted upper panel to help reduce eyewear fogging.



3M™ Aura™ Particulate Respirator, FFP3, Valved, 9332+

3M™ Aura™ Particulate Respirators 9300+ Series has an ergonomic, flat-fold, 3-panel design featuring a low breathing resistance filter media. Valved model with FFP3 protection level. These respirators feature an innovative chin tab for easy adjustments and an embossed, sculpted upper panel to help reduce eyewear fogging.



3M™ Reusable Half Mask Respirator Kits 7500 Series

3M™ Reusable Half Face Mask 7500 Series has a bayonet-style twin-filter design that fits a broad range of 3M lightweight filters. Our 7500 Series reusable masks have a 3M™ Cool Flow™ Valve, a soft sealing surface for comfort, and a unique head harness with an optional drop-down strap.



3M™ Reusable Full Face Mask, 6000 Series

3M™ Reusable Full Face Mask, 6000 Series has a large polycarbonate lens and soft, elastomeric facepiece. The 3M™ Bayonet Connection System enables you to connect to a broad range of 3M twin lightweight filters. Our full-face mask is lightweight and features a 3M™ Cool Flow™ Valve and four-strap suspension.



3M™ Secure Click™ Reusable Half Mask HF-800 Series

Designed with smart and intuitive features, 3M™ Secure Click™ Half Mask Reusable Respirator is simple, comfortable and reliable. Available in three sizes: small, medium, and large, our respirators all come with an optional speaking diaphragm.



Personal Safety Solutions

Respiratory Protection Equipment

Powered & Supplied Air

Headtops & Headcovers

3M™ Versaflo™ S-Series Hoods & Headcovers

3M™ Versaflo™ S-Series Hoods are our headcovers with integrated head suspension which provides head, face, neck and shoulder coverage as well as providing eye and face protection from liquid splash and low energy flying particles and dust. Available in two sizes: S-433L and S-433S.



3M™ Versaflo™ Integrated Suspension Head Cover, S-Series

3M™ Versaflo™ S-Series Headcovers are head covers with integrated head suspension for full head and face coverage, as well as eye and face protection. Our headcovers are the entry-level, cost-effective head cover for powered and supplied air respiratory protection. Available in two sizes: S-133L and S-133S.



Turbo Unit

3M™ Versaflo™ Powered Air Respirator Starter Kits, TR-600 Series

With user-selectable airflow rates, rugged construction and a comfortable design that will see you through the entire shift, the 3M™ Versaflo™ Powered Air Turbo TR-600 helps provide durable protection in harsh environments. The kit includes the TR-602E Powered Air Respirator, A2P filter, filter cover, prefilters (x10), spark arrestor (x2), easy clean belt, high capacity battery, single station battery charger kit, BT-30 length adjusting breathing tube and airflow indicator.



3M™ Versaflo™ Powered Air Turbo Starter Kit, TR-300+

The Versaflo™ powered air system combines performance, protection and functionality with modern, stylish, lightweight design and unrivalled comfort. Powered Air Starter Kit TR-315E+ contains TR-302E+ Turbo Unit, Particle Filter, Pre-Filter, Spark Arrestors, Standard Belt, High Capacity Battery, Battery Charger Kit and length adjusting Breathing Tube.



Personal Safety Solutions Apparel & Workwear

Coveralls

3M™ Protective Coverall 4510

3M™ Protective Coverall 4510 offers economic protection against biological agents, hazardous dusts and limited liquid splashes. Our PE laminate includes micro pores which allow heat and moisture to evaporate from the skin and out through the suit offering a light and comfortable yet protective solution. Type 5/6.



3M™ Protective Coverall 4565

3M™ Protective Coverall 4565 has desirable comfort features and provides a strong barrier to certain chemicals, liquid sprays and particles. 3M protective coverall 4565 is non-microporous to offers chemical protection with permeation tested resistance and is certified to EN 14126 biological agents. Type 4/5/6.



3M™ Protective Coverall 4540+

3M™ Protective Coverall 4540+ is made from a laminated premium bicomponent non-woven and features a breathable SMMMS triangular back panel for improved comfort. This soft and lightweight coverall provides an excellent barrier to hazardous particles and limited liquid splashes.



3M™ Protective Coverall 4570

3M™ Protective Coverall 4570 is made of a strong 92gsm non-microporous PE laminate and features a double front closing system and large zip pull for easy wear. This coverall provides an excellent barrier to liquid splashes and jet sprays to Type 3 and hazardous particles to Til class 2 EN 1073-2.



Protective Apparel Accessories

3M™ Disposable Protective Oversleeves 444 Series

Oversleeve offers 40.5cm of sleeve protection covering the wrist to the top of the arm with a secure elastic finish on both the top and the bottom. Offers a general barrier to non-hazardous substances.



3M™ Disposable Overboot Covers 450 Series

Overboot cover made from extremely soft, laminated, lightweight, low linting fabric used in the 3M™ Protective Coverall 4535. Elastication at the top of the overboot with ties to help provide a good fit. Sole designed to reduce risk of slipping. Offers a general barrier to non-hazardous substances.





Personal Safety Solutions

Confined Spaces

Confined spaces are partially or fully enclosed spaces that meet all of the following criteria:

- ▶ Large enough for workers to enter and perform certain jobs.
- ▶ Limited or restricted means for entry or exit.
- ▶ Not designed for continuous occupancy.

The range of possible confined spaces is also extensive. type, size and hazards vary greatly, along with different standards, regulations and company policies that can apply to each working environment.


Elements of Working Safely in Confined Spaces:

Confined spaces can be complicated and anyone, in any industry, can be exposed to working in and around them. We break this complexity down to four mayor elements:



1. Plan

Before working in a confined space, start with a site evaluation then document and plan for safe confined space entries.



2. Access

Understand what you need to access a specific confined space, including a hazard assessment.



3. Work Inside

Provide the appropriate personal protection equipment to the worker to protect from hazards seen and unseen.



4. Rescue and Retrieval

Be prepared - ensure your team has a plan and are trained.



Personal Safety Solutions

Fall Protection

Full-Body Harnesses

3M™ DBI-SALA® ExoFit™ XE200 Safety Harness



The XE200 comfort harness is built with durable 26kN polyester webbing, lightweight aluminium hardware, hybrid comfort padding with breathable mesh under-side, and reflective 3M™ Scotchlite™ panels. Equipped with modern technology in the dorsal D-ring area for efficient connections and a secure harness fit for your workers, the XE200 also features revolving torso adjustment alongside auto-locking quick-connect buckles to optimize the fit. The 3M™ DBI-SALA® ExoFit™ XE200 Safety Harness is compatible with a range of 3M fall protection accessories for tools. All models are equipped with low-profile suspension trauma relief straps.



Confined Space

3M™ DBI-SALA® Confined Space Davit System HC



The 3M™ DBI-SALA® Confined Space Davit System provides a complete confined space rescue and work support system. The modular design can be separated for easy transportation and storage. System comes with 3-piece base, mast extension and davit arm. Our system is adjustable providing flexibility during installation. Certified to EN795:2012, EN1496:2006, & CEN/TS 16415:2013.



SRLs

3M™ DBI-SALA® Sealed-Blok™ Emergency Retrieval Self-Retracting Lifeline



Our 3M™ DBI-SALA® Sealed-Blok™ Retrieval Self-Retracting Lifeline, has been designed to stand up to the harshest environments. With all the features of our standard Sealed-Blok™ plus a 3-way retrieval winch The heavy-duty design is corrosion resistant, with stainless steel end-plates and aluminium housing. For reliability and quality fall protection in applications such as oil and gas rigging, confined space, saltwater environments, dirty environments and sewage plants, Sealed-Blok™ has many years of service in the field.



Equipment You Can Trust.

Your access and rescue equipment can mean the difference between getting in and out safely or not.



Industrial Tape Solutions Marking & Safety Solutions

Lane Marking & Hazard Warning

3M™ Vinyl Tape 471/5702

Reliable, highly visible, highly versatile marking tape for colour coding, floor and safety marking applications. Long-term high visibility.



3M™ Vinyl Tape 764

Cost-effective choice for a variety of hazard, color coding, floor and safety marking applications in light traffic. Economical lane and colour marking.



3M™ Ultra Durable Floor Marking Tape 971

Engineered for heavy traffic and tough conditions such as scuffing from pallets and heavy equipment. Superior durability.



3M™ Vinyl Tape 766/767

Ideal for marking of equipment pinch points or gears for warning purposes and floor marking in light traffic areas. Economical safety marking.



3M™ Industrial Tapes for Marking Selection chart

Product	Product Number	Colour Marking	Floor, Wall, or Loading Dock Marking	Hazard Area Marking	Clean Removal	Traffic Areas	Key Features
	471						Long-term high visibility and abrasion resistance
	971						Scuffing from pallets and heavy equipment, fork-lift traffic
	764i						Economical lane and colour marking in noncritical applications
	5702						Long-term high visibility and abrasion resistance
	766i						Economical safety marking in noncritical applications
	767i						Ideal for marking in light traffic areas, walls and pipes

Product Use: All statements, technical information, and recommendations contained in this document are based upon tests or experience that 3M believes are reliable. However, many factors beyond 3M's control can affect the use and performance of a 3M product in a particular application, including the conditions under which the product is used and the time and environmental conditions in which the product is expected to perform. Since these factors are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for the user's method or application. All questions of liability relating to this product are governed by the terms of the sale subject, where applicable, to the prevailing law.

Industrial Tape Solutions Packaging Solutions

Scotch® Box Sealing Tapes

Scotch® Box Sealing Tape 371

Scotch® Box Sealing Tape 371 is a general purpose box sealing tape designed to securely close a wide variety of lightweight box and carton materials, including corrugated fibreboard.



Scotch® High Tack Box Sealing Tape 311+

Scotch® Box Sealing Tape 311+ is a high performance industrial packaging tape for box sealing, splicing, recoupage and other demanding packaging applications. It offers good performance in damp and cold shipping and storage environments, even in below freezing temperatures.



Scotch® Performance Box Sealing Tape 3444

Scotch® Performance Box Sealing Tape 3444 is made from non-silicone flat back impregnated paper, coated with a natural rubber adhesive. It sticks to a wide variety of surfaces.



Adhesive Carry Handles

3M™ Double Coated Tape 9009HP

Scotch® Carry Handle 9009HP is a high-performance 73 micron tape designed for use on automatic in-line and post oven carry handle applications up to 12 kg. The High Tensile strength mono-oriented polypropylene combined with the HP hot melt adhesive especially suited for high shear performance guarantee excellent adhesion to most shrink film over wraps securing immediate and secure handle attachment. Efficient application on all automated handle application equipment by guaranteeing excellent handling properties.



Handheld Applicators

Scotch® Box Sealing Tape Dispenser H180

Scotch® Box Sealing Tape Dispenser H180 is a portable, hand-held tape dispenser. This box sealing tape dispenser comes with a pistol-grip design for easy application. Tack, Roll, buff and tear in one fluid motion. The lightweight and rugged construction of this box tape dispenser creates a durable, yet portable, tool for sealing, combining, reinforcing and bundling.



Delivering quality with box sealing tapes that will help keep production lines moving with less interruption and help ensure that your packages remain sealed on arrival.



Cleaning & Workplace Safety Solutions

Floor Safety

Sorbents & Spill Kits

3M™ Maintenance Sorbent Mini-Boom

- ▶ For use on most non-aggressive liquids.
- ▶ Very easy to use and to retrieve.
- ▶ Promotes a cleaner, safer working environment.



Slip Resistant & Traction Tapes

3M™ Safety-Walk™ Slip Resistant General Purpose Tape 600 Series

Offers a low-profile design and helps reduce trip hazards. This mineral-coated, slip-resistant material is adhered by a durable resin to a pressure-sensitive adhesive backed plastic film.


- ▶ Different sizes available.
- ▶ Colours: Black (610); Black/Yellow (613); Yellow (630).



Matting Solutions

3M™ Nomad™ Terra Heavy Traffic Entrance Matting 8250

Coiled vinyl scraper matting suitable for use indoors, outdoors, or in recessed wells of high traffic areas. The open coil structure removes, traps and hides dirt and moisture, preventing it from being tracked back into the building. The solid vinyl backing protects floor surfaces in indoor areas, is grease and oil resistant and easy to clean.



A good matting system helps to reduce your cleaning costs and to protect your floors, employees and customers as well as your bottom line.

Cleaning & Workplace Safety Solutions

Floor Care & Surface Care

Surface Maintenance

Scotch-Brite™ High Performance Microfibre Wipes 2010

Highly efficient, and lint free cleaning on virtually any surface, even delicate ones. These wipes easily remove dust, dirt, oil, and grease - streak free, and can be used with or without water, and with or without detergent. They are also extremely durable, and can resist up to 500 washes at 95 °C.



3M™ Stainless Steel Cleaner & Polish Aerosol



Cleaning sprays that create an invisible protective film which slows down the build-up of dirt particles and keeps surfaces cleaner for longer. With a pleasant citrus aroma, they clean, polish and restore a glossy sheen to stainless steel and other metal surfaces.

3M™ Easy Trap Dusting Sheets

3M™ Easy Trap Duster system traps and holds 6 times more dust, dirt, sand and hair than traditional mops and other disposable dusting systems. Two sided disposable sheets, works in wet environments and on most horizontal surfaces. Low drag reduces worker fatigue.



A good matting system helps to reduce your cleaning costs and to protect your floors, employees and customers as well as your bottom line.

Product Range

Page	Product Description	RS Code	Product in website
4	3M™ E-A-R™ E-A-Rsoft™ Metal Detectable Earplugs, 2000 Pairs/Box, ES-01-011A	6680817	+
4	3M™ E-A-R™ Tracers™ Earplugs, Corded, 50 Pairs/Box, TR-01-100	0562485	+
4	3M™ E-A-R™ Tracers™ Earplugs, Corded, 50 Pairs/Box, TR-01-000	4244490	+
4	3M™ PELTOR™ Earmuffs, 31 dB, Yellow, Headband, X2A	7785212	+
4	3M™ Peltor™ Comfort Earmuff for Helmet X2P3E (94-105 dB)	7785216	+
4	3M™ PELTOR™ WS™ ALERT™ X Headset, Bright Yellow Cups, Headband, Compatible with Mobile App, MRX21A4WS6	2698213	+
4	3M™ PELTOR™ WS™ ALERT™ X Headset, Bright Yellow Cups, Hard Hat Attached, Compatible with Mobile App, MRX21P3E4WS6	2698212	+
4	3M™ PELTOR™ LiteCom Headset, 32 dB, PMR 446 MHz, Headband, MT53H7A4400-EU	7897606	+
4	3M™ PELTOR™ LiteCom Headset, 33 dB, PMR 446 MHz, Helmet Mounted, MT53H7P3E4400-EU	1463079	+
4	3M™ PELTOR™ LiteCom Headset, 32 dB, PMR 446 MHz, Neckband, MT53H7B4400-EU	8842398	+
4	3M™ PELTOR™ LiteCom Plus Headset PMR446 MHz, MT73H7A4410EU, Analog, Headband, 5 Ea/Case	7897615	+
4	3M™ PELTOR™ LiteCom Plus Headset PMR446 MHz, MT73H7P3E4410EU, Analog, Helmet Attached, 5 Ea/Case	2176237	+
5	3M™ SecureFit™ 200 Safety Glasses, Blue frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF201SGAF-BLU-EU, 20/Case	2034900	+
5	3M™ SecureFit™ 400 Safety Glasses, Blue/Grey frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF401SGAF-BLU-EU, 20/Case	1746007	+
5	3M™ Goggle Gear™ 500 Safety Goggles, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), GG501SGAF-EU, 10/Case	1772747	+
5	3M™ GoggleGear™ 6000 Safety Goggles, Blue Shroud, Neoprene Strap, Scotchgard™ Anti-Fog/Anti-Scratch Coating (K&N), Clear lens, GG6001NSGAF-BLU-EU, 10/Case	2034901	+
5	3M™ GoggleGear™ 6000 Safety Goggles, Red Shroud, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, GG6001SGAF-RED-EU, 10/Case	2034905	+
5	3M™ SecureFit™ 3700 Overspectacles, Blue Temples, Brow Guard, Scotchgard™ Anti-Fog (K&N), Clear Lens, SF3701XSGAF-BLU-EU, 20/Case	2034898	+
6	3M™ Hard Hat, Uvicator, Ratchet, Ventilated, Plastic Sweatband, White, G3000NUV-VI, 20 ea/Case	1857244	+
6	3M™ First Base™ + Bump Cap 2014298, Grey, Standard Peak 70mm, 20 ea/Case	2030972	+
6	3M™ Headgear Combination, Industry, Yellow, G500V5F11-GU, 10 ea/Case	7401429	+
7	3M™ Aura™ Particulate Respirator, FFP2, Unvalved, 9320+	7660371	+
7	3M™ Aura™ Particulate Respirator, FFP3, Valved, 9332+	7660384	+
7	3M™ Reusable Half Face Mask, Small, 7501	7471563	+
7	3M™ Reusable Half Face Mask, Medium, 7502	4723735	+
7	3M™ Reusable Half Face Mask, Large, 7503	2517528	+
7	3M™ Reusable Full Face Mask, Small, 6700	2867136	+
7	3M™ Reusable Full Face Mask, Medium, 6800	2867142	+
7	3M™ Reusable Full Face Mask, Large, 6900	2867164	+
7	3M™ Particulate Filter P3 R, 6035	1814117	+
7	3M™ Gas, Vapour and Particulate Filter A1B1E1K1P3 R + formaldehyde, 6092	1754252	+
7	3M™ Gas, Vapour and Particulate Filter 6099	1754255	+

Product Range

Page	Product Description	RS Code	Product in website
7	3M™ Secure Click™ Half Mask Reusable Respirator, Speaking Diaphragm, Large, HF-803SD	1901915	+
7	3M™ Secure Click™ Half Mask Reusable Respirator, Speaking Diaphragm, Small, HF-801SD	1901911	+
7	3M™ Secure Click™ Half Mask Reusable Respirator, Speaking Diaphragm, Medium, HF-802SD	1901913	+
7	3M™ Secure Click™ Particulate Filter P3 R, D3135	1901896	+
8	3M™ Versaflo™ S-Series Hood, Large, S-433L	7128613	+
8	3M™ Versaflo™ S-Series Hood, Small, S-433S	2309833	+
8	3M™ Versaflo™ S-Series Head Cover, Large, S-133L	7128616	+
8	3M™ Versaflo™ Powered Air Turbo Starter Kit, TR-619E	2217283	+
8	3M™ Versaflo™ Powered Air Respirator Starter Kit, TR-315E+	2731932	+
8	3M™ Versaflo™ Powered Air Respirator System Easy Clean Ready Kit, TR-300E+ ECK	2698201	+
10	3M™ Protective Coverall 4510, M	2856288	+
10	3M™ Protective Coverall 4510, L	7703655	+
10	3M™ Protective Coverall 4510, XL	7703658	+
10	3M™ Protective Coverall 4510, 2XL	7703652	+
10	4565 CVRL WH+RD T4/5/6 M 20/CV	7369854	
10	4565 CVRL WH+RD T4/5/6 2XL 20/CV	7369860	+
10	4565 CVRL WH+RD T4/5/6 XL 20/CV	7369867	+
10	4565 CVRL WH+RD T4/5/6 L 20/CV	7369858	+
10	3M™ Protective Coverall 4540+, 2XL	1857218	+
10	3M™ Protective Coverall 4540+, XL	1857222	+
10	3M™ Protective Coverall 4540+, M	1857224	+
10	3M™ Protective Coverall 4540+, S	2784735	+
10	3M™ Protective Coverall 4540+, L	1857225	
10	3M™ Protective Coverall 4570- M	8245419	+
10	3M™ Protective Coverall 4570- L	8245412	+
10	3M™ Protective Coverall 4570- XL	8245416	+
10	3M™ Oversleeve 444	7722814	+
10	3M™ Overboot 450	7722820	+
12	3M™ DBI-SALA® ExoFit™ XE200 Comfort Positioning Safety Harness 1112729, Size 1, 1 Each/Case	2824634	+
13	5702 UVG 2×36 YD BULK	2365218	+
13	471 VFB RED 2×36 YD BULK	6692876	+
13	471 VFE BLUE 2×36 YD BULK	6692894	+



Product Range

Page	Product Description	RS Code	Product in website
13	471 VFG YELLOW 2×36 YD BULK	6692898	+
13	471 VFH WHITE 2×36 YD BULK	6692885	+
13	471 VFL GREEN 2×36 YD BULK	2365216	+
13	471 VFC BLACK 2×36 YD BULK	6692882	+
13	764I BLACK 2×36 YD BULK	1891331	+
13	764I BLUE 2×36 YD BULK	1891332	+
13	764I RED 2×36 YD BULK	3997525	+
13	764I YELLOW 2×36 YD BULK	3999486	+
13	764I WHITE 2×36 YD BULK	3997519	+
13	764I GREEN 2×36 YD BULK	3997553	+
13	3M™ Durable Floor Marking Tape 971, Yellow, 50 mm x 33 m	2629114	+
13	3M™ Durable Floor Marking Tape 971 Red, 50 mm x 33 m	2629127	+
13	3M™ Durable Floor Marking Tape 971, White, 50 mm x 33 m	2629117	+
13	3M™ Durable Floor Marking Tape 971, Blue, 50 mm x 33 m	2629118	+
13	3M™ Durable Floor Marking Tape 971, Orange, 50 mm x 33 m	2629130	+
13	3M™ Durable Floor Marking Tape 971, Green, 50 mm x 33 m	2629124	+
13	3M™ Hazard Warning Tape 766i, Yellow/Black, 50 mm x 33 m, Bulk	3997575	+
13	3M™ Hazard Warning Tape 767i, Red/White, 50 mm x 33 m	3997581	+
14	Scotch® Box Sealing Tape 371, Transparent, 50 mm x 66 m	2413311	+
14	Scotch® Box Sealing Tape 371, Brown, 50 mm x 66 m	2365213	+
14	Scotch® Box Sealing Tape 311+, Transparent, 48 mm x 990 m	2695244	+
14	Scotch® Box Sealing Tape 311+, Transparent, 48 mm x 66 m	2695246	+
14	Scotch® Performance Box Sealing Tape 3444, Brown, 50 mm x 50 m	7271284	+
14	Scotch® Box Sealing Tape Dispenser H180, Bulk	2060256	+
15	3M™ Safety-Walk™ Slip Resistant General Purpose Tape 600 Series, Black, 51 mm x 18.3 m, 2/Case	3321388	+
15	3M™ Safety-Walk™ Slip Resistant General Purpose Tape 600 Series, Yellow, 51 mm x 18.3 m, 1/Case	3321417	+
15	3M™ Safety-Walk™ Slip-Resistant General Purpose Tapes and Treads 613, Black/Yellow Stripe, 50.8 mm x 18.3 m, Roll, 2/case	2016926	+
15	3M™ Maintenance Sorbent Mini-Boom M-M1003, 76 mm diameter, 3.7 m, 4/Case	6113045	+
15	3M™ Maintenance Sorbent Mini-Boom M-M1001, 76 mm diameter, 1.2 m, 12/Case	1756209	+
16	Scotch-Brite™ High Performance Microfibre Wipes 2010, Blue, 320 mm x 360 mm, 5/Pack	399010	+
16	Stainless Steel Cleaner 600ml	398962	
16	3M™ Dusting Sheets, White, 127 mm x 38.1 m, 250 Sheets/Roll, 2/Case	2595138	+



Important Notice

This guide is only an outline. It should not be used as the only means for selecting 3M products. Before using any 3M products, the user must read and understand the User Instructions for each product. Specific country legislation must be observed. If in doubt, contact a relevant professional. Selection of the most appropriate PPE will depend on the particular situation and should only be made by a competent person knowledgeable of the actual working conditions and the limitations of PPE. Final determination as to the suitability of these products for a particular situation is the employer's responsibility. This information is subject to revision at any time. Always read and follow all User Instructions and technical information supplied with 3M products. In order to ensure correct operation. If you have questions contact 3M Technical Service.

Limitation of Liability

Except as provided above and where prohibited by law, 3M shall not be liable or responsible for any loss or damage, whether direct, indirect, incidental, special or consequential arising out of the sale, use or misuse of 3M products, or the user's inability to use such products. THESE REMEDIES SET FORTH HEREIN ARE EXCLUSIVE.

Disclaimer

3M industrial and occupational products are intended, labeled, and packaged for sale to trained industrial and occupational customers for workplace use. Unless specifically stated otherwise on the applicable product packaging or literature, these products are not intended, labeled, or packaged for sale to or use by consumers (e.g., for home, personal, primary or secondary school, recreational/sporting, or other uses not described in the applicable product packaging or literature), and must be selected and used in compliance with applicable health and safety regulations and standards (e.g., OSHA, ANSI), as well as all product literature, user instructions, warnings, and other limitations, and the user must take any action required under any recall, field action or other product use notice. Misuse of 3M industrial and occupational products may result in injury, sickness, death, or property damage. For help with product selection and use, consult your on-site safety professional, industrial hygienist, or other subject matter expert. For additional product information, visit www.3M.com.

This is a partial product listing. For a complete listing, or more information, contact your 3M Official Distributor.



3M United Kingdom PLC
3M Centre
Cain Road, Bracknell
Berkshire RG12 8HT
www.3m.co.uk

3M Ireland Limited
The Iveagh Building
Carrickmines Park,
Carrickmines, Dublin 18
www.3mireland.ie

3M a/s
Hannemanns Allé 53
DK-2300 København S
Denmark
www.3mdanmark.dk

Suomen 3M Oy
Keilaniementie 1
02150 ESPOO
PL 600, 02151 ESPOO
puh. 09 525 21
Finland
www.3msuomi.fi

3M Norge AS
Tærudgata 16
2004 Lillestrøm
Norway
www.3mnorge.no

3M Svenska AB
Herrjärvatorg 4
170 67 Solna
Sweden
www.3msverige.se

Available from:



Birchington Road
Corby
Northants, NN17 9RS
United Kingdom
uk.rs-online.com