



twcn.rs-online.com

RESPONSE S2 SRC WHITE SLIP ON SHOE

- 包裝尺寸: **1 x PR**
- Series: RESPONSE GRIP
 - Gender: Unisex
 - Shoe Size EU: 39
 - Shoe Size UK: 6
 - Colour: White
 - Safety Toe: Yes
 - Safety Toe Type: Composite
 - ESD Safe: No



2507338 RESPONSE GRIP

BLANCO S2 SRC WHITE TG43

- 包裝尺寸: **1 x PR**
- Series: RL20272
 - Gender: Unisex
 - Shoe Size EU: 43
 - Shoe Size UK: 9
 - Colour: White
 - Safety Toe: Yes
 - Safety Toe Type: Composite
 - ESD Safe: No



2507160 RL20272

COFRA SLIP-ON CADMO SAFETY SHOES S2 SRC

- 包裝尺寸: **1 x PR**
- Series: CADMO
 - Gender: Unisex
 - Shoe Size EU: 41
 - Shoe Size UK: 7
 - Shoe Size US: 8
 - Colour: White
 - Safety Toe: Yes
 - Shoe Size JP/CN: 25.5



2348043 CADMO

COFRA SLIP-ON CADMO SAFETY SHOES S2 SRC

- 包裝尺寸: **1 x PR**
- Series: CADMO
 - Gender: Unisex
 - Shoe Size EU: 42
 - Shoe Size UK: 8
 - Shoe Size US: 9
 - Colour: White
 - Safety Toe: Yes
 - Shoe Size JP/CN: 26.5



2348044 CADMO

NON-MARKING HEEL GROUNDER WITH ADJ STRAP

- 包裝尺寸: **1 x EA**
- Accessory Type: Heel Grounder
 - Complies with EN 61340-5-1: Yes
 - Resistance: <3.5 x 10⁷ Ω
 - Reusable/Disposable: Reusable
 - Attachment Type: Elasticated Hook & Loop



3407606 Heel Grounder

ANTISTATIC HEEL GROUNDER WITH ADJ STRAP

- 包裝尺寸: **1 x EA**
- Accessory Type: Heel Grounder
 - Complies with EN 61340-5-1: Yes
 - Resistance: <3.5 x 10⁷ Ω
 - Reusable/Disposable: Reusable
 - Distrelec Product Id: 30395101
 - Attachment Type: Elasticated Hook & Loop



3632931 Heel Grounder

DAYGLOW ANTISTATIC HEEL GROUNDER,1MOHM

- 包裝尺寸: **2 x EA**
- Accessory Type: Heel Grounder
 - Complies with EN 61340-5-1: Yes
 - Resistance: <3.5 x 10⁷ Ω
 - Reusable/Disposable: Reusable
 - Attachment Type: Elasticated Hook & Loop



2179265 Heel Grounder

TALONNETTE FEMME RESISTANCE 1.5MO/25

- 包裝尺寸: **25 x EA**
- Accessory Type: Toe Grounder



2658663 Toe Grounder

EUROSTAT ANTISTATIC HEEL GROUNDER

- 包裝尺寸: **100 x EA**
- Accessory Type: Heel Grounder
 - Distrelec Product Id: 18009989
 - Attachment Type: Self Adhesive



2658662 Heel Grounder

TALON. HOMME RESIST. 1.5MOHM CORDON RAL.

- 包裝尺寸: 10 x EA
- Accessory Type: Heel Grounder



2658661 Heel Grounder

TOE GROUNDER

- 包裝尺寸: 1 x EA
- Accessory Type: Toe Grounder
 - Complies with EN 61340-5-1: Yes
 - Resistance: 1 mΩ
 - Reusable/Disposable: Reusable
 - Attachment Type: Hook & Loop



8381237 Toe Grounder

CLEANROOM DISPOSABLE COVERALL,LARGE

- 包裝尺寸: 1 x EA
- Size: L
 - Material Properties: Cleanroom
 - Colour: White
 - Style: Coverall
 - Gender: Unisex



8295247 L

RS PRO WHITE COVERALL, M

- 包裝尺寸: 1 x EA
- Size: M
 - Material Properties: Cleanroom
 - Colour: White
 - Style: Coverall
 - Gender: Unisex
 - Hooded: Yes



8295243 M

CLEANROOM DISPOSABLE COVERALL,X LARGE

- 包裝尺寸: 1 x EA
- Size: XL
 - Material Properties: Cleanroom
 - Colour: White
 - Style: Coverall
 - Gender: Unisex
 - Hooded: Yes



8295256 XL

RS PRO WHITE COATED SMS 60GSM TYPE 5 & 6

- 包裝尺寸: 50 x EA
- Size: M
 - Material Properties: Anti-Static
 - Colour: White
 - Style: Coverall
 - Gender: Unisex
 - Material: Polyethylene
 - Hooded: Yes
 - Standards Met: EN1149-1, EN13034 Type 6, EN13982 Type 5



2535126 M

RS PRO WHITE COATED SMS 60GSM TYPE 5 & 6

- 包裝尺寸: 50 x EA
- Size: L
 - Material Properties: Anti-Static
 - Colour: White
 - Style: Coverall
 - Gender: Unisex
 - Material: Polyethylene
 - Hooded: Yes
 - Standards Met: EN1149-1, EN13034 Type 6, EN13982 Type 5



2535125 L

RS PRO WHITE COATED SMS 60GSM TYPE 5 & 6

- 包裝尺寸: 1 x PR
- Size: XL
 - Material Properties: Anti-Static
 - Colour: White
 - Style: Coverall
 - Gender: Unisex
 - Material: Polyethylene
 - Hooded: Yes
 - Standards Met: EN1149-1, EN13034 Type 6, EN13982 Type 5



2535127 XL

RS PRO WHITE COATED SMS 60GSM TYPE 5 & 6

- 包裝尺寸: 1 x EA
- Size: XXL
 - Material Properties: Anti-Static
 - Colour: White
 - Style: Coverall
 - Gender: Unisex
 - Material: Polyethylene
 - Hooded: Yes
 - Standards Met: EN1149-1, EN13034 Type 6, EN13982 Type 5



2535123 XXL

3M PROTECTIVE COVERALL 4535, 3XL

- 包裝尺寸: 1 x EA
- Type: Coverall
 - Application: Cleanrooms, Electronics Manufacturing Line, Food Companies, Healthcare, Hospital, NHS, Semiconductor Manufacturing Line, Surgical, TFT-LCD
 - Resistant To: Abrasion, Tear, Water
 - Reusable/Disposable: Disposable
 - Anti-Static: Yes
 - Size: 3XL
 - Material: Polyethylene, Polypropylene
 - Visor/No Visor: No Visor



2432346 Coverall

TYVEK® 600 PLUS COVERALL (SMALL)

- 包裝尺寸: 1 x EA
- Size: S
 - Material Properties: Abrasion Resistant, Flex Cracking Resistance, Puncture Resistant, Tear Resistant
 - Colour: White
 - Style: Coverall
 - Reusable/Disposable: Disposable
 - Standards Met: EN 1149-5, EN 14126, EU 2016/425
 - Gender: Unisex
 - Series: Tyvek 600 Plus



2425319 S

TYVEK® 600 PLUS COVERALL(LARGE)

- 包裝尺寸: 1 x EA
- Size: L
 - Material Properties: Abrasion Resistant, Flex Cracking Resistance, Puncture Resistant, Tear Resistant
 - Colour: White
 - Style: Coverall
 - Reusable/Disposable: Disposable
 - Standards Met: EN 1149-5, EN 14126, EU 2016/425
 - Gender: Unisex
 - Series: Tyvek 600 Plus



2425317 L

TYVEK® 600 PLUS COVERALL (MEDIUM)

- 包裝尺寸: 1 x EA
- Size: M
 - Material Properties: Anti-Static
 - Style: Coverall
 - Reusable/Disposable: Disposable
 - Standards Met: EN 1149-5, EN 14126, EU 2016/425
 - Series: Tyvek 600 Plus



2425318 M

TYVEK® 600 PLUS COVERALL (XLARGE)

- 包裝尺寸: 1 x EA
- Size: XL
 - Material Properties: Abrasion Resistant, Flex Cracking Resistance, Puncture Resistant, Tear Resistant
 - Colour: White
 - Style: Coverall
 - Reusable/Disposable: Disposable
 - Standards Met: EN 1149-5, EN 14126, EU 2016/425
 - Gender: Unisex
 - Series: Tyvek 600 Plus



2425320 XL

TYVEK® 600 PLUS COVERALL (2XL)

- 包裝尺寸: 1 x EA
- Size: XXL
 - Material Properties: Abrasion Resistant, Flex Cracking Resistance, Puncture Resistant, Tear Resistant
 - Colour: White
 - Style: Coverall
 - Reusable/Disposable: Disposable
 - Standards Met: EN 1149-5, EN 14126, EU 2016/425
 - Gender: Unisex
 - Series: Tyvek 600 Plus



2425314 XXL

TYVEK® 600 PLUS COVERALL (3XL)

- 包裝尺寸: 1 x EA
- Size: 3XL
 - Material Properties: Anti-Static
 - Style: Coverall
 - Reusable/Disposable: Disposable
 - Standards Met: EN 1149-5, EN 14126, EU 2016/425
 - Gender: Unisex
 - Series: Tyvek 600 Plus
 - Hooded: Yes



2425315 3XL

TYVEK® 500 INDUSTRY, COLLARED COVERALL,

- 包裝尺寸: 1 x EA
- Size: L
 - Material Properties: Anti-Static
 - Style: Coverall
 - Reusable/Disposable: Disposable
 - Standards Met: EN 1073-2, EN 1149-5, EU 2016/425
 - Series: Tyvek 500 Industry



2425310 L

TYVEK® 200 EASYSAFE COVERALL, (LARGE)

- 包裝尺寸: 1 x EA
- Size: L
 - Material Properties: Anti-Static
 - Style: Coverall
 - Reusable/Disposable: Disposable
 - Standards Met: EN 1073-2, EN 1149-1/5, EU 2016/425
 - Gender: Unisex
 - Series: Tyvek 200 Easysafe
 - Hooded: Yes



2425304 L

TYVEK® 500 INDUSTRY, COLLARED COVERALL (

包裝尺寸: 1 x EA

- Size: XL
- Material Properties: Anti-Static
- Style: Coverall
- Reusable/Disposable: Disposable
- Standards Met: EN 1073-2, EN 1149-5, EU 2016/425
- Series: Tyvek 500 Industry



2425313 XL

PROSHIELD® 20 COVERALL, BLUE, (SMALL)

包裝尺寸: 1 x EA

- Size: S
- Material Properties: Anti-Static
- Style: Coverall
- Reusable/Disposable: Disposable
- Standards Met: EN 1073-2, EN 1149-5, EU 2016/425
- Series: Proshield 20 Blue



2425293 S

PROSHIELD® 20 COVERALL, BLUE, (2XL)

包裝尺寸: 1 x EA

- Size: XXL
- Material Properties: Abrasion Resistant, Flex Cracking Resistance, Puncture Resistant, Tear Resistant
- Colour: Blue
- Style: Coverall
- Reusable/Disposable: Disposable
- Standards Met: EN 1073-2, EN 1149-5, EU 2016/425
- Gender: Unisex
- Series: Proshield 20 Blue



2425289 XXL

TYVEK® 200 EASYSAFE COVERALL, (2XL)

包裝尺寸: 1 x EA

- Size: XXL
- Material Properties: Anti-Static
- Style: Coverall
- Reusable/Disposable: Disposable
- Standards Met: EN 1073-2, EN 1149-1/5, EU 2016/425
- Series: Tyvek 200 Easysafe



2425302 XXL

PROSHIELD® 20 COVERALL, BLUE, (XLARGE)

包裝尺寸: 1 x EA

- Size: XL
- Material Properties: Anti-Static
- Style: Coverall
- Standards Met: EN 1073-2, EN 1149-5, EU 2016/425
- Series: Proshield 20 Blue



2425294 XL

TYVEK® 800J COVERALL, (MEDIUM)

包裝尺寸: 1 x EA

- Size: M
- Material Properties: Anti-Static
- Style: Coverall
- Reusable/Disposable: Disposable
- Standards Met: EN 1073-2, EN 1149-5, EN 14126, EU 2016/425
- Gender: Unisex
- Series: Tyvek® 800 J
- Hooded: Yes



2425261 M

TYVEK® 200 EASYSAFE COVERALL, (MEDIUM)

包裝尺寸: 1 x EA

- Size: M
- Material Properties: Abrasion Resistant, Flex Cracking Resistance, Puncture Resistant, Tear Resistant
- Colour: White
- Style: Coverall
- Reusable/Disposable: Disposable
- Standards Met: EN 1073-2, EN 1149-1/5, EU 2016/425
- Gender: Unisex
- Series: Tyvek 200 Easysafe



2425305 M

PROSHIELD® 20 COVERALL, BLUE, (LARGE)

包裝尺寸: 1 x EA

- Size: L
- Material Properties: Anti-Static
- Colour: Blue
- Style: Coverall
- Reusable/Disposable: Disposable
- Standards Met: EN 1073-2, EN 1149-5, EU 2016/425
- Gender: Unisex
- Series: Proshield 20 Blue



2425291 L

TYVEK® 800J COVERALL, (SMALL)

包裝尺寸: 1 x EA

- Size: S
- Material Properties: Anti-Static
- Style: Coverall
- Reusable/Disposable: Disposable
- Standards Met: EN 1073-2, EN 1149-5, EN 14126, EU 2016/425
- Gender: Unisex
- Series: Tyvek® 800 J
- Hooded: Yes



2425262 S

TYVEK® 800J COVERALL, (LARGE)

- 包裝尺寸: 1 x EA
- Size: L
 - Material Properties: Anti-Static
 - Style: Coverall
 - Reusable/Disposable: Disposable
 - Standards Met: EN 1073-2, EN 1149-5, EN 14126, EU 2016/425
 - Gender: Unisex
 - Series: Tyvek® 800 J
 - Hooded: Yes



2425260 L

TYVEK® 800J COVERALL, (XLARGE)

- 包裝尺寸: 1 x EA
- Size: XL
 - Material Properties: Anti-Static
 - Style: Coverall
 - Reusable/Disposable: Disposable
 - Standards Met: EN 1073-2, EN 1149-5, EN 14126, EU 2016/425
 - Gender: Unisex
 - Series: Tyvek® 800 J
 - Hooded: Yes



2425263 XL

TYCHEM® 2000 C COVERALL, (SMALL)

- 包裝尺寸: 1 x EA
- Size: S
 - Material Properties: Anti-Static
 - Colour: Yellow
 - Style: Coverall
 - Gender: Unisex
 - Hooded: Yes
 - Series: Tychem 2000 C
 - Standards Met: EN 1073-2, EN 1149-5, EN 14126, EU 2016/425



2425272 S

TYCHEM® 2000 C COVERALL, (MEDIUM)

- 包裝尺寸: 1 x EA
- Size: M
 - Material Properties: Anti-Static
 - Colour: Yellow
 - Style: Coverall
 - Gender: Unisex
 - Hooded: Yes
 - Series: Tychem 2000 C
 - Standards Met: EN 1073-2, EN 1149-5, EN 14126, EU 2016/425



2425270 M

TYCHEM® 2000 C COVERALL, (LARGE)

- 包裝尺寸: 1 x EA
- Size: L
 - Material Properties: Anti-Static
 - Colour: Yellow
 - Style: Coverall
 - Gender: Unisex
 - Hooded: Yes
 - Series: Tychem 2000 C
 - Standards Met: EN 1073-2, EN 1149-5, EN 14126, EU 2016/425



2425269 L

TYCHEM® 2000 C COVERALL, (2XL)

- 包裝尺寸: 1 x EA
- Size: XXL
 - Material Properties: Anti-Static
 - Colour: Yellow
 - Style: Coverall
 - Gender: Unisex
 - Hooded: Yes
 - Series: Tychem 2000 C
 - Standards Met: EN 1073-2, EN 1149-5, EN 14126, EU 2016/425



2425267 XXL

ALPHATEC 2500-WH STD CVRL HOOD 111 SIZE

- 包裝尺寸: 1 x EA
- Type: Coverall
 - Application: Industrial Maintenance
 - Resistant To: Aerosols, Light Sprays, Solid Particles
 - Reusable/Disposable: Disposable
 - Anti-Static: Yes
 - Size: XL
 - Material: Polypropylene
 - Visor/No Visor: No visor



2486465 Coverall

CHEMSPLASH COOL 67 COVERALL TYPE 5/6 - S

- 包裝尺寸: 1 x EA
- Size: S
 - Material Properties: Anti-Static, Low Lint, Particle Resistant, Splash Resistant
 - Colour: White
 - Style: Coverall
 - Reusable/Disposable: Disposable
 - Standards Met: EN 1073-2, EN 1149-5, EN 13034



2664284 S

CHEMSPLASH COOL 67 COVERALL TYPE 5/6 - M

- 包裝尺寸: 1 x EA
- Size: M
 - Material Properties: Anti-Static, Low Lint, Particle Resistant, Splash Resistant
 - Colour: White
 - Style: Coverall
 - Reusable/Disposable: Disposable
 - Standards Met: EN 1073-2, EN 1149-5, EN 13034



2664283 M

CHEMSPLASH COOL 67 COVERALL TYPE 5/6 - 2

包裝尺寸: 1 x EA

- Size: XXL
- Material Properties: Anti-Static, Low Lint, Particle Resistant, Splash Resistant
- Colour: White
- Style: Coverall
- Reusable/Disposable: Disposable
- Standards Met: EN 1073-2, EN 1149-5, EN 13034



2664279 XXL

4693 MENS LIGHTWEIGHT ORANGE COVERALL -

包裝尺寸: 1 x EA

- Size: 48 in
- Material Properties: Anti-Static, Arc Flash Protection
- Colour: Orange
- Style: Coverall
- Reusable/Disposable: Reusable



2784575 48 in

TYVEK WHITE ARM COVERS, (PAIR)

包裝尺寸: 1 x EA

- Material: Tyvek
- Material Properties: Anti-Static, Low Lint
- Reusable/Disposable: Disposable
- Length: 50 cm
- Colour: White
- Cuff Type: Elasticated
- Thumb Slot: No
- Primary Application: Chemical Resistant



2290491 Tyvek

CHEMSPLASH COOL 67 COVERALL TYPE 5/6 - X

包裝尺寸: 1 x EA

- Size: XL
- Material Properties: Anti-Static, Low Lint, Particle Resistant, Splash Resistant
- Colour: White
- Style: Coverall
- Reusable/Disposable: Disposable
- Standards Met: EN 1073-2, EN 1149-5, EN 13034



2664285 XL

MICROGARD® 2000 COVERALL WHITE XL

包裝尺寸: 1 x EA

- Size: XL
- Material Properties: Antistatic Protection, Biological Protection, Radioactive Particulate Protection
- Colour: White
- Style: Coverall
- Standards Met: EN 1073-2, EN 1149-5, EN 13034, EN 14126
- Gender: Men
- Chest Size: 108 <arrow/> 116 cm
- Material: SMS Fabric



1245276 XL

444 ELASTIC CUFF OVERSLEEVE

包裝尺寸: 300 x EA

- Material: Laminate
- Material Properties: Anti-Static
- Reusable/Disposable: Disposable
- Length: 16 in
- Colour: White
- Cuff Type: Elasticated
- Thumb Slot: No
- Primary Application: Liquid Splash Protection



7722814 Laminate

CHEMSPLASH COOL 67 COVERALL TYPE 5/6 - 3

包裝尺寸: 1 x EA

- Size: 3XL
- Material Properties: Anti-Static, Low Lint, Particle Resistant, Splash Resistant
- Colour: White
- Style: Coverall
- Reusable/Disposable: Disposable
- Standards Met: EN 1073-2, EN 1149-5, EN 13034



2664281 3XL

MICROGARD® 2000 COVERALL WHITE M

包裝尺寸: 1 x EA

- Size: M
- Material Properties: Antistatic Protection, Biological Protection, Radioactive Particulate Protection
- Colour: White
- Style: Coverall
- Standards Met: EN 1073-2, EN 1149-5, EN 13034, EN 14126
- Gender: Men
- Chest Size: 92 <arrow/> 100 cm
- Material: SMS Fabric



1245274 M

TYCHEM C SINGLE SLEEVE YELLOW

包裝尺寸: 50 x EA

- Material: Tychem
- Colour: Yellow
- Size: One Size



2708846 Tychem

CLEANROOM DISPOSABLE LABCOAT,MEDIUM

包裝尺寸: 1 x EA

- Size: M
- Material Properties: Cleanroom
- Material: Polypropylene
- Gender: Unisex
- Colour: White
- Closure Type: Zipper



8295237 M

ESD DISPOSABLE LABCOAT, WHITE, SIZE L

包裝尺寸: 1 x EA

- Size: L
- Material Properties: Anti-Static
- Material: Polypropylene
- Gender: Unisex
- Colour: White



2102172 L

NITRILITE® 93-401 SIZE 6,5

包裝尺寸: 100 x EA

- Glove Size: S
- Glove Material: Nitrile
- Colour: Beige
- Glove Type: Controlled Environment Gloves
- European Safety Standard: Class ISO 4, EN ISO 374-1, EN ISO 374-5
- Powdered: Powder-Free
- Number of Gloves: 100
- Range: 93-401



2486372 S

EUROSTAT WHITE UNISEX LAB COAT, XXL

包裝尺寸: 1 x EA

- Colour: White
- Size: XXL
- Gender: Unisex
- Closure Type: Snaps
- Number of Pockets: 3



1718567 White

ANSELL 83-500 WHITE LATEX GENERAL PURPOSE GLOVES, SIZE 8, LATEX COATING

包裝尺寸: 1 x PR

- Glove Size: 8
- Primary Glove Application: General Purpose
- Glove Material: Latex
- Main Colour of Glove: White
- Glove Coating: Latex
- Number of Gloves: 1 Pair
- EN374 Chemical: Yes
- Range: 83-500



2728988 8

NITRILITE® 93-401 SIZE 7,5

包裝尺寸: 100 x EA

- Glove Size: M
- Glove Material: Nitrile
- Colour: Beige
- Glove Type: Controlled Environment Gloves
- European Safety Standard: Class ISO 4, EN ISO 374-1, EN ISO 374-5
- Powdered: Powder-Free
- Number of Gloves: 100
- Range: 93-401



2486373 M

TYVEK® 500 LABCOAT, PL309NP, LG

包裝尺寸: 1 x EA

- Size: L
- Material Properties: Anti-Static
- Material: Tyvek
- Gender: Unisex
- Colour: White
- Series: Tyvek 500 Lab



2425284 L

ANSELL 93-360 GREEN POWDER-FREE NEOPRENE DISPOSABLE GLOVES, SIZE 8.5-9, LARGE, 50 PER

包裝尺寸: 50 x EA

- Glove Size: 8.5-9, Large
- Glove Material: Neoprene
- Colour: Green
- Glove Type: Controlled Environment Gloves
- European Safety Standard: EN ISO 374-1, EN ISO 374-5, EN421
- Powdered: Powder-Free
- Number of Gloves: 50
- Range: 93-360



2486368 8.5-9, Large

MICROFLEX® 93-360 SIZE M (7,5-8,0)

包裝尺寸: 50 x EA

- Glove Size: 7.5-8, Medium
- Glove Material: Neoprene
- Colour: Green
- Glove Type: Controlled Environment Gloves
- European Safety Standard: EN ISO 374-1, EN ISO 374-5, EN421
- Powdered: Powder-Free
- Number of Gloves: 50
- Range: 93-360



2486367 7.5-8, Medium

POLYCO HEALTHLINE BLUE POWDER-FREE NITRILE DISPOSABLE GLOVES, SIZE M, 100 PER PACK

包裝尺寸: 100 x EA

- Glove Size: M
- Glove Material: Nitrile
- Colour: Blue
- Glove Type: Powder Free
- European Safety Standard: EN1186
- Powdered: Powder-Free
- Number of Gloves: 100
- Food Safe: Yes



2506928 M

3M SECUREFIT SAFETY GLASSES, SCOTCHGARD

包裝尺寸: 1 x EA

- Lens Colour: Clear
- UV Protection: Yes
- Style Type: Spectacles
- Anti-Mist Coating: Yes
- Scratch Resistant: Yes
- Bifocal: No
- EN175 Welding Safe: No
- EN207/208 Laser Safe: No



2034900 Clear

OVERLIGHT CLEAR LENS SAFETY GLASSES

包裝尺寸: 1 x PR

- Lens Colour: Clear
- UV Protection: Yes
- Style Type: Over Spectacles
- Anti-Mist Coating: Yes
- Attachment Type: Ear Piece
- Scratch Resistant: Yes
- Bifocal: No
- EN175 Welding Safe: No



7694019 Clear

CLEANROOM FACEMASKS WITH HEADLOOP,100

包裝尺寸: 1 x EA

- Quantity Per Package: 100
- Colour: White



8295269 100

SEALED PREMIUM ACETATE LENS GOGGLES

包裝尺寸: 1 x EA

- Anti-Mist Coating: Yes
- Scratch Resistant: No
- Lens Colour: Clear
- Frame Material: PVC
- Lens Material: Acetate
- UV Protection: Yes
- Series: 2890
- EN166 Eye Protection: F, T



7722782 Yes

RUSH INDUSTRIAL SPECTACLE TRANSLUCENT FR

包裝尺寸: 1 x EA

- Lens Colour: Clear
- UV Protection: Yes
- Style Type: Spectacles
- Anti-Mist Coating: No
- Attachment Type: Ear Piece
- Scratch Resistant: No
- Bifocal: No
- EN175 Welding Safe: No



2554079 Clear

COVERALL CLEAN ROOM GOGGLE

包裝尺寸: 1 x EA

- Anti-Mist Coating: Yes
- Scratch Resistant: Yes
- Lens Colour: Clear
- Vent Type: Indirect Vent
- Frame Material: PC/PVC
- Lens Material: PC
- UV Protection: Yes
- Series: COVACLEAN



1236214 Yes

VISITOR OVERSPECS CLEAR 71448-00001M

包裝尺寸: 1 x EA

- Lens Colour: Clear
- UV Protection: Yes
- Style Type: Over Spectacles
- Anti-Mist Coating: No
- Scratch Resistant: No
- Bifocal: No
- EN175 Welding Safe: No
- EN166 Eye Protection: F



1849475 Clear

CLEANROOM PLEATED MOB CAPS WHITE

包裝尺寸: 100 x EA

- Type: Mob Cap
- Colour: White
- Metal Detectable: No
- Application: Clean Room, Door, Entrance, Food Industry, Hospital
- Quantity Per Package: 100
- Material: Polyester
- Size: One Size



8295354 Mob Cap

4.2GRAM CPE COMPRESSED POLYETHYLENE PACK

- 包裝尺寸: 1 x EA
- Size: One Size
 - Colour: Blue
 - Quantity Per Package: 100 Pair



2710533 One Size

KIT RSKN118

- 包裝尺寸: 1 x EA
- Accessory Type: Anti Static Service Kit
 - Complies with EN 61340-5-1: Yes
 - Cord Length: 4 m
 - Mat Length: 1200 mm
 - Mat Thickness: 2 mm
 - Mat Width: 600 mm



2524621 Anti Static

RS PRO ESD FIELD KIT

- 包裝尺寸: 1 x EA
- Accessory Type: Anti Static Service Kit
 - Complies with EN 61340-5-1: Yes
 - Cord Length: 4 m
 - Resistance: 1 mΩ
 - Mat Width: 510 mm
 - Mat Thickness: 0.75 mm
 - Wrist Strap Size: Adjustable
 - Cord Style: Coiled



6811235 Anti Static

A800 CLEAR FOG-BAN ANTI-SCRATCH LENS

- 包裝尺寸: 1 x EA
- Lens Colour: Clear
 - UV Protection: Yes
 - Style Type: Spectacles
 - Anti-Mist Coating: No
 - Scratch Resistant: No
 - Bifocal: No
 - EN175 Welding Safe: No
 - EN166 Eye Protection: F



1040948 Clear

WELLER ESD MAT SET GREY 900X600

- 包裝尺寸: 1 x EA
- Use Type: Antistatic Workstation Kit
 - Suitable For: Wrist Strap Grounding
 - Thickness: 2 mm
 - Colour: Grey
 - Length: 900 mm
 - Width: 600 mm
 - Surface Texture Type: Dissipative
 - Distrelec Product Id: 30311440



2517690 Antistatic

RS PRO ESD FIELD KIT

- 包裝尺寸: 1 x EA
- Accessory Type: Anti Static Service Kit
 - Complies with EN 61340-5-1: Yes
 - Cord Length: 4 m
 - Resistance: 1 mΩ
 - Mat Width: 550 mm
 - Mat Thickness: 0.75 mm
 - Wrist Strap Size: Adjustable
 - Cord Style: Coiled



6811231 Anti Static

POMONA ESD-SAFE FIELD KIT

- 包裝尺寸: 1 x EA
- Accessory Type: Anti Static Service Kit
 - Cord Length: 4.572 m
 - Mat Length: 588.8 mm
 - Mat Width: 457.2 mm
 - Distrelec Product Id: 30180004



2218261 Anti Static

WELLER ESD MAT SET BLUE 900X600

- 包裝尺寸: 1 x EA
- Use Type: Antistatic Workstation Kit
 - Suitable For: Wrist Strap Grounding
 - Thickness: 2 mm
 - Colour: Blue
 - Length: 900 mm
 - Width: 600 mm
 - Surface Texture Type: Dissipative
 - Distrelec Product Id: 30311439



2517688 Antistatic

DEVELOPMENT BOARD ESD BENCHTOP KIT - EU

- 包裝尺寸: 1 x KT
- Accessory Type: ESD Field Kit
 - Connector Type: 10 mm Stud x 2
 - Plug Type: Euro Plug
 - Complies with EN 61340-5-1: Yes
 - Cord Length: 2.4 m, 0.7 m
 - Resistance: 1 mΩ
 - Stud Size: 10 mm
 - Mat Width: 450 mm



1235615 ESD Field Kit

DEVELOPMENT BOARD ESD BENCHTOP KIT - UK

包裝尺寸: 1 x KT

- Accessory Type: ESD Field Kit
- Connector Type: 10 mm Socket, 10 mm Stud
- Plug Type: UK
- Complies with EN 61340-5-1: Yes
- Cord Length: 2.4 m, 0.7 m
- Resistance: 1 mΩ
- Stud Size: 10 mm
- Mat Width: 450 mm



1235614 ESD Field Kit

RS PRO ESD FIELD KIT WITH 10 MM STUD X 2

包裝尺寸: 1 x KT

- Accessory Type: Anti Static Service Kit
- Connector Type: 10 mm Stud x 2
- Complies with EN 61340-5-1: Yes
- Resistance: 1 mΩ
- Stud Size: 10 mm
- Mat Width: 545 mm
- Wrist Strap Size: Adjustable
- Cord Style: Coiled



1452122 Anti Static

FIELD SERVICE KIT, 2X10MM STUDS, 0.6X0.6M

包裝尺寸: 1 x KT

- Accessory Type: Anti Static Service Kit
- Connector Type: 10 mm Stud x 2
- Complies with EN 61340-5-1: Yes
- Resistance: 1 mΩ
- Stud Size: 10 mm
- Mat Width: 600 mm
- Wrist Strap Size: Adjustable
- Cord Style: Coiled



1452123 Anti Static

RS PRO ESD FIELD KIT WITH 10 MM SOCKET, 10 MM STUD

包裝尺寸: 1 x KT

- Accessory Type: Anti Static Service Kit
- Connector Type: 10 mm Socket, 10 mm Stud
- Plug Type: UK
- Complies with EN 61340-5-1: Yes
- Cord Length: 4.5 m, 2 mm
- Resistance: 1 mΩ
- Cord Style: Coiled
- Band Material: Fabric



1452128 Anti Static

EARTH BONDING BOX, 3X10MM STUD

包裝尺寸: 1 x EA

- Accessory Type: Earth Bonding Box
- Connector Type: 10 mm Stud x 3
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Resistance: 1 mΩ
- Cord Style: Straight



2983957 Earth Bonding

EARTH BONDING BOX, 2X4MM SCKTS, 1X10MM STD

包裝尺寸: 1 x EA

- Accessory Type: Earth Bonding Box
- Connector Type: 10 mm Stud, 4 mm Socket x 2
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Resistance: 1 mΩ
- Cord Style: Straight



2983941 Earth Bonding

EARTH FACILITY BRACKET W/2M EARTH LEAD

包裝尺寸: 1 x EA

- Accessory Type: Earth Bonding Bracket
- Connector Type: Grounding Post x 1
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Cord Length: 2 m
- Cord Style: Straight
- Reusable/Disposable: Reusable
- Attachment Type: Hook & Loop



2983963 Earth Bonding

ANTISTATIC EARTH BONDING POINT BOX

包裝尺寸: 1 x EA

- Accessory Type: Earth Bonding Box
- Connector Type: 10 mm Stud x 2
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Cord Length: 2 m
- Resistance: 1 mΩ
- Cord Style: Straight



392135 Earth Bonding

10MM STUD-BANANA MINI WRIST STRAP+CORD

包裝尺寸: 1 x EA

- Accessory Type: ESD Grounding Wrist Strap & Cord Set
- Connector Type: 10 mm Socket, 10 mm Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 1.8 m
- Resistance: 1 mΩ
- Wrist Strap Size: Adjustable
- Cord Style: Coiled
- Reusable/Disposable: Reusable



7989275 ESD Grounding

CLEANROOM POLY/CELLULOSE DRY WIPES,300

包裝尺寸: **300 x EA**

- Wipe Type: Cleanroom Wipes
- Application: General Cleaning
- Wet/Dry: Dry
- Package Type: Pack
- Number of Wipes per Pack: 300
- Colour: White
- Repeat/Single Use: Single Use



8295130 Cleanroom

10MM STUD-BANANA ADJ FABRIC BAND CORDSET

包裝尺寸: **1 x EA**

- Accessory Type: ESD Grounding Wrist Strap & Cord Set
- Connector Type: 10 mm Socket, 10 mm Stud
- Termination Type: Banana Plug - Croc Clip
- Complies with EN 61340-5-1: Yes
- Cord Length: 1.8 m
- Resistance: 1 mΩ
- Stud Size: 10 mm
- Reusable/Disposable: Reusable



2877379 ESD Grounding

RS PRO 100 CLEANROOM WIPES

包裝尺寸: **100 x EA**

- Dispenser Type: Wipe
- Capacity: 100
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No



8295155 Wipe

CLEANROOM DRY WIPES,PACK OF 100

包裝尺寸: **100 x EA**

- Dispenser Type: Wipe
- Capacity: 100
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No



8295142 Wipe

RS PRO 200 CLEANROOM WIPES

包裝尺寸: **200 x EA**

- Dispenser Type: Wipe
- Capacity: 200
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No



8295149 Wipe

CLEANROOM DRY WIPES STERILE,PACK OF 100

包裝尺寸: **100 x EA**

- Dispenser Type: Wipe
- Capacity: 100
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No



8295146 Wipe

CLEANROOM 100% POLYESTER DRY WIPES,150

包裝尺寸: **1 x EA**

- Dispenser Type: Wipe
- Capacity: 150
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No



8295133 Wipe

CLASS 100 CLEANROOM POLYESTER SOFT WIPE

包裝尺寸: **300 x EA**

- Wipe Type: Cleanroom Wipes
- Application: Clean Environments, Food Industry, Pharmaceutical
- Wet/Dry: Dry
- Package Type: Bag
- Number of Wipes per Pack: 300
- Wiper Size: 228 x 228 mm
- Colour: White
- Repeat/Single Use: Single Use



2418116 Cleanroom

CLEANROOM LAUNDERED OPTICAL WIPER

包裝尺寸: **75 x EA**

- Wipe Type: Cleanroom Wipes
- Application: Aerospace, Automobile, Electronics, Food Industry, Pharmaceutical, Spray Painting
- Wet/Dry: Dry
- Package Type: Case
- Number of Wipes per Pack: 75
- Wiper Size: 230 x 230 mm
- Colour: White
- Repeat/Single Use: Single Use



1625687 Cleanroom

SCIENCE DELICATE WIPES - BOX OF 200

包裝尺寸: 200 x EA

- Wipe Type: Cleanroom Wipes
- Application: Clean Environments, Food Industry, Pharmaceutical
- Wet/Dry: Dry
- Package Type: Box
- Number of Wipes per Pack: 200
- Ply: 1
- Wiper Size: 231mm x 115 mm
- Colour: White



1223088 Cleanroom

RS PRO WHITE CLEANROOM ESD-SAFE MAT, 910MM X 910MM X 1.65MM

包裝尺寸: 8 x EA

- Use Type: Cleanroom
- Suitable For: Standard Shoes
- Thickness: 1.65 mm
- Colour: White
- Length: 910 mm
- Width: 910 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No



8295297 Cleanroom

RS PRO BLUE CLEANROOM ESD-SAFE MAT, 910MM X 910MM X 1.65MM

包裝尺寸: 8 x EA

- Use Type: Cleanroom
- Suitable For: Standard Shoes
- Thickness: 1.65 mm
- Colour: Blue
- Length: 910 mm
- Width: 910 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No



8295307 Cleanroom

RS PRO CLEANROOM ESD-SAFE MAT, 1.14M X 460MM X 1.65MM

包裝尺寸: 8 x EA

- Use Type: Cleanroom
- Suitable For: Standard Shoes
- Thickness: 1.65 mm
- Length: 1.14 m
- Width: 460 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No
- Number of Material Layers: 30



8295287 Cleanroom

RS PRO CLEANROOM ESD-SAFE MAT, 1.14M X 660MM X 1.65MM

包裝尺寸: 8 x EA

- Use Type: Cleanroom
- Suitable For: Standard Shoes
- Thickness: 1.65 mm
- Length: 1.14 m
- Width: 660 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No
- Number of Material Layers: 30



8295290 Cleanroom

GREY 3 LAYER VINYL FLOOR MAT, 1200X1800MM

包裝尺寸: 1 x EA

- Use Type: Bench, Floor
- Suitable For: Chemical Resistance, Continuous Monitoring, Soldering
- Thickness: 3.2 mm
- Colour: Grey
- Length: 1.8 m
- Width: 1.2 m
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: Yes



4661671 Bench, Floor

RS PRO CLEANROOM ESD-SAFE MAT, 1.14M X 460MM X 1.65MM

包裝尺寸: 8 x EA

- Use Type: Cleanroom
- Suitable For: Standard Shoes
- Thickness: 1.65 mm
- Length: 1.14 m
- Width: 460 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No
- Number of Material Layers: 30



8295281 Cleanroom

COBA EUROPE CLEAN STEP ENTRANCE AREAS, CLEAN ROOMS, HOSPITALS, ENTRANCE MAT X

包裝尺寸: 1 x EA

- Width: 0.6 m
- Colour: White
- Reusable/Disposable: Disposable
- Range: Clean Step
- Material: PE
- Length: 0.76 m
- Thickness: 6.5 mm
- Floor Surface: Entrance Areas, Clean Rooms, Hospitals




3253538 0.6 m

ANTI STATIC MAT, ESD MAT FOR DESK/TABLE

包裝尺寸: 1 x EA

- Use Type: Antistatic Workstation Kit
- Suitable For: ESD-Safe
- Thickness: 2 mm
- Colour: Beige
- Length: 600 mm
- Width: 1.2 m
- Distrelec Product Id: 30379056



2501193 Antistatic

STATFREE RUBBER BENCH MAT, BLUE 0.6X1.2M


- 包裝尺寸: **1 x EA**
- Use Type: Bench
 - Suitable For: Work Surfaces
 - Thickness: 2 mm
 - Length: 1.2 m
 - Width: 600 mm
 - Surface Texture Type: Embossed
 - Complies with EN 61340-5-1: Yes
 - Number of Material Layers: 2



7389757 Bench

RS PRO GREY BENCH ESD-SAFE MAT, 1.2M X 600MM X 2MM

- 包裝尺寸: **1 x EA**
- Use Type: Bench
 - Thickness: 2 mm
 - Suitable For: Bench
 - Colour: Grey
 - Length: 1.2 m
 - Width: 600 mm
 - Surface Texture Type: Smooth
 - Complies with EN 61340-5-1: No



7873111 Bench

38040 SEALED POLYESTER SWAB

- 包裝尺寸: **1 x EA**
- Application: Clean Room
 - Number of Buds per Pack: 500
 - Package Type: Bag
 - Bud Material: PET
 - Stick Material: PP
 - Length: 69 mm



4077874 Clean Room

ESD BURIED LAYER MATTING, 1.2MX0.6MX3MM

- 包裝尺寸: **1 x EA**
- Use Type: Bench
 - Suitable For: Chemical Resistance, Continuous Monitoring, Soldering
 - Thickness: 3 mm
 - Colour: Blue
 - Length: 1.2 m
 - Width: 600 mm
 - Surface Texture Type: Smooth
 - Complies with EN 61340-5-1: Yes



7872102 Bench

LIGHTWEIGHT FIELD SERVICE MAT, 508X381MM

- 包裝尺寸: **1 x EA**
- Use Type: Bench, Floor
 - Suitable For: Bench, Floor Mat
 - Length: 380 mm
 - Width: 500 mm
 - Surface Texture Type: Smooth
 - Complies with EN 61340-5-1: Yes
 - Number of Material Layers: 2



3407640 Bench, Floor

COBA EUROPE CLEAN-STEP, ENTRANCE MAT, SMOOTH, INDOOR USE, WHITE, 0.8M 0.6M 6.5MM

- 包裝尺寸: **1 x EA**
- Length: 0.6 m
 - Width: 0.8 m
 - Indoor/Outdoor: Indoor
 - Surface Type: Smooth
 - Colour: White
 - Range: Clean-Step
 - Mat Material: PE
 - Thickness: 6.5 mm



3253522 0.6 m

BLUE 3 LAYER VINYL FLOOR MAT, 1200X1800MM

- 包裝尺寸: **1 x EA**
- Use Type: Bench, Floor
 - Suitable For: Chemical Resistance, Continuous Monitoring, Soldering
 - Thickness: 3.2 mm
 - Colour: Blue
 - Length: 1.8 m
 - Width: 1.22 m
 - Surface Texture Type: Smooth
 - Complies with EN 61340-5-1: Yes



4661665 Bench, Floor

RS PRO SINGLE SIDED MATRIX BOARD FR4 1.02MM HOLES, 2.54 X 2.54MM PITCH, 220 X 100 X 1.6MM


- 包裝尺寸: **1 x EA**
- Number of Sides: 1
 - Hole Pitch: 2.54 x 2.54 mm
 - Dimensions: 220 x 100 x 1.6 mm
 - Length: 220 mm
 - Width: 100 mm
 - Thickness: 1.6 mm
 - Base Material: Epoxy Glass Fabric Laminate
 - Hole Diameter: 1.02 mm



1004514 1

38040ESD STATIC CONTROL SWAB

- 包裝尺寸: **1 x EA**
- Application: Clean Room
 - Number of Buds per Pack: 500
 - Package Type: Bag
 - Bud Material: PET
 - Stick Material: PP
 - Length: 69 mm



4077896 Clean Room

WRAPPED CLASSM1 PROCESSED POLYESTER SWAB

- 包裝尺寸: 1 x EA
- Application: Clean Room
 - Number of Buds per Pack: 25
 - Package Type: Bag
 - Bud Material: PET
 - Stick Material: Glass Fibre Reinforced Nylon
 - Length: 159 mm



4081794 Clean Room

RS PRO ANTISTATIC FOAM CLEANER 400ML

- 包裝尺寸: 1 x EA
- Dispenser Type: Spray
 - Capacity: 400 ml
 - Anti-Static: Yes



1681659 Spray

DISSIPATIVE BRUSH, FLAT, NYLON, 50.8MM

- 包裝尺寸: 1 x EA
- Material: Nylon
 - Shape: Flat
 - Length: 190 mm
 - Dissipative: Yes
 - Conductive: Yes
 - Cleanroom: No
 - Complies with EN 61340-5-1: Yes
 - Bristle Width: 0.4 mm



7199857 Nylon

DUST CLEANING PAD 50 SHEETS X 5

- 包裝尺寸: 5 x EA
- Type: DCR/DRS Dust Removal Cleaning Pads
 - Dimensions: 330 x 240 mm



2157024 DCR/DRS Dust

ANTISTATIC FOAM CLEANSER 400ML

- 包裝尺寸: 1 x EA
- Dispenser Type: Spray
 - Capacity: 400 ml
 - Anti-Static: Yes



1681657 Spray

DISSIPATIVE BRUSH, LONG HANDLE, NYLON 30MM

- 包裝尺寸: 1 x EA
- Material: Nylon
 - Shape: Flat
 - Length: 197 mm
 - Dissipative: Yes
 - Conductive: Yes
 - Cleanroom: No
 - Complies with EN 61340-5-1: Yes
 - Bristle Width: 0.4 mm



7199851 Nylon

DUST CLEANING PAD 50 SHEETS X 1

- 包裝尺寸: 1 x EA
- Type: DCR/DRS Dust Removal Cleaning Pads
 - Dimensions: 330 x 240 mm



2157025 DCR/DRS Dust

TECHSPRAY 267ML ANTI-STATIC SPRAY

- 包裝尺寸: 1 x EA
- Dispenser Type: Spray
 - Capacity: 267 ml
 - Dissipative: Yes
 - Conductive: No
 - Anti-Static: No
 - Cleanroom: No
 - Complies with EN 61340-5-1: Yes



1113165 Spray

RECTANGULAR ANTI STATIC BRUSH, PLASTIC

- 包裝尺寸: 1 x EA
- Material: Plastic
 - Shape: Rectangular
 - Length: 90 mm
 - Dissipative: Yes
 - Conductive: Yes
 - Cleanroom: No
 - Complies with EN 61340-5-1: Yes
 - Handle Length: 70 mm



2878209 Plastic

PCB CLEANING NATURAL BRISTLE BRUSH

- 包裝尺寸: **5 x EA**
- Type: PCB and Flux Brush
 - Material: Natural Bristle
 - Dimensions: 12 x 107 mm



2299735 PCB and Flux

ESD ANTISTATIC SAFE CIRCULAR BRUSH,6.3MM

- 包裝尺寸: **1 x EA**
- Material: Plastic
 - Shape: Circular
 - Length: 152 mm
 - Dissipative: No
 - Conductive: Yes
 - Cleanroom: No
 - Complies with EN 61340-5-1: Yes
 - Handle Length: 140 mm



2878170 Plastic

ESD BRUSH, 20MM WIDE

- 包裝尺寸: **1 x EA**
- Material: Plastic
 - Shape: Flat
 - Length: 168 mm
 - Dissipative: Yes
 - Conductive: Yes
 - Cleanroom: No
 - Complies with EN 61340-5-1: Yes
 - Bristle Width: 20 mm



8348133 Plastic

RECTANGULAR ANTI STATIC BRUSH, PLASTIC

- 包裝尺寸: **1 x EA**
- Material: Plastic
 - Shape: Rectangular
 - Length: 245 mm
 - Dissipative: Yes
 - Conductive: Yes
 - Cleanroom: No
 - Complies with EN 61340-5-1: Yes
 - Handle Length: 225 mm



2878186 Plastic

ESD BRUSH - WIDTH 37 HANDLE LENGHT123 MM

- 包裝尺寸: **1 x EA**
- Material: Nylon
 - Shape: Flat
 - Length: 141 mm
 - Handle Length: 123 mm
 - Bristle Material: Nylon
 - Bristle Length: 18 mm
 - Handle Shape: Flat



2141122 Nylon

ESD BRUSH - WIDTH 30 HANDLE LENGHT140MM

- 包裝尺寸: **1 x EA**
- Material: Nylon
 - Shape: Flat
 - Length: 160 mm
 - Handle Length: 140 mm
 - Bristle Material: Nylon
 - Bristle Length: 20 mm
 - Handle Shape: Flat



2141124 Nylon

PROPELLING PENCIL W/FIBREGLASS,4MM DIA

- 包裝尺寸: **1 x EA**
- Type: PCB and Flux Brush
 - Material: Fibreglass
 - Dimensions: 4 mm



514868 PCB and Flux

DISSIPATIVE BRUSH, CURVED, NYLON 76X38MM

- 包裝尺寸: **1 x EA**
- Material: Nylon
 - Shape: Curved
 - Length: 122 mm
 - Dissipative: Yes
 - Conductive: Yes
 - Cleanroom: No
 - Complies with EN 61340-5-1: Yes
 - Bristle Width: 0.4 mm



7199860 Nylon

BROSSE (TYPE BROSSE A DENTS) 180MM POILS

- 包裝尺寸: **1 x EA**
- Material: Black Conductive Polypropylene
 - Length: 177 mm



2658700 Black Conductive

TACKY ROLLER EXTENSION POLE 4-8

包裝尺寸: 1 x EA

- Type: Extension Handle
- Roller Width: 228.6 mm, 457.2 mm



8295326 Extension Handle

CONDUCTIVE PP BRUSH, 144X50X20MM

包裝尺寸: 1 x EA

- Material: Nylon
- Shape: Flat
- Length: 164 mm
- Dissipative: Yes
- Conductive: Yes
- Cleanroom: No
- Complies with EN 61340-5-1: Yes
- Handle Length: 144 mm



1250302 Nylon

FIBREGLASS REFFILLS FOR PCB CLEANING

包裝尺寸: 10 x EA

- Type: PCB and Flux Brush
- Material: Fibreglass
- Dimensions: 4 mm



514874 PCB and Flux

RS PRO TECHNICAL PAPER 235MM X 297MM

包裝尺寸: 250 x EA

- Type: Technical Paper
- Quantity Included: 250 sheets
- Width: 235 mm
- Depth: 210 mm
- Paper Size: A4
- Height: 297 mm
- Dissipative: No
- Conductive: No



8295225 Technical Paper

RS PRO AUTOCLAVEABLE PAPER 235MM X 315MM

包裝尺寸: 250 x EA

- Type: Autoclaveable Paper
- Quantity Included: 250 sheets
- Width: 235 mm
- Depth: 255 mm
- Paper Size: A4
- Height: 315 mm
- Dissipative: No
- Conductive: No



8295199 Autoclaveable

RS PRO CLEANROOM A4 LINED NOTEBOOK 297MM X 210MM

包裝尺寸: 1 x EA

- Type: Cleanroom A4 Lined Notebook
- Quantity Included: 50 sheets
- Width: 297 mm
- Depth: 100 mm
- Paper Size: A4
- Height: 210 mm
- Dissipative: No
- Conductive: No



8295228 Cleanroom A4

RS PRO TECHNICAL PAPER 235MM X 297MM

包裝尺寸: 250 x EA

- Type: Technical Paper
- Quantity Included: 250 sheets
- Width: 235 mm
- Depth: 210 mm
- Paper Size: A4
- Height: 297 mm
- Dissipative: No
- Conductive: No



8295234 Technical Paper

RS PRO AUTOCLAVEABLE PAPER 235MM X 315MM

包裝尺寸: 250 x EA

- Type: Autoclaveable Paper
- Quantity Included: 250 sheets
- Width: 235 mm
- Depth: 255 mm
- Paper Size: A4
- Height: 315 mm
- Dissipative: No
- Conductive: No



8295192 Autoclaveable

RS PRO TECHNICAL PAPER 235MM X 297MM

包裝尺寸: 250 x EA

- Type: Technical Paper
- Quantity Included: 250 sheets
- Width: 235 mm
- Depth: 210 mm
- Paper Size: A4
- Height: 297 mm
- Dissipative: No
- Conductive: No



8295219 Technical Paper

DISSIPATIVE CLEAR ZIP BAG,250X300MM,100

包裝尺寸: 100 x EA

- Packaging Type: ESD Ultra Clear Bag
- Type: Bag
- Colour: Clear
- Length: 300 mm
- Thickness: 0.09 mm
- Width: 250 mm
- Quantity Per Package: 100
- Dissipative: Yes



1229157 ESD Ultra Clear

DISSIPATIVE CLEAR ZIP BAG,75X125MM,100

包裝尺寸: 100 x EA

- Packaging Type: ESD Ultra Clear Bag
- Type: Bag
- Colour: Clear
- Length: 125 mm
- Thickness: 0.09 mm
- Width: 75 mm
- Quantity Per Package: 100
- Dissipative: Yes



1229158 ESD Ultra Clear

DISSIPATIVE CLEAR ZIP BAG,150X200MM,100

包裝尺寸: 1 x EA

- Packaging Type: ESD Ultra Clear Bag
- Type: Bag
- Colour: Clear
- Length: 200 mm
- Thickness: 0.09 mm
- Width: 150 mm
- Quantity Per Package: 100
- Dissipative: Yes




1229155 ESD Ultra Clear

RS PRO MOISTURE BARRIER BAG 255MM(W)X 305MM(L)

包裝尺寸: 100 x EA

- Packaging Type: Moisture Barrier Bag
- Type: Bag
- Colour: Silver
- Length: 305 mm
- Thickness: 0.09 mm
- Width: 255 mm
- Quantity Per Package: 100
- Dissipative: Yes



1908424 Moisture Barrier

RS PRO MOISTURE BARRIER BAG 100MM(W)X 610MM(L)

包裝尺寸: 100 x EA

- Packaging Type: Moisture Barrier Bag
- Type: Bag
- Colour: Silver
- Length: 610 mm
- Thickness: 0.09 mm
- Width: 100 mm
- Quantity Per Package: 100
- Dissipative: Yes



1908440 Moisture Barrier

RS PRO MOISTURE BARRIER BAG 380MM(W)X 455MM(L)

包裝尺寸: 100 x EA

- Packaging Type: Moisture Barrier Bag
- Type: Bag
- Colour: Silver
- Length: 455 mm
- Thickness: 0.09 mm
- Width: 380 mm
- Quantity Per Package: 100
- Dissipative: Yes



1908444 Moisture Barrier

RS PRO STATIC SHIELDING BAG 355MM(W)X 455MM(L)

包裝尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Black
- Length: 455 mm
- Thickness: 0.07 mm
- Width: 355 mm
- Quantity Per Package: 100
- Dissipative: Yes



1908437 Static Shielding

RS PRO MOISTURE BARRIER BAG 405MM(W)X 455MM(L)

包裝尺寸: 100 x EA

- Packaging Type: Moisture Barrier Bag
- Type: Bag
- Colour: Silver
- Length: 455 mm
- Thickness: 0.09 mm
- Width: 405 mm
- Quantity Per Package: 100
- Dissipative: Yes



1908445 Moisture Barrier

ZIP-LOCK SHIELDING BAG,203X254MM 100PCS

包裝尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Black
- Length: 255 mm
- Thickness: 0.07 mm
- Width: 200 mm
- Quantity Per Package: 100
- Dissipative: Yes



1908434 Static Shielding

DISSIPATIVE CLEAR ZIP BAG,100X150MM,100

包裝尺寸: 100 x EA

- Packaging Type: ESD Ultra Clear Bag
- Type: Bag
- Colour: Clear
- Length: 150 mm
- Thickness: 0.09 mm
- Width: 100 mm
- Quantity Per Package: 100
- Dissipative: Yes



1229154 ESD Ultra Clear

ANTISTATIC PINK BAG,75X125MM

包裝尺寸: 100 x EA

- Packaging Type: Anti Static Bag
- Type: Bag
- Colour: Pink
- Length: 75 mm
- Thickness: 0.075 mm
- Width: 125 mm
- Quantity Per Package: 100
- Dissipative: No



2877852 Anti Static Bag

DISSIPATIVE CLEAR ZIP BAG,200X250MM,100

包裝尺寸: 100 x EA

- Packaging Type: ESD Ultra Clear Bag
- Type: Bag
- Colour: Clear
- Length: 250 mm
- Thickness: 0.09 mm
- Width: 200 mm
- Quantity Per Package: 100
- Dissipative: Yes



1229156 ESD Ultra Clear

ANTISTATIC PINK BAG, 155X254MM

包裝尺寸: 100 x EA

- Packaging Type: Anti Static Bag
- Type: Bag
- Colour: Pink
- Length: 155 mm
- Thickness: 0.075 mm
- Width: 254 mm
- Quantity Per Package: 100
- Dissipative: No



4849073 Anti Static Bag

RS PRO REFUSE SACK 600MM X 450MM

包裝尺寸: 500 x EA

- Type: Refuse Sack
- Quantity Included: 500
- Width: 600 mm
- Height: 450 mm
- Dissipative: Yes
- Conductive: No
- Anti-Static: No
- Cleanroom: No



8157000 Refuse Sack

ANTISTATIC PINK BAG,152X229MM

包裝尺寸: 100 x EA

- Packaging Type: Anti Static Bag
- Type: Bag
- Colour: Pink
- Length: 152 mm
- Thickness: 0.075 mm
- Width: 229 mm
- Quantity Per Package: 100
- Dissipative: No



2877880 Anti Static Bag

MOISTURE BARRIER BAG,305X406MM 100PCS

包裝尺寸: 100 x EA

- Packaging Type: Moisture Barrier Bag
- Type: Bag
- Colour: Silver
- Length: 405 mm
- Thickness: 0.09 mm
- Width: 305 mm
- Quantity Per Package: 100
- Dissipative: Yes



1908442 Moisture Barrier

SHIELDING BUBBLE BAG,255X305MM,PACK OF 5

包裝尺寸: 1 x EA

- Packaging Type: Shielding Bubble Bags
- Type: Bag
- Colour: Pink
- Length: 305 mm
- Width: 255 mm
- Quantity Per Package: 5
- Dissipative: Yes
- Conductive: Yes



8153480 Shielding Bubble

ANTISTATIC BUBBLE BAG,180X235MM

包裝尺寸: 50 x EA

- Packaging Type: Anti Static Bubble Bag
- Type: Bag
- Colour: Pink
- Length: 180 mm
- Width: 235 mm
- Quantity Per Package: 50
- Dissipative: No
- Conductive: No



3562365 Anti Static Bubble

RAACO 36 DRAWER ESD CABINET

包裝尺寸: 1 x EA

- Type: Cabinet
- Drawers per Cabinet: 36
- Drawer Height: 41 mm
- Cabinet Depth: 146 mm
- Cabinet Height: 420 mm
- Cabinet Width: 307 mm
- Drawer Depth: 153 mm
- Complies with EN 61340-5-1: Yes



519201 Cabinet

RS PRO SHIELDING BUBBLE BAGS 305MM(W)X 405MM(L)

包裝尺寸: 1 x EA

- Packaging Type: Shielding Bubble Bags
- Type: Bag
- Colour: Pink
- Length: 405 mm
- Width: 305 mm
- Quantity Per Package: 5
- Dissipative: Yes
- Conductive: Yes



8153486 Shielding Bubble

STORAGE BIN CABINET ESD 400X300X395

包裝尺寸: 1 x EA

- Type: Cabinet
- Drawers per Cabinet: 16
- Compartments per Insert: 1



2840408 Cabinet

RS PRO ANTI STATIC GUSSETED BAG 460MM(W)X 1080MM(L)

包裝尺寸: 20 x EA

- Packaging Type: Anti Static Gusseted Bag
- Type: Bag
- Colour: Pink
- Length: 1080 mm
- Thickness: 0.075 mm
- Width: 460 mm, 750 mm
- Quantity Per Package: 20
- Dissipative: No



3562191 Anti Static

18 DRAWER STORAGE CABINET, 420X307X146MM

包裝尺寸: 1 x EA

- Type: Cabinet
- Drawers per Cabinet: 18
- Drawer Height: 60 mm
- Drawer Depth: 154 mm
- Complies with EN 61340-5-1: Yes
- Drawer Length: 87 mm
- Drawer Width: 91 mm



519217 Cabinet

STORAGE BIN CABINET ESD 400X300X395

包裝尺寸: 1 x EA

- Type: Cabinet
- Drawers per Cabinet: 8
- Compartments per Insert: 1



2840376 Cabinet

ANTI-STATIC, CONDUCTIVE POLYPROPYLENE ESD BIN 350MM (L) 205MM (W) 132MM (H)

包裝尺寸: 10 x EA

- Material Properties: Anti-Static, Conductive
- Material: Polypropylene
- Height: 132 mm
- Length: 350 mm
- Width: 205 mm
- For Use With: Cabinets, Shelving, Topstore Louvered Panels
- Distrelec Product Id: 30391433



1218486 Anti-Static,

SHELF BIN 186X400X82 BLACK ESD

包裝尺寸: 15 x EA

- Material Properties: Anti-Static
- Material: PP
- Suitable For: Use in Factory or in Stores
- Height: 82 mm
- Length: 400 mm
- Width: 186 mm
- Distrelec Product Id: 11048778



2728821 Anti-Static

PICKING BIN 99X160X70, BLACK ESD

包裝尺寸: 60 x EA

- Material Properties: Anti-Static
- Material: Polystyrene
- Suitable For: Use in Factory or in Stores
- Height: 70 mm
- Length: 160 mm
- Width: 99 mm
- Distrelec Product Id: 30316021



2728818 Anti-Static

STACKING BIN 149X250X130 BLACK ESD

包裝尺寸: **45 x EA**

- Material Properties: Anti-Static
- Material: PP
- Suitable For: Use in Factory or in Stores
- Height: 105 mm
- Length: 192 mm
- Width: 149 mm
- Distrelec Product Id: 30316018



2728815 Anti-Static

SHELF BIN 132X500X100 BLACK ESD

包裝尺寸: **20 x EA**

- Material Properties: Anti-Static
- Material: PP
- Suitable For: Use in Factory or in Stores
- Height: 100 mm
- Length: 500 mm
- Width: 132 mm
- Distrelec Product Id: 30316023



2728822 Anti-Static

PICKING BIN 198X160X70, BLACK ESD

包裝尺寸: **30 x EA**

- Material Properties: Anti-Static
- Material: Polystyrene
- Suitable For: Use in Factory or in Stores
- Height: 70 mm
- Length: 160 mm
- Width: 198 mm
- Distrelec Product Id: 30316022



2728819 Anti-Static

SHELF BIN 92X400X82 BLACK ESD

包裝尺寸: **30 x EA**

- Material Properties: Anti-Static
- Material: PP
- Suitable For: Use in Factory or in Stores
- Height: 82 mm
- Length: 400 mm
- Width: 92 mm
- Distrelec Product Id: 11048777



2728820 Anti-Static

ESD BIN FOR ESD CAROUSEL (2 SLOTS)

包裝尺寸: **1 x EA**

- Material Properties: Anti-Static
- Material: Plastic
- Height: 133 mm
- Length: 50 mm
- Width: 125 mm
- Surface Resistivity Range: 10.4 → 10.1 Ω



7740465 Anti-Static

CONDUCTIVE STORAGE BIN,167X101X76MM

包裝尺寸: **5 x EA**

- Material Properties: Conductive
- Material: Plastic
- Height: 75 mm
- Length: 165 mm
- Width: 100 mm
- For Use With: Cabinets, Shelving, Topstore Louvered Panels
- Distrelec Product Id: 30418802



550325 Conductive

ANTI-STATIC PLASTIC ESD BIN 101MM (L) 125MM (W) 228MM (H)

包裝尺寸: **1 x EA**

- Material Properties: Anti-Static
- Material: Plastic
- Height: 228 mm
- Length: 101 mm
- Width: 125 mm
- Surface Resistivity Range: 10.4 → 10.1 Ω



7740477 Anti-Static

15 VAR SECTION SERVICE BOX,320X225X47MM

包裝尺寸: **1 x EA**

- Material Properties: Conductive
- Material: Polypropylene
- Height: 47 mm
- Length: 320 mm
- Width: 225 mm
- Surface Resistivity Range: 10.4 → 10.9 Ω



2364823 Conductive

CONDUCTIVE POLYPROPYLENE ESD BOX 400MM (L) 300MM (W) 100MM (H)

包裝尺寸: **1 x EA**

- Material Properties: Conductive
- Material: Polypropylene
- Height: 100 mm
- Length: 400 mm
- Width: 300 mm
- Surface Resistivity Range: 17 KΩ



2141091 Conductive

CONDUCTIVE PLASTIC ESD BIN 90MM (L) 100MM (W) 50MM (H)

- 包裝尺寸: **5 x EA**
- Material Properties: Conductive
 - Material: Plastic
 - Height: 50 mm
 - Length: 90 mm
 - Width: 100 mm
 - For Use With: Cabinets, Shelving, Topstore Louvered Panels



550319 Conductive

ESD DISSIPATIVE TOOL BOX, DURASTATIC

- 包裝尺寸: **1 x EA**
- Material Properties: Dissipative
 - Material: Polypropylene
 - Height: 127 mm
 - Length: 368 mm
 - Width: 191 mm
 - Surface Resistivity Range: <10.6 Ω



7199891 Dissipative

CIRCUIT BOARD BOX WITH FOAM,318X267X64MM

- 包裝尺寸: **1 x EA**
- Height: 64 mm
 - Length: 318 mm
 - Width: 267 mm



8772542 64 mm

SINGLE CARD CARRIER 10 X 8 X 2(254

- 包裝尺寸: **1 x EA**
- Suitable For: Carrier Tapes
 - Material: Polypropylene
 - Height: 203 mm
 - Length: 254 mm



2325564 Carrier Tapes

CONDUCTIVE ESD BOX 394MM (L) 318MM (W) 64MM (H)

- 包裝尺寸: **10 x EA**
- Material Properties: Conductive
 - Height: 64 mm
 - Length: 394 mm
 - Width: 318 mm
 - Surface Resistivity Range: 10.6 Ω



539233 Conductive

CONDUCTIVE ESD BOX 318MM (L) 267MM (W) 64MM (H)

- 包裝尺寸: **1 x EA**
- Material Properties: Conductive
 - Height: 64 mm
 - Length: 318 mm
 - Width: 267 mm
 - For Use With: ICs and Small Components
 - Surface Resistivity Range: 10.6 Ω



2878237 Conductive

ANTISTATIC TRANSIT CASE,340X265X57MM

- 包裝尺寸: **1 x EA**
- Material Properties: Anti-Static
 - Material: Polypropylene
 - Height: 57 mm
 - Length: 338 mm
 - Width: 260 mm
 - Surface Resistivity Range: 10.4 → 10.1 Ω



2539566 Anti-Static

COMPONENT BOX 100X100X38MM ASSEMBLED

- 包裝尺寸: **1 x EA**
- Height: 38 mm
 - Length: 100 mm
 - Width: 100 mm



1846687 38 mm

CIF GREY METAL PCB BRUSHING PAD

- 包裝尺寸: **1 x EA**
- Type: PCB Brushing Pad
 - Colour: Grey
 - Material: Metal
 - For Use With: PCB
 - Dimensions: 230 x 150 mm



2691090 PCB Brushing

BAC CONDUCTEUR EURO NOIR,COUVERCLE ET 2

包裝尺寸: 1 x EA

- Material Properties: Anti-static, Conductive, Dissipative
- Suitable For: Electrostatic Protected Area
- Material: PP
- Height: 135 mm
- Length: 400 mm




2645893 Anti-static,

HIGH DENSITY CONDUCTIVE FOAM,6MMX1MX1M

包裝尺寸: 1 x EA

- Packaging Type: High Density ESD Foam
- Type: Foam
- Colour: Black
- Length: 1 m
- Thickness: 6 mm
- Width: 1000 mm
- Dissipative: No
- Conductive: Yes



8153503 High Density ESD

HIGH DENSITY CONDUCTIVE FOAM,6X305X305MM

包裝尺寸: 1 x EA

- Packaging Type: High Density ESD Foam
- Type: Foam
- Colour: Black
- Length: 305 mm
- Thickness: 6 mm
- Width: 305 mm
- Dissipative: No
- Conductive: Yes



8153509 High Density ESD

VALISETTE CONDUCTRICE ET COUVERCLE À CHA

包裝尺寸: 1 x EA

- Material: Polypropylene
- Height: 155 mm
- Length: 600 mm



2658654 Polypropylene

LOW DENSITY CONDUCTIVE FOAM, 6MMX1MX1M

包裝尺寸: 1 x EA

- Packaging Type: Low Density ESD Foam
- Type: Foam
- Colour: Black
- Length: 1 m
- Thickness: 6 mm
- Width: 1000 mm
- Dissipative: No
- Conductive: Yes



8153474 Low Density ESD

DISPOSABLE HEEL GRINDER DISPENSER

包裝尺寸: 1 x EA

- Accessory Type: Dispenser
- Complies with EN 61340-5-1: Yes



1229151 Dispenser

LOWDENSITY ANTISTATIC FOAM,1000X1500X6MM

包裝尺寸: 1 x EA

- Packaging Type: Low Density ESD Foam
- Type: Foam
- Colour: Pink
- Length: 1 m
- Thickness: 6 mm
- Width: 1500 mm
- Dissipative: Yes
- Conductive: No



7989310 Low Density ESD

LOW DENSITY CONDUCTIVE FOAM, 6X305X305MM

包裝尺寸: 9 x EA

- Packaging Type: Low Density ESD Foam
- Type: Foam
- Colour: Black
- Length: 305 mm
- Thickness: 6 mm
- Width: 305 mm
- Dissipative: No
- Conductive: Yes



8153512 Low Density ESD

DEVELOPING AND ETCHING TRAY 300X400MM

包裝尺寸: 1 x EA

- Type: Etching Tray
- Colour: Green
- Material: PVC
- Dimensions: 380 x 500 x 85 mm



4570727 Etching Tray

CLEANROOM PENS BLACK

包裝尺寸: 12 x EA

- Type: Pen
- Quantity Included: 12
- Width: 265 mm
- Depth: 102 mm
- Height: 325 mm
- Dissipative: No
- Conductive: No
- Anti-Static: No



8295206 Pen

ETCH RESIST INK PEN, BLACK, PACK OF 5

包裝尺寸: 5 x EA

- Type: Etch Resist Ink Pen
- Colour: Black



7450831 Etch Resist Ink

MINI ZERO VOLT IONISER

包裝尺寸: 1 x EA

- Type: Bench Top
- Supply Voltage: 24 V
- Offset Voltage: 5 → 25 V
- Depth: 40 mm
- Air Flow: 56 → 86 m³/h
- Height: 140 mm
- Width: 90 mm
- Number of Fans: 2



8188108 Bench Top

230V IONISED AIR GUN

包裝尺寸: 1 x EA

- Type: Ionized Air Gun
- Supply Voltage: 230 V ac
- Complies with EN 61340-5-1: Yes
- Minimum Air Pressure: 20 psi
- Hose Length: 2.1 m
- Activation Type: Hand Switch
- Maximum Air Pressure: 65 psi



9185611 Ionized Air Gun

BENCH TOP ZERO VOLT IONISER, 220VAC

包裝尺寸: 1 x EA

- Type: Bench Top
- Supply Voltage: 220 V ac
- Offset Voltage: 3 → 25 V
- Depth: 79 mm
- Air Flow: 85 → 170 m³/h
- Height: 241 mm
- Width: 152 mm
- Number of Fans: 1



6842920 Bench Top

BENCHTOP IONISER 220V

包裝尺寸: 1 x EA

- Type: Bench Top
- Supply Voltage: 220 V ac
- Depth: 80 mm
- Offset Voltage: 3 → 25 V
- Height: 240 mm
- Air Flow: 85 → 170 m³/h
- Width: 150 mm
- Number of Fans: 1



8772466 Bench Top

ZERO STAT GUN WITH ION DETECTOR

包裝尺寸: 1 x EA

- Type: Ionized Air Gun
- Depth: 114 mm
- Width: 165 mm
- Complies with EN 61340-5-1: No
- Activation Type: Hand Switch



3407511 Ionized Air Gun

CIF ETCHING TANK EMPTYING PUMP

包裝尺寸: 1 x EA

- Type: Etching Tank Emptying Pump
- For Use With: BB2, BB3, BB4, DP36, DP37



2192066 Etching Tank

220V ESD SAFE VACUUM

包裝尺寸: 1 x EA

- Type: Vacuum
- Supply Voltage: 220/240 V ac
- Complies with EN 61340-5-1: Yes



1034052 Vacuum

IZF31, IONIZER, FAN TYPE, 4.4 M³/MIN

- 包裝尺寸: 1 x EA
- Type: Bench Top
 - Supply Voltage: 24 V
 - Depth: 50.5 mm
 - Height: 195 mm
 - Air Flow: 264 m³/h
 - Width: 144 mm
 - Number of Fans: 1



1260271 Bench Top

FLEX 19 ESD POLYURETHANE CHAIR, BLACK

- 包裝尺寸: 1 x EA
- Chair Type: Desk Chair
 - Wheeled: No
 - Height Adjustable: Yes
 - Seat Height: 510 → 780 mm
 - Back Adjustable: No
 - Colour: Black
 - Seat Material: Plastic
 - Weight Capacity: 120 kg



2840419 Desk Chair

VERIFICATION TESTER FOR 724 & 725 MONITO

- 包裝尺寸: 1 x EA
- Terminal Type: Jack



2325541 Jack

TRESTON ERGO 25 PU ESD

- 包裝尺寸: 1 x EA
- Chair Type: Desk Chair
 - Wheeled: No
 - Height Adjustable: Yes
 - Seat Height: 580 → 850 mm
 - Back Adjustable: Yes
 - Colour: Black
 - Seat Material: Plastic
 - Weight Capacity: 120 kg



2840423 Desk Chair

GROUNDING MATERIAL SET ESD 1MOHM

- 包裝尺寸: 1 x EA
- Accessory Type: ESD Turntable



2788973 ESD Turntable

TRESTON ERGO 30 AL ESD

- 包裝尺寸: 1 x EA
- Chair Type: Desk Chair
 - Wheeled: Yes
 - Height Adjustable: Yes
 - Seat Height: 440 → 620 mm
 - Back Adjustable: Yes
 - Colour: Black
 - Seat Material: Leather
 - Weight Capacity: 120 kg



2840425 Desk Chair

