

Eaton 38CAV4E

Catalog Number: 38CAV4E

Eaton Bussmann series medium auxiliary fuse, VT fuse-link, medium voltage, 4 A, AC 38 kV, 440 x 41.3 mm, back-up, IEC, US, 4E, Protection of auxiliary trans, 4 A, 4E, 40K A Breaking Cap, Inst Air, Back-up, E, IEC, AC, Class back-up

General specifications

Product Name	Catalog Number
Eaton Bussmann series medium auxiliary fuse	38CAV4E
	UPC
	051712794374
EAN	Product Length/Depth
5027590478441	439 mm
Product Height	Product Width
41 mm	41 mm
Product Weight	Warranty
1200 g	Not Applicable
Certifications	
IEC60282-1	



Product specifications

Interrupt rating

40 kAIC

Response time

4E

Standard

IEC

Release characteristic

E

Amperage Rating

4 A

Fuse type

CAV

Fuse size

440 x 41.3 mm

440 x 41 mm

With striker

No

Voltage rating

38 kV

Fuse indicator

Non Indicating

Performance Cat According To IEC 60282-1

Back-up

Construction size

440 x 41.3 mm

440 x 41 mm

Construction type

Bolt-on

Connection

Ferrule end x ferrule end

Quantity

1

Utilization Category

Other

Barrels

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

38CAV4E~Eaton Bussmann series medium auxiliary fuse

Specifications and datasheets

Eaton Specification Sheet - 38CAV4E

1

Resistance

2.42 ohms

Type

fuse

Fuse diameter

41 mm

Fuse shape

Cylindrical

Breaking capacity

40 kA

Class

Class back-up

Product application

Auxiliary transformer protection

Application

Protection of auxiliary transformers

Installation technique

Air

Voltage type

AC

Packaging type

Standard



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia