

B3106 - Vee Bottom Clevis Hanger (TOLCO Fig. 1V)

Size Range: 1/2" (15mm) to 4" (100mm) pipe


Material: Steel

Function: Recommended for the suspension of flexible plastic pipe. Use with B3106V support trough for plastic pipe.

Approvals: Complies with Manufacturers Standardization Society ANSI/MSS SP-69 & SP-58 Type 1.

Standard Finish: Plain & Electro-Galvanized. Contact B-Line for alternative finishes and materials.

Order By: Part number and finish.



B
Overall Height

C
Center of pipe to top of hanger.

D
Rod Take-Out
Center of pipe to bottom of hanger rod.

E
Minimum thread length of hanger rod.



Part No.	Pipe Size		Rod Size A	B		C	
	in.	(mm)		in.	(mm)	in.	(mm)
B3106-2	1/2" to 2"	(15 to 50)	3/8"-16	5 15/16"	(150.8)	4 1/16"	(103.2)
B3106-4	2 1/2" to 4"	(65 to 100)	1/2"-13	9 3/8"	(238.1)	6"	(152.4)

Part No.	Rod Take-Out D		Adjustment E		Design Load		Approx Wt./100	
	in.	(mm)	in.	(mm)	Lbs.	(kN)	Lbs.	(kg)
B3106-2	3 5/16"	(84.1)	1 5/8"	(41.3)	150	(.67)	60	(27.2)
B3106-4	4 13/16"	(122.2)	2 3/16"	(55.6)	150	(.67)	143	(64.8)

B3106V - Plastic Pipe Support Channel (TOLCO Fig. 1VT)


Size Range: 1/2" (15mm) to 4" (100mm) pipe

Material: Steel

Function: Designed for use with B3106 as a support for plastic or other flexible pipe systems.

Standard Finish: Pre-Galvanized. Contact B-Line for alternative finishes and materials.

Order By: Part number and finish.



Part No.	For Nominal Pipe Sizes		Steel Size T x L		B		Maximum Hanger Spacing		Design Load		Approx. Wt./100	
	in.	(mm)	in.	(mm)	in.	(mm)	Ft.	(M)	Lbs.	(kN)	Lbs.	(kg)
B3106V-2	1/2" to 2"	(15 to 50)	18 Ga. x 96"	(1.2 x 2438.4)	1 9/16"	(39.7)	8	(2.44)	150	(.67)	449	(203.6)
B3106V-4	2 1/2" to 4"	(65 to 100)	18 Ga. x 120"	(1.2 x 3048.0)	3 1/8"	(79.4)	10	(3.05)	150	(.67)	1123	(509.4)

All dimensions in charts and on drawings are in inches. Dimensions shown in parentheses are in millimeters unless otherwise specified.