


ASPIRE™
DESIGN SYSTEM



ASPIRE™ Design System of Wiring Devices

 **COOPER** Wiring Devices



**The ASPIRE™
Design System
stimulates the senses**

A softly curving arch; contrasting textures; velvet-smooth, quiet actuation; colors that subtly complement each other — ASPIRE™ wiring devices are designed to please all the senses . . . sight, sound and touch.

ASPIRE's award-winning architectural wiring devices add a touch of sensual elegance to the most sophisticated interior design. The clean, modern appearance of the ASPIRE product line represents the most innovative approach to designer wiring devices in decades. Rather than subduing its presence, an ASPIRE wiring device makes a statement as an integral element of decor.



Designpreis
2006
Nominee
Federal
Republic
of Germany



2005
Platinum
ADEX
Award
by Design
Journal



2004
As Awarded
by The Chicago
Atheneum:
Museum of
Architecture
& Design



**Upgrade to the
exceptional
with ASPIRE™**

ASPIRE's uniquely sophisticated appearance is designed to be an integral element of interior design and a luxury upgrade that's affordable to everyone.

Feel your fingers glide against the silky smooth rocker surface.

Sense the quality in the quiet click of a switch or the solid feel of engagement as a plug connects to a receptacle. Your eyes will be engaged by the distinctive, sweeping curve . . . the coordinating colors and textures . . . and the stylish juxtaposition of high-shine and pearlescent finishes that mark each ASPIRE™ wiring device as an exceptional finishing touch designed for the finest homes and offices.



ASPIRE™ Dimmers shape the mood . . . beautifully

ASPIRE™ Dimmers provide adjustable lighting control to set the mood of a room . . . to create a sense of atmosphere . . . and to paint the walls with drama and romance.

With the ASPIRE Design System, the drama begins with the styling of the dimmer itself – from the distinctive curved edge to its unique, two-tone design. The full line includes smart dimmers and slide dimmers in lighted and unlighted versions, as well as 3-speed and fully-variable fan speed controls.

Sleek, functional, economical; no matter how you add it up, dimmer switches not only help beautify a home, they also can make life more convenient for homeowners.



ASPIRE Smart Dimmers

The ultimate in controlling light, ASPIRE Smart Dimmers are compatible with incandescent, magnetic low voltage and electronic low voltage lighting. Each dimmer features advanced modes of operation like rapid and delayed fading, LED light-level display for presetting illumination levels and master/accessory units for multi-point control.

ASPIRE Smart Dimmers

Cat. No.	Description
9534	600W Incandescent/ Magnetic Low Voltage
9535	600W Electronic Low Voltage
9536	1000W Incandescent/ Magnetic Low Voltage
9537	1000W Electronic Low Voltage
9542	Accessory Unit

To indicate color selection add one of the following suffixes to the Catalog No.: WS (White Satin), DS (Desert Sand), SG (Silver Granite)

ASPIRE™ Dimmers save energy and money

Dimmers provide many benefits to homeowners, but the most important one in today's environment is the amount of energy savings a dimmer can yield.

How much energy do dimmers save?

Light Level	Electricity Saved	Lamp Life Extended
90%	10%	2 times
75%	20%	4 times
50%	40%	20 times
25%	60%	Over 20 times

Add atmosphere and save money with dimmers. With a dimmer switch, less is more—more money, that is. Dim your lights by a quarter, and you increase your energy savings by 20 percent; dim them by half, and increase your savings 40 percent. You also extend bulb life up to 20 times when you dim a bulb halfway.



ASPIRE™ Slide Dimmers

Traditional slide dimmer actuation allows light levels and mood to be adjusted at the touch of a finger – with or without the lights on.

ASPIRE Fan Speed Controls

Add a touch of elegance and sophistication to any room by installing ASPIRE Fan Speed Controls.

ASPIRE Slide Dimmers



Cat. No.	Description
9530	600W Incandescent
9531	600W Electronic Low Voltage
9532	1000W Incandescent
9533	1000W Electronic Low Voltage
9538	Lighted 600W Incandescent
9539	Lighted 600W Electronic Low Voltage
9540	Lighted 1000W Incandescent
9541	Lighted 1000W Electronic Low Voltage

ASPIRE Fan Speed Controls



Cat. No.	Description
9543	5A Fully Variable
9544	1.5A Quiet 3-Speed

To indicate color selection add one of the following suffixes to the Catalog No.: WS (White Satin), DS (Desert Sand), SG (Silver Granite)

ASPIRE™ switches . . . details that define décor

The unique, two-tone elegance of ASPIRE™ switches tells you that this is something different.

While traditional wiring devices seek to minimize their presence, ASPIRE devices become an integral element of interior design. ASPIRE switches combine a modern, sophisticated appearance with performance-improving technical features.

Experiencing an ASPIRE switch begins the moment the eye catches the uniquely curved profile of the rocker, accented by the color and texture of its surrounding frame which is matched in ideal proportion by a mid-size, screwless wallplate. The smooth, concave surface of the rocker responds to a gentle touch.



ASPIRE Switches

ASPIRE switches are available in a variety of configurations, in both 15A and 20A models that can be used for either 120 or 277 volts. When you add our performance-improving technical features, like backwire clamps on the terminal screws, you have a switch that not only looks great, but is easy to install and delivers high performance.

ASPIRE Switches



Cat. No.	Description
9501	Single Pole 15A, 120/277V
9502	Double Pole 15A, 120/277V
9503	3-Way 15A, 120/277V
9504	4-Way 15A, 120/277V
9511	Lighted Single Pole 15A, 120/277V
9513	Lighted 3-Way 15A, 120/277V
9514	Lighted 4-Way 15A, 120/277V
9515	Single Pole 20A, 120/277V
9516	3-Way 20A, 120/277V

To indicate color selection add one of the following suffixes to the Catalog No.: WS (White Satin), DS (Desert Sand), SG (Silver Granite)

Receptacles . . . form that truly follows function

Behind that face are the less visible features that make **ASPIRE** receptacles high-performing, yet easy to install. Inserting a plug provides a solid feel of quality as the blades are engaged. An oversized strap provides a solid base for mounting and virtually eliminates “floating” installations. A host of installer-friendly features not only save labor, but ensure neat, firm connections and the most important feature of all—years of dependable, trouble-free service.



There are two sides to the ASPIRE™ receptacle story. First there is an elegant face, styled to please the most discriminating buyer.



ASPIRE Receptacles

Available in single and duplex styles, our receptacles feature the award-winning ASPIRE design, and its colors and textures complement any décor.

ASPIRE Tamper Resistant Receptacles

Don't sacrifice aesthetics for code compliance. We offer Tamper Resistant (TR) versions of ASPIRE receptacles and GFCIs. Whether used in new construction or renovation projects, TR devices help protect children from electrical injury.

ASPIRE GFCIs

ASPIRE Ground Fault Circuit Interrupters feature our patented correct wiring/trip indicator light technology, making certain that every installation is properly wired to provide optimal protection.

ASPIRE Receptacles



Cat. No.	Description
9505	Duplex 15A, 125V
9510	Duplex 20A, 125V
9507	Single 15A, 125V
9508	Single 20A, 125V

ASPIRE Tamper Resistant Receptacles



Cat. No.	Description
9505TR	TR Duplex 15A, 125V
9510TR	TR Duplex 20A, 125V
9507TR	TR Single 15A, 125V
9508TR	TR Single 20A, 125V

ASPIRE GFCIs



Cat. No.	Description
9566	GFCI 15A, 125V
9569	GFCI 20A, 125V
9566TR	TR GFCI 15A, 125V
9569TR	TR GFCI 20A, 125V

To indicate color selection add one of the following suffixes to the Catalog No.: WS (White Satin), DS (Desert Sand), SG (Silver Granite)

Media components . . . sight, sound and data

Low-voltage premise wiring and Category 5e devices comprise a complete line of products for managing media and filling the home or office with the sights and sounds of the world outside.

ASPIRE Communication Outlets

Even a traditional home needs to be future-proofed and ready for modern communication technologies. ASPIRE communication outlets prepare any home or small office for connectivity to phone, video, TV and network/internet services. Combine ASPIRE with Cooper Wiring Devices' MediaSync™ line of Home Networking and Control Products for a well-connected home.



Comprehensive media distribution is the hallmark of today's new and remodeled homes and offices, and the ASPIRE™ Design System handles the need for video, phone and data distribution with unparalleled grace and beauty.



Decorator

Communications Inserts cUL US cUL

Cat. No.	Description
9545-4	Single Phone Jack Insert
9546-4	Double Phone Jack Insert
9547	Single Coax Adapter Insert
9548-2	Double Coax Adapter Insert
9549-4	Phone/Coax Combo Insert (1 Each)

Jacks & Adapters

(for use with modular wallplates)

Cat. No.	Description
9555	Coax F-Connector
9556	Cat 3 Telephone Jack
9557	Cat 5e Data Jack
9558	Blank Insert

Modular Wallplates

cUL US

Cat. No.	Description
9550	1-Port Wallplate
9551	2-Port Wallplate
9552	3-Port Wallplate
9553	4-Port Wallplate
9554	6-Port Wallplate

To indicate color selection add one of the following suffixes to the Catalog No.: WS (White Satin), DS (Desert Sand), SG (Silver Granite)

Add the finishing touch with screwless wallplates

Sleek, smooth and seamless, screwless wallplates appear to float freely on the surface of the wall, framing every ASPIRE™ device beautifully.

ASPIRE wallplates come in three distinctive colors to coordinate with the entire ASPIRE line of devices as well as ASPIRE RF™. Single-gang through six-gang mid-size wallplates offer a myriad of choices for the most complex home or office installations.

ASPIRE Screwless Wallplates

ASPIRE screwless wallplates are designed for easy and fast installation – simply screw the mounting plate onto the wiring device and press the wallplate into place. And, the clean, streamlined look of ASPIRE screwless wallplates can be changed in seconds if a new color is desired.



ASPIRE Screwless Wallplates




Cat. No.	Description
9521	Single Gang
9522	2-Gang
9523	3-Gang
9524	4-Gang
9525	5-Gang
9526	6-Gang
9527	Blank Insert

To indicate color selection add one of the following suffixes to the Catalog No.: WS (White Satin), DS (Desert Sand), SG (Silver Granite).



With clearly marked top edges, mounting plates are easy to orient and attach. Screwless wallplates clip smoothly into place with gentle pressure.



Experience more with the ASPIRE RFTM Wireless Control System

ASPIRE RFTM combines the elegance of the sophisticated ASPIRETM design with the innovation of intelligent wireless technology to deliver a new level of comfort, control and style throughout your home.

ASPIRE RF with Z-WaveTM technology is a new generation of easy-to-install and easy-to-use wireless RF-based home control technology. With a full array of one-touch controllers and a wide range of wiring devices that can be integrated together, creating a wireless home control network using ASPIRE RF is easy.

Best of all, installing an ASPIRE RF wireless system requires no special wiring or rewiring — making it ideal for retrofitting existing homes and for new home construction.

Use simple touch commands and preprogrammed settings to instantly set the mood, add comfort or create virtually any lighting scenario.



Wireless Controllers



Catalog No.	Description
RFHDCSG	Handheld Controller (2AA Batteries)
RFTDCSG	Tabletop Controller (3AA Batteries or AC)
RFWDC*	Wall Mount 5-Scene Controller (120V)
RFUSB	USB Controller (Software Included)
RFUSB-PRO	USB Installer Controller (Software Included)
RFMCC	SDIO Card Controller (Software Included)

Wireless Dimmers



Catalog No.	Description
RF9534*	600W Smart Dimmer Incandescent
RF9534-N*	600W Smart Dimmer Incandescent/Magnetic Low Voltage (Requires Neutral)
RF9535-N*	600W Smart Dimmer Electronic Low Voltage (Requires Neutral)
RF9536*	1000W Smart Dimmer Incandescent
RF9536-N*	1000W Smart Dimmer Incandescent/Magnetic Low Voltage (Requires Neutral)
RF9537-N*	1000W Smart Dimmer Electronic Low Voltage (Requires Neutral)
RF9542*	Non-RF Accessory w/LEDs, compatible only with RF Smart Dimmers (RF9534 & RF9536)
RF9542-Z*	RF Accessory w/LEDs, compatible only with RF Smart Dimmer (RF Association)

Wireless Switches



Catalog No.	Description
RF9501*	15A Single Pole Switch (Requires Neutral)
RF9518*	8A Single Pole Switch
RF9517*	RF Accessory Switch, compatible only with RF Switches (RF Association)

Universal Switch/Dimmer



Catalog No.	Description
RF9500*	Battery Operated Switch/Dimmer w/Single Gang Wallplate (Requires no wiring)
RFBS22	Inner Wallplate for RF9500 Multi-Gang Applications

Receptacles



Catalog No.	Description
RF9505-T*	15A Split Control Duplex Receptacle

Accessories



Catalog No.	Description
RFBGD	Garage Door Gateway Module
RFKGT	Keychain Garage Door Remote Control
RFUGR	Garage Door Opener Conversion Module
RFWGT	Garage Door Wallmount Keypad

*To indicate color selection add one of the following suffixes to the Catalog No.:
WS (White Satin), DS (Desert Sand), SG (Silver Granite)



Look for these additional residential products from Cooper Wiring Devices:

ASPIRE RF™

Experience more of life with our robust, reliable and expandable Wireless Control System.

ShockSentry™ GFCI Ground Fault Circuit Interrupters

Designed for fast installation, safety and durability.

MediaSync™

Home Networking and Control Products.

Cooper Wiring Devices

United States
203 Cooper Circle
Peachtree City, GA 30269
P: 866-853-4293
F: 800-329-3055

Canada
5925 McLaughlin Road
Mississauga, Ontario, L5R 1B8
P: 800-267-1042
F: 800-761-5748

www.cooperwiringdevices.com
email: custserv@cooperwiringdevices.com

Cooper Wiring Devices, Aspire, ASPIRE RF, MediaSync and ShockSentry are valuable trademarks of Cooper Industries in the U.S. and other countries. You are not permitted to use the Cooper Trademarks without the prior written consent of Cooper Industries.

©2008 Cooper Industries, Ltd. Cover photo, top, features products by Cooper Lighting.

Your Authorized Cooper Wiring Devices Distributor is:

Cooper Industries, Ltd.
600 Travis, Ste. 5800
Houston, TX 77002-1001
P: 713-209-8400
www.cooperindustries.com