

Eaton M22S-D-R

Catalog Number: M22S-D-R

Eaton 22.5 mm RMQ-Titan Pushbutton,Red Actuator,Black bezel,IP67, IP69K,Non-illuminated,Flush mounting,NEMA 4X, 13,5,000,000 operations,Momentary,22.5 mm,Flush Pushbutton,M22



General specifications

Product Name	Catalog Number
Eaton M22 modular pushbutton	M22S-D-R
UPC	Product Length/Depth
786685275345	2 in
Product Height	Product Width
0.5 in	2 in
Product Weight	Warranty
1 lb	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
Compliances	Certifications
GoST-R	CSA Certified
Bureau Veritas	CCC Marked
CE Marked	Lloyd's Register Certified

Catalog Notes

Includes contact block mounting adapter.

Product specifications

Product category

Flush pushbutton

Actuator color

Red

Operating cycles

5 million

Size

22.5 mm

Enclosure

IP69K

IP67

Mounting method

Flush

Bezel

Black

Series

M22

Type

Pushbutton

Operating mode

Momentary

Illumination

Non-illuminated

Environmental rating

IP67, IP69K, NEMA 4X, NEMA 13

Actuator function

Momentary

Button color

Red

Actuator

Flush, button

Degree of protection

NEMA 13

NEMA 4X

Resources

Brochures

[M22 Pilot Devices](#)

Catalogs

[Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions](#)

Installation instructions

[M22 Operators and Accessories](#)

Specifications and datasheets

[Eaton Specification Sheet - M22S-D-R](#)

[Global Data Sheet - M22S-D-R](#)

Warranty guides

[Selling Policy 25-000 - Distribution and Control Products and Services](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)