

Eaton M22S-D-X-SWRGYB

Catalog Number: M22S-D-X-SWRGYB

Eaton 22.5 mm RMQ-Titan Pushbutton,Black, Red, Green, White, Yellow, Blue Actuator,Black bezel,IP67, IP69K,Non-illuminated,Flush mounting,NEMA 4X, 13,5,000,000 operations,Momentary,22.5 mm,Flush Pushbutton,M22

General specifications



Product Name

Eaton M22 modular pushbutton

UPC

786685275833

Product Height

1 in

Product Weight

1 lb

Compliances

Bureau Veritas
CE Marked
GoST-R

Catalog Notes

Includes contact block mounting adapter.

Catalog Number

M22S-D-X-SWRGYB

Product Length/Depth

2 in

Product Width

4 in

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Certifications

CSA Certified
CCC Marked
Lloyd's Register Certified

Product specifications

Product category

Flush pushbutton

Actuator color

Black, red, green, white, yellow, blue

Operating cycles

5 million

Size

22.5 mm

Enclosure

IP67

IP69K

Mounting method

Flush

Bezel

Black

Series

M22

Type

Pushbutton

Operating mode

Momentary

Illumination

Non-illuminated

Environmental rating

IP67, IP69K, NEMA 4X, NEMA 13

Actuator function

Momentary

Button color

Black, white, red, green, yellow, blue

Actuator

Flush, button

Degree of protection

NEMA 13

NEMA 4X

Resources

Brochures

[M22 Pilot Devices](#)

Catalogs

[Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions](#)

Installation instructions

[M22 Operators and Accessories](#)

Specifications and datasheets

[Global Data Sheet - M22S-D-X-SWRGYB](#)

[Eaton Specification Sheet - M22S-D-X-SWRGYB](#)

Warranty guides

[Selling Policy 25-000 - Distribution and Control Products and Services](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)