



[home](#)

[products](#)

[services](#)

[markets](#)

[resources](#)

[your business](#)

[Buy Online!](#) | [My Cart](#)

Search Parameters:

[e-Catalog](#) > [Circuit Breakers](#) > [Molded Case Circuit Breakers](#)

Circuit Breakers, Molded Case Circuit Breakers

Product #: SGDA32AT0400

Short Description: SGD 3P 240V 400A

[Print This Page](#)

[Email This Page](#)

SPECIFICATIONS

Category	Spectra RMS™ Electronic Trip
Product Line	Spectra RMS - Standard
Trip Style	Interchangeable
Frame Type	SG600
Amperage	125A , 150A , 175A , 200A , 225A , 250A , 300A , 350A , 400A
Poles	3
System Voltage	120 Vac , 120/240 Vac , 240 Vac
120 Vac Interrupting Rating	65 KAIC
120/240 Vac Interrupting Rating	65 KAIC
240 Vac Interrupting Rating	65 KAIC
Trip Function	LSI
Continuous Current Rated	Standard
Suitable for Reverse Feed	Yes
Lugs	TCLK365
Long Time	Fixed
Short Time	Adjustable
Instantaneous	Adjustable
Current Metering	No
Protective Relays	No
Special Markings	HACR
UL File #	E11592
CSA File#	LR40350
GSA Compliance	No
GO Schedule	135S
UPC	078316421163
List Price	\$1860



[View Larger](#)

Publications/Resources

[SGDA32AT0400](#)

Additional Resources for Spectra RMS™ Electronic Trip

[Application and Technical Brochures](#)

[Drawings-Outline and Dimensional](#)

[Installation and Instruction](#)

[Time Current Curves](#)

[White Papers](#)

[BIM Files](#)

[Buy Log :3-50](#)

Spectra RMS Molded Case Circuit Breakers (SE150, SF250, SG600 and SK1200) have a digital, solid state, RMS sensing trip system with field installable, front-mounted rating plugs to establish or change the breaker ampere rating. Adjustable instantaneous with tracking short-time is standard on all frames. The trip system uses digital sampling to determine the RMS value of sinusoidal and non-sinusoidal currents.



ORLWIDE PARTNER