

# Eaton L1430C

Catalog Number: L1430C

Eaton Arrow Hart ultra grip locking connector, #18-10 AWG, 30A, Industrial, 125/250V, Back wiring, Black, white, Ultra grip, L14-30, Three-pole, Four-wire, Nylon

## General specifications

Product Name	Catalog Number
Eaton Arrow Hart standard locking connector	L1430C
	UPC
	032664544835
Product Length/Depth	Product Height
2.03 in	3.94 in
Product Width	Product Weight
2.03 in	0.3 lb
Compliances	Certifications
Federal Specifications Classification W-C375	NOM
	CSA certified
	UL Listed
	cULus Listed



## Product specifications

### Special features

Watertight locking receptacle

### Color

Black

White

### Face/body material

Thermoplastic

### Wiring method

Back

### Material

Thermoplastic

### Allowable wire size

#16-12 AWG

### Amperage Rating

30A

### Number Of Poles

Three-pole

### Contact material

Brass

### Type

Locking connector

### Device grade

Commercial

### NEMA configuration

L14-30

### Design type

Standard locking connector

### Number of wires

4

Grounding

### Operating temperature

-20 to 60 °C (-4 to 140 °F)

### Voltage rating

125/250 V

### Cord diameter

0.25-0.69 in (6.4 mm-17.5 mm)

## Resources

### Brochures

[Wiring Devices Buyer's Guide](#)

### Multimedia

[Arrow Hart - Connecting Safety to Reliability since 1890](#)

### Specifications and datasheets

[Eaton Specification Sheet - L1430C](#)

Application

Industrial

Torque rating

20 lbf-inch



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://Eaton.com/socialmedia)