

# EXTRA DUTY®

 **TayMac®**

**Get Tough  
With Extra Duty  
Weatherproof  
Covers!**



***Meet 2014 & 2017 Extra Duty Standards/Requirements***

***TayMac Extra Duty In-use Cover Features:***

- More room for electrical cords
- High-impact polycarbonate construction provides maximum durability
- Heavy Duty die-cast aluminum construction
- Premium finish corrosion protection
- UL, NEC and NEMA 3R compliant



## Get ahead of the Code with TayMac!

TayMac Extra Duty covers are UL Listed for Wet and Damp locations. Our rugged and innovative products offer superior protection. Why settle for less?


### 2014/2017 NATIONAL ELECTRICAL CODE NEC Adoption by State (Extra Duty Requirement)

#### 406.9 Receptacles in Damp or Wet Locations.

#### (B) Wet Locations. (1) Receptacles of 15 and 20 Amperes in a Wet Location.

15- and 20-ampere, 125- and 250 volt receptacles installed in a wet location shall have an enclosure that is weatherproof whether or not the attachment plug cap is inserted. An outlet box hood installed for this purpose shall be listed and shall be identified as "extra-duty."


All 15- and 20- ampere, 125- and 250-volt nonlocking-type receptacles shall be listed weather-resistant type.



**NOTE:** Earlier editions of the NEC may be enforced in states with no statewide adoption or that are subject to local adoption.

## Product Cross Reference - Standard Code to Extra Duty Code

Standard Code	Extra Duty Cross
<b>Nonmetallic In-Use Covers</b>	
MM410C	MM420C
MM410G	MM420G
MM410W	MM420W
MM710C	MM720C
MM710G	MM720G
MM2410C	MM2420C
MM2410G	MM2420G
MM7440C	MM7420C
MM7440G	MM7420G
<b>Nonmetallic Low Profile Expandable In-Use Covers</b>	
ML450G	ML500G
ML450W	ML500W
ML450Z	ML500Z
ML2450G	ML2500G



## Table of Contents

3..... Expandable Nonmetallic In-use Covers

4..... Nonmetallic In-use Covers

5..... Flat Profile Recessed Nonmetallic In-use Enclosure

6..... Metal In-use Covers

7..... Low Profile Metallic In-use Covers

8..... Receptacle /Cover Combos and Complete Kits


# EXTRA DUTY®

# EXTRA DUTY®

# EXTRA DUTY®

## EXPANDABLE NONMETALLIC IN-USE COVERS

- Patented design expands from 1" to 3" to meet your In-Use needs
- Ultra rugged polycarbonate & synthetic neoprene rubber will not dry rot, crack or deteriorate in sunlight
- Includes patented Universal Fit Adapter System Technology (U-Fast) for custom device configurations - base configuration is set for GFCI
- Includes attached gasket and mounting hardware

 2014/2017 NEC Compliant  
NEMA 3R Rated

**16<sup>in</sup>1**  
CONFIGURATIONS



GFCI Duplex Switch 5 Rounds:  
1-1/4" 1-3/8" 1-9/16" 1-3/4" 2-1/8"

1-GANG



1" → 3"

Horizontal or Vertical Mount



ML500G



In For Looks - Out For Use



ML500W



ML500Z

**55<sup>in</sup>1**  
CONFIGURATIONS



Multiple Combinations of GFCI, Duplex, Switch, and Rounds:  
1-1/4" 1-3/8" 1-9/16" 1-11/16" 2-1/8" 2-1/4" 2-7/16"  
& 1-5/8"

2-GANG



ML2500G



CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	UPC
<b>1-Gang Flat Expandable Extra Duty® In-Use Covers</b>						
ML500G	16-in-1 Flat Expandable Vertical/Horizontal	1" to 3"	Gray	Shrink	10	050169917411
ML500W	16-in-1 Flat Expandable Vertical/Horizontal	1" to 3"	White	Shrink	10	050169917428
ML500Z	16-in-1 Flat Expandable Vertical/Horizontal	1" to 3"	Bronze	Shrink	10	050169917435
<b>2-Gang Flat Expandable Extra Duty® In-Use Covers</b>						
ML2500G	55-in-1 Flat Expandable 2-Gang	1" to 3"	Gray	Shrink	6	050169917367




# EXTRA DUTY®

# EXTRA DUTY®

# EXTRA DUTY®

## NONMETALLIC IN-USE COVERS

- High-impact polycarbonate construction provides maximum durability
- Patented Quick-Fit™ keyhole mounting system allows installation in under a minute
- Includes patented Universal Fit Adapter System Technology (U-Fast) for custom device configurations - base configuration is set for GFCI
- Includes attached gasket and mounting hardware
- Lockable tab

 2014/2017 NEC Compliant  
NEMA 3R Rated

### 16-in-1





GFCI 1-1/4" Duplex 1-3/8" Switch 1-9/16" 5 Rounds: 1-3/4" 2-1/8"

### 1-GANG

### CONFIGURATIONS

Patented EZ-Change Pin for Horizontal or Vertical Mount



MM420C



MM420G



MM420W



MM720C



MM720G

### 4.75" DEPTH

### 55-in-1



Multiple Combinations of GFCI, Duplex, Switch, and Rounds:  
1-1/4" 1-3/8" 1-9/16" 1-11/16" 2-1/8" 2-1/4" 2-7/16" & 1-5/8"

### 2-GANG

### CONFIGURATIONS



MM2420C



MM2420G



MM7420C



MM7420G

### 5" DEPTH

CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	UPC
<b>1-Gang Nonmetallic Extra Duty® In-Use Covers</b>						
MM420C	Horizontal/Vertical 16-in-1 Standard	2.75"	Clear	Shrink	8	050169917275
MM420G	Horizontal/Vertical 16-in-1 Standard	2.75"	Gray	Shrink	8	050169917282
MM420W	Horizontal/Vertical 16-in-1 Standard	2.75"	White	Shrink	8	050169986486
MM720C	Horizontal/Vertical 16-in-1 Jumbo	4.75"	Clear	Shrink	4	050169917299
MM720G	Horizontal/Vertical 16-in-1 Jumbo	4.75"	Gray	Shrink	4	050169917404
<b>2-Gang Nonmetallic Extra Duty® In-Use Covers</b>						
MM2420C	55-in-1 Standard	2.75"	Clear	Shrink	6	050169917305
MM2420G	55-in-1 Standard	2.75"	Gray	Shrink	4	050169917312
MM7420C	55-in-1 Jumbo	5.00"	Clear	Shrink	3	050169994955
MM7420G	55-in-1 Jumbo	5.00"	Gray	Shrink	3	050169994962




# EXTRA DUTY®

# EXTRA DUTY®

# EXTRA DUTY®

## FLAT PROFILE RECESSED NONMETALLIC IN-USE ENCLOSURE

- Mounts horizontally or vertically
- Accommodates duplex, GFCI or round receptacle (*not included*)
- Patented Universal Fit Adapter System Technology (U-Fast) comes pre-configured for GFCI
- Electrical box and siding flange included
- For all common siding types and materials (vinyl, wood, stucco, brick or block)
- Installation instructions and mounting hardware included



**UL**  
2014/2017  
NEC Compliant  
NEMA 3R Rated



Stud or Wall Mount  
Suitable for 2x4 framing  
(depth) or larger

Electrical Box  
21.0 CU IN wiring capacity  
(4) NM Sheathed cable clamps  
(2) 0.5"/0.75" eccentric knockouts



Fits Duplex, GFCI  
or Round Receptacle  
(not included)

Paintable

2-3/4" Inward Depth  
(for large plugs/cords)

Includes Optional  
Siding Flange  
*Shown with exposed siding  
for reference only*

CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	UPC
<b>Metal Low Profile Extra Duty® In-Use Covers</b>						
MR420CG	Recessed Enclosure	4.98"	Clear/Gray	Boxed	4	050169964200
MR420CW	Recessed Enclosure	4.98"	Clear/White	Boxed	4	050169998304
MR420CZ	Recessed Enclosure	4.98"	Clear/Bronze	Boxed	4	050169998311




## METAL IN-USE COVERS

- Heavy duty die-cast metal construction
- Patented Quick-Fit™ keyhole mounting system allows cover installation in under a minute
- Includes patented Universal Fit Adapter System Technology (U-Fast) for custom device configurations - base configuration is set for GFCI
- Includes gasket and mounting hardware
- Premium powdercoat finish
- Lockable tab

**UL** 2014/2017 NEC Compliant  
NEMA 3R Rated

**8<sup>in</sup>1**  
CONFIGURATIONS



**1-GANG**




MX3200



Fits Full-Size Padlock

MX3300

**55<sup>in</sup>1**  
CONFIGURATIONS



Multiple Combinations of GFCI, Duplex, Switch, and Rounds:  
1-1/4" 1-3/8" 1-9/16" 1-11/16" 2-1/8" 2-1/4" 2-7/16" & 1-5/8"

**2-GANG**

**5.125" DEPTH**



MX6200



MX7200



CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	UPC
<b>Metal Extra Duty® In-Use Covers</b>						
MX3200	Vertical 8-in-1	3.5"	Gray	Shrink	4	092326104760
MX3300	Horizontal 8-in-1	3.5"	Gray	Shrink	4	092326104746
MX6200	2-Gang 55-in-1	3.5"	Gray	Shrink	4	092326104838
MX7200	Jumbo 2-Gang 55-in-1	5.125"	Gray	Shrink	2	050169972007

**EXTRA  
DUTY®**


**EXTRA  
DUTY®**

**EXTRA  
DUTY®**


## LOW PROFILE METALLIC IN-USE COVERS

Expands while in use, remains unobtrusive while not. Patented swivel lock device allows covers to be locked expanded or closed.

- Heavy duty die-cast metal construction
- Patented Quick-Fit™ keyhole mounting system allows cover installation in under a minute
- Includes patented Universal Fit Adapter System Technology (U-Fast) for custom device configurations - base configuration is set for GFCI
- Includes gasket and mounting hardware
- Premium powdercoat finish
- Lockable open or closed and fits fullsize padlock (up to 5/16" shackle)


 2014/2017 NEC Compliant  
NEMA 3R Rated

**8-in-1**



CONFIGURATIONS



MX4280S 



MX4280WH




MX4280Z

Fits Full-Size Padlock  
Locks Open or Closed

**EXPANDS**  
2" → 3 1/2"

**8-in-1**




CONFIGURATIONS



MX4380S

**EXPANDS**  
2" → 3 1/2"

**8-in-1**



CONFIGURATIONS



MX5280S



**EXPANDS**  
2 1/2" → 4 1/2"

**55-in-1**



CONFIGURATIONS



MX7280S

2-GANG

**EXPANDS**  
2" → 3 1/2"

CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	UPC
<b>Metal Low Profile Extra Duty® In-Use Covers</b>						
MX4280S	Vertical 8-in-1	2" to 3-1/2"	Gray	Shrink	6	092326101288
MX4280WH	Vertical 8-in-1	2" to 3-1/2"	White	Shrink	6	092326117401
MX4280Z	Vertical 8-in-1	2" to 3-1/2"	Bronze	Shrink	6	092326117395
MX4380S	Horizontal 8-in-1	2" to 3-1/2"	Gray	Shrink	4	092326101349
MX5280S	Vertical Deep 8-in-1	2-1/2" to 4-1/2"	Gray	Shrink	2	092326101356
MX7280S	Vertical 2-Gang 55-in-1	2" to 3-1/2"	Gray	Shrink	2	092326101370



**EXTRA  
DUTY®****EXTRA  
DUTY®****EXTRA  
DUTY®**

## RECEPTACLE/COVER COMBOS AND COMPLETE KITS

**CODEGUARD®****UL** 2014/2017 NEC Compliant  
NEMA 3R Rated**MD5881-0****MG5881-0****MD5802-0****MG5802-0**

- Heavy duty die-cast metal construction
- Meets or exceeds Extra Duty rating in ul 514d
- Patented rain chamber for extra protection from splashing liquids
- Padlockable – accepts standard size padlocks

- Includes gasket and hardware
- Unique lid design allows larger plugs and provides more room for bend radius of electrical cords
- High quality Hubbell WRTR device included

**MG420CS** (Includes Self Test GFCI)**MKG420CS** (Includes Self Test GFCI)**MKG4280SS** (Includes Self Test GFCI)

- High-impact polycarbonate construction
- Patented Quick-Fit™ keyhole mounting system allows cover installation in under a minute

- Includes gasket and mounting hardware
- Lockable tab for full-size padlock
- High quality Hubbell WRTR Self Test GFCI included

CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	UPC
<b>Nonmetallic Extra Duty® Receptacle/In-Use Cover Combo and Complete Kit</b>						
<b>MG420CS</b>	In-Use Cover, Hubbell WRTR 15A Self Test GFCI Combo	2.75"	Clear/Gray	Shrink	4	050169504376
<b>MKG420CS</b>	In-Use Cover, Box and Hubbell WRTR 15A Self Test GFCI Kit	2.75"	Clear/Black/Gray	Shrink	4	050169504413
<b>Metal Extra Duty® Receptacle/In-Use Cover Combo</b>						
<b>MD5881-0</b>	Hubbell WRTR 15A Duplex / Vertical In-Use Metal Cover Combo	3"	Gray	Shrink	4	050169986363
<b>MG5881-0</b>	Hubbell WRTR 15A GFCI / Vertical In-Use Metal Cover Combo	3"	Gray	Shrink	4	050169986431
<b>MD5802-0</b>	Hubbell WRTR 15A Duplex / Horizontal In-Use Metal Cover Combo	3"	Gray	Shrink	3	050169986356
<b>MG5802-0</b>	Hubbell WRTR 15A GFCI / Horizontal In-Use Metal Cover Combo	3"	Gray	Shrink	3	050169986424
<b>Metal Extra Duty® In-Use Cover Kits</b>						
<b>MKG4280SS</b>	In-Use Cover, Box and Hubbell WRTR 15A Self Test GFCI Kit	3.5"	Gray	Clamshell	4	092326113120

**COMMERCIAL  
CONSTRUCTION<sub>A</sub>**  
Division of Hubbell Incorporated (Delaware)**TAYMAC**  
2520 E. University Dr.  
Tempe, AZ 85281  
800-526-5416  
[www.hubbell.com/taymac/en](http://www.hubbell.com/taymac/en)TM\_BRO\_EXD\_001 - rev1  
02/2019