

SKINTOP® DV

SKINTOP® DV, PG multiple sealing inserts, prevents moisture from seeping in, as protection of unoccupied connection points



Reliability



Assembly time

Benefits

Prevents moisture from seeping into the housing interior

Application range

These seals are placed into the sealing ring of the SKINTOP® cable glands.

Preparation for assembly

Protection of unused connection points

Note

When assembled professionally and properly, IP 68 can be reached

Delivery will be made in the largest possible packing unit (bulk goods), minimum order quantity is one PU

Technical Data

Classification:	ETIM 5.0 Class-ID: EC000032 ETIM 5.0 Class-Description: Screw plug
Colour delivered:	Black
Material:	CR
Temperature range:	-30°C to +100°C

SKINTOP® DV**Note**

Photographs are not to scale and do not represent detailed images of the respective products.
Prices are net prices without VAT and surcharges. Sale to business customers only.



SKINTOP® DV

Article number	Article designation / size	Ø F mm	Height (mm)
SKINTOP® DV			
53800640	DV 7	7	6.5
53800641	DV 9	8.5	7.5
53800579	DV 11	10.5	8.5
53800583	DV 13,5	12.5	8.5
53800642	DV 16	14.5	9
53800643	DV 21	18.5	11

Last Update (23.05.2017)

©2017 Lapp Group - Technical changes reserved

Product Management www.lappkabel.de

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02_03.16