

FEATURES & SPECIFICATIONS

CONSTRUCTION

Designed to easily convert recessed troffers to surface mount fixtures.

Available in 1X4, 2X2, and 2X4 sizes.

See table below for fit compatibility chart.

Mounts to a variety of ceiling types.

PRODUCT SPECIFICATIONS

Housing:

22 ga cold rolled steel.

Finish:

SMKSHP version is painted after fabrication.

LISTINGS — CSA Certified to meet U.S. and Canadian standards.

WARRANTY — 5-year limited warranty. This is the only warranty provided and no other statements in this specification sheet create any warranty of any kind. All other express and implied warranties are disclaimed. Complete warranty terms located at: www.acuitybrands.com/support/warranty/terms-and-conditions

Note: Actual performance may differ as a result of end-user environment and application. Specifications subject to change without notice.

Catalog Number
Notes
Type

Surface Mount Troffer Kit

SMKSH Surface Mount Kits



ORDERING INFORMATION

Kit	Description
1X4SMKSH	Multi-Use Surface Mount Kit 1x4, Shallow Depth
2X2SMKSH	Multi-Use Surface Mount Kit 2x2, Shallow Depth
2X4SMKSH	Multi-Use Surface Mount Kit 2x4, Shallow Depth
1X4SMKSHP PAF	Multi-Use Surface Mount Kit 1X4 Post-Paint
2X2SMKSHP PAF	Multi-Use Surface Mount Kit 2X2 Post-Paint
2X4SMKSHP PAF	Multi-Use Surface Mount Kit 2X4 Post-Paint







Fit Compatibility Chart

Kit	Depth	Compatible Fixtures
SMKSH	3.6"	EPANL, CPX, CPANL
SMKSHP	5.5"	SPANL, EPANL, CPANL, CPX, INDY BL, BLT, GTL¹, VTL/FSL, RTL, BZL, ENVX

Notes

- SMKSHP not for use with 2GTL 2 fixture with emergency battery.

1X4SMKSH, 2X2SMKSH, 2X4SMKSH SURFACE MOUNT KIT - MOUNTING DATA



1X4SMKSH, 2X2SMKSH, 2X4SMKSH
SURFACE MOUNT KIT - MOUNTING DATA

