

### Cable Tray

perforated

RL 60.300



EAN Code: 4013339220205

Smallest packaging unit: 2 x 3 m

quantity unit: m M



the photorealistic images are to be considered as reference images



### Article Description

Cable tray, 60x300x3000 mm, perforated, steel, pre-galvanised according to DIN EN 10346, incl. accessories

# Technical Datasheet

## Cable Tray System

RL 60.300

the photorealistic images are to be considered as reference images

### Incl. accessories

| 3 meter = 1 piece  |                                                                                                                              | - lowest delivery unit | - preferred delivery unit |
|--------------------|------------------------------------------------------------------------------------------------------------------------------|------------------------|---------------------------|
| Model No.          | Description                                                                                                                  | quantity               |                           |
| 1-FLM 6X12         | Mushroom-head bolt M6, similar DIN 603, length 12 mm, steel, electro galvanised according to DIN EN ISO 2081/4042, blue pass | 10 pcs.                |                           |
| 1-RV 60.300        | Splice plate, single, U-shaped, 49x296 mm, steel, pre-galvanised according to DIN EN 10346, incl. accessories                | 1 pcs.                 |                           |
| 6 meter = 1 bundle |                                                                                                                              | ✓ lowest delivery unit | ✓ preferred delivery unit |
| Model No.          | Description                                                                                                                  | quantity               |                           |
| FLM 6X12           | Mushroom-head bolt M6, similar DIN 603, length 12 mm, steel, electro galvanised according to DIN EN ISO 2081/4042, blue pass | 20 pcs.                |                           |
| RV 60.300          | Splice plate, single, U-shaped, 49x296 mm, steel, pre-galvanised according to DIN EN 10346, incl. accessories                | 2 pcs.                 |                           |
| 252 meter = 1 rack |                                                                                                                              | - lowest delivery unit | - preferred delivery unit |
| Model No.          | Description                                                                                                                  | quantity               |                           |
| FLM 6X12           | Mushroom-head bolt M6, similar DIN 603, length 12 mm, steel, electro galvanised according to DIN EN ISO 2081/4042, blue pass | 840 pcs.               |                           |
| RV 60.300          | Splice plate, single, U-shaped, 49x296 mm, steel, pre-galvanised according to DIN EN 10346, incl. accessories                | 84 pcs.                |                           |

### Additional Price Information

|               |     |
|---------------|-----|
| Article group | N13 |
| quantity unit | m   |

### Weight

|                          |               |
|--------------------------|---------------|
| Weight per quantity unit | 3,068 kg / m  |
| Weight in kg per 100     | 307 kg / 100m |

### Physical Article Dimensions

|              |          |
|--------------|----------|
| Height       | 60.00 mm |
| Width        | 300 mm   |
| Depth/length | 3000 mm  |

# Technical Datasheet


## Cable Tray System

RL 60.300

the photorealistic images are to be considered as reference images

### Load Specifications

Load diagram:  $q$  = evenly distributed cable load (tested acc. to DIN EN IEC 61537)



### Packing Dimension

6 meters = 1 bundle

✓ VP1-smallest packaging unit ( PU) ✓ VP1-preferred PU

Lenght 3000 mm

Width 305 mm

Height 65.00 mm

Gross weight 18 kg

Volume 0,059 m<sup>3</sup>

Min. quantity 6.00 m

Max. Quantity 6.00 m

252 meters = 1 rack

Lenght 3000 mm

Width 1162 mm

Height 1120 mm

Gross weight 871 kg

Volume 3,904 m<sup>3</sup>

Min. Quantity 252.00 m

Max. Quantity 252.00 m

### Tender Text

Cable tray, acc. to DIN EN 61537, with offset bottom and side perforations, continuous central perforation for suspension with threaded rods M 10/..., including one-piece U-shaped splice plate RV 60... and proportional fastening accessories.

Dimensions (approx. dimensions) H x W : 60 x 300 mm

Material thickness : 1 mm

Centre hole : Ø 11 mm

Delivery length : 3000 mm

Usable cross section : 17800 mm<sup>2</sup>

Material : steel, pre-galvanised acc. to DIN EN 10346

NIEDAX Model No. : RL 60.300

EP material \_\_\_\_\_ EP wage \_\_\_\_\_

Unit price/meter

### Safety & Environment

REACH Date 23.01.2024

REACH Info Conformable

RoHS Info Conformable

# Technical Datasheet

## Cable Tray System

RL 60.300

the photorealistic images are to be considered as reference images

### Origin & International Trade

|                       |          |
|-----------------------|----------|
| Country of origin     | DE       |
| Customs tariff number | 73089059 |

### Related items

#### Cover

| Model No.  | Description                                                                                                                |
|------------|----------------------------------------------------------------------------------------------------------------------------|
| RD 300     | Cover for cable tray/-ladder, with joint strip, 302x3000 mm, steel, pre-galvanised according to DIN EN 10346               |
| RDHF 9 E2  | Cover clamp, stainless steel, material code: 1.4310                                                                        |
| RDHK 60 E2 | Cover retaining clamp, height 58 mm, stainless steel, material code: 1.4310                                                |
| RDRS 9     | Turning bolt with locking nut acc. to DIN EN ISO 10511, steel, pre-galvanised according to DIN EN 10346, incl. accessories |
| RDV 300    | Cover for cable tray/-ladder, with joint strip, 302x3000 mm, steel, pre-galvanised according to DIN EN 10346               |

#### Barrier strip

| Model No. | Description                                                                                              |
|-----------|----------------------------------------------------------------------------------------------------------|
| RW 50     | Barrier strip, 47x3000 mm, t=0,75 mm, steel, pre-galvanised according to DIN EN 10346, incl. accessories |
| RW 60     | Barrier strip, 55x3000 mm, t=0,75 mm, steel, pre-galvanised according to DIN EN 10346, incl. accessories |