


Cable Protection Duct

with perforated bottom, incl. cover without barrier wall

HKL4040.6

EAN Code: 4011126211788

the photorealistic images are to be considered as reference images



Article Description

HKL-cable protection duct, with bottom perforation, 38x40x2000 mm, Kunststoff PVC-hart, RAL 9001, cremeweiß

Incl. accessories

-

Additional Price Information

Article group	K640
---------------	------

Weight

Weight per quantity unit	389 g
Weight in kg per 100	39 kg

Technical Datasheet

Cable routing duct

HKL4040.6

the photorealistic images are to be considered as reference images

Physical Article Dimensions

Height	40.00 mm
Width	38.00 mm
Depth/length	2000 mm

Packing Dimension

2 meters = 1 piece		✓ VP1-smallest packaging unit (PU)			
Lenght	2000 mm	Width	38.00 mm	Height	40.00 mm
Gross weight	0,78 kg	Volume	0,003 m³		
Min. quantity	2	Max. Quantity	2		

40 meters = 1		✓ VP2-preferred PU			
Lenght	2010 mm	Width	205 mm	Height	160.00 mm
Gross weight	17 kg	Volume	0,066 m³		
Min. Quantity	40.00	Max. Quantity	40.00		

800 meters = 1 rack					
Lenght	2090 mm	Width	1055 mm	Height	1090 mm
Gross weight	415 kg	Volume	2,403 m³		
Min. Quantity	800.00	Max. Quantity	800.00		

Tender Text

Electrical installation trunking, with cover and single-row fixing holes in the base, without barrier wall, halogen-containing. Please order retaining clips 638/3040 separately.

VDE certified!

Dimensions (approx. dimensions) H x W : 38 x 40 mm

single row bottom hole : 6,5 x 12 mm and Ø 2,7 mm

Bottom hole spacing grid spacing : 125 mm

Delivery length L : 2000 mm

Usable cross-section : 851 mm²

Material : PVC-hard (Polyvinylchloride)

Colour : cream white

RAL : 9001 (similar)

Kleinhuis Model-No. : HKL4040.6

EP Material_____ EP Wage_____

Unit price/metre

Safety & Environment

REACH Date	23.01.2024
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Customs tariff number	39259020

Technical Datasheet

Cable routing duct

HKL4040.6

the photorealistic images are to be considered as reference images

Related items