



Outside Elbow 45°

with screw connector perforation, with cover

LEAB 60.200

EAN Code: 4013339535101  
Smallest packaging unit:4 pcs.

the photorealistic images are to be considered as reference images



Article Description

Outside elbow 45° with screw connector perforation, with cover, 60x200, steel, pre-galvanised according to DIN EN 10346

Additional Price Information

|               |      |
|---------------|------|
| Article group | N16  |
| quantity unit | pcs. |

Weight

|                          |                 |
|--------------------------|-----------------|
| Weight per quantity unit | 763 g / pcs.    |
| Weight in kg per 100     | 76 kg / 100pcs. |

# Technical Datasheet

## Cable protection duct

LEAB 60.200

the photorealistic images are to be considered as reference images

### Physical Article Dimensions

|              |           |
|--------------|-----------|
| Height       | 200.00 mm |
| Width        | 114.00 mm |
| Depth/length | 171.00 mm |

### Packing Dimension

|                          |           |                                     |           |        |           |
|--------------------------|-----------|-------------------------------------|-----------|--------|-----------|
| <b>1 piece = 1 piece</b> |           | ✓ VP1-smallest packaging unit ( PU) |           |        |           |
| Lenght                   | 171.00 mm | Width                               | 114.00 mm | Height | 200.00 mm |
| Gross weight             | 0,76 kg   | Volume                              | 0,004 m³  |        |           |
| Min. quantity            | 1.00 pcs. | Max. Quantity                       | 1.00 pcs. |        |           |

|                            |           |                    |           |        |           |
|----------------------------|-----------|--------------------|-----------|--------|-----------|
| <b>4 pieces = 1 carton</b> |           | ✓ VP2-preferred PU |           |        |           |
| Lenght                     | 420 mm    | Width              | 250 mm    | Height | 120.00 mm |
| Gross weight               | 3,6 kg    | Volume             | 0,013 m³  |        |           |
| Min. Quantity              | 4.00 pcs. | Max. Quantity      | 4.00 pcs. |        |           |

### Tender Text

Vertical outside elbow 45° for industrial duct, with snap-on cover, duct bottom part unperforated but with screw connector perforations in the sides, the equipotential bonding of the covers is carried out automatically when snapped on, accessories for equipotential bonding, two splice plates LIV 60 per joint, must be ordered separately.

VDE certified!

for industrial ducts : LUE... LI...

Dimensions (approx. dimensions) H x W (approx. dimensions) : 60 x 200 mm

Leg length inside : 75 mm

Material : Steel, pre-galvanised acc. to DIN EN 10346

NIEDAX Model No. : LEAB 60.200

EP Material\_\_\_\_\_ EP Wage\_\_\_\_\_

Unit price/piece

### Safety & Environment

|            |             |
|------------|-------------|
| REACH Date | 23.01.2024  |
| REACH Info | Conformable |
| RoHS Info  | Conformable |

### Origin & International Trade

|                       |          |
|-----------------------|----------|
| Country of origin     | DE       |
| Customs tariff number | 73089059 |

Technical Datasheet

Cable protection duct

LEAB 60.200

the photorealistic images are to be considered as reference images

Related items

Connector

| Model No. | Description                                                                                              |
|-----------|----------------------------------------------------------------------------------------------------------|
| LIV 60    | Universal-splice plate, asymmetrical, steel, pre-galvanised according to DIN EN 10346, incl. accessories |