


Barrier Strip

RW 35 F

EAN Code: 4013339213603  
Smallest packaging unit: 10 x 3 m  
quantity unit: m M

the photorealistic images are to be considered as reference images



Article Description

Barrier strip, 30x3000 mm, t=0,75 mm, steel, hot dip galvanised DIN EN ISO 1461, incl. accessories

Incl. accessories

|                     |                                                                                                 |                        |                           |
|---------------------|-------------------------------------------------------------------------------------------------|------------------------|---------------------------|
| 3 meter = 1 piece   |                                                                                                 | - lowest delivery unit | - preferred delivery unit |
| Model No.           | Description                                                                                     | quantity               |                           |
| 1-FLM 6X12 F        | Mushroom-head bolt M6, similar DIN 603, length 12 mm, steel, hot dip galvanised DIN EN ISO 1461 | 4 pcs.                 |                           |
| 30 meter = 1 bundle |                                                                                                 | ✓ lowest delivery unit | ✓ preferred delivery unit |
| Model No.           | Description                                                                                     | quantity               |                           |
| FLM 6X12 F          | Mushroom-head bolt M6, similar DIN 603, length 12 mm, steel, hot dip galvanised DIN EN ISO 1461 | 40 pcs.                |                           |
| 3000 meter = 1 rack |                                                                                                 | - lowest delivery unit | - preferred delivery unit |
| Model No.           | Description                                                                                     | quantity               |                           |
| FLM 6X12 F          | Mushroom-head bolt M6, similar DIN 603, length 12 mm, steel, hot dip galvanised DIN EN ISO 1461 | 4.000 pcs.             |                           |

# Technical Datasheet

## Cable Tray System

RW 35 F

the photorealistic images are to be considered as reference images

### Additional Price Information

|               |     |
|---------------|-----|
| Article group | N13 |
| quantity unit | m   |

### Weight

|                          |              |
|--------------------------|--------------|
| Weight per quantity unit | 386 g / m    |
| Weight in kg per 100     | 38 kg / 100m |

### Physical Article Dimensions

|              |          |
|--------------|----------|
| Height       | 30.00 mm |
| Width        | 24.00 mm |
| Depth/length | 3000 mm  |

### Packing Dimension

|                             |            |                                                         |            |
|-----------------------------|------------|---------------------------------------------------------|------------|
| <b>30 meters = 1 bundle</b> |            | ✓ VP1-smallest packaging unit ( PU ) ✓ VP1-preferred PU |            |
| Gross weight                | 12 kg      |                                                         |            |
| Min. quantity               | 30.00 m    | Max. Quantity                                           | 30.00 m    |
| <b>3000 meters = 1 rack</b> |            |                                                         |            |
| Lenght                      | 3000 mm    | Width                                                   | 850 mm     |
|                             |            | Height                                                  | 770 mm     |
| Gross weight                | 1214 kg    | Volume                                                  | 1,964 m³   |
| Min. Quantity               | 3.000.00 m | Max. Quantity                                           | 3.000.00 m |

### Tender Text

Barrier strip, with edge protection, bottom edging perforated for screw fastening and continuously profiled for mounting in bottom or retaining lugs, for separating cables and lines with different voltages and functions, equipotential bonding takes place automatically when clipped or screwed in, including proportional fastening accessories in hot-dip galvanised.

VDE certified! Please observe additional regulations for use in functional maintenance! Use for : wire mesh trays cable trays/ladders wide span trays/ladders barrier profile holder dimensions (approx. dimensions) H x outer packaging : 30 x 24 mm

Material thickness t : 0.75 mm

Delivery length L : 3000 mm

Material : steel, hot-dip galvanised acc. to DIN EN ISO 1461

NIEDAX Model No. : RW 35 F

EP material\_\_\_\_\_ EP wage\_\_\_\_\_

Unit price/meter

### Safety & Environment

|            |             |
|------------|-------------|
| REACH Date | 27.06.2024  |
| REACH Info | Conformable |
| RoHS Info  | Conformable |

# Technical Datasheet

## Cable Tray System

RW 35 F

the photorealistic images are to be considered as reference images

### Origin & International Trade

|                       |          |
|-----------------------|----------|
| Country of origin     | DE       |
| Customs tariff number | 73089059 |

### Related items

### Connector

| Model No. | Description                                                                      |
|-----------|----------------------------------------------------------------------------------|
| RTV 35 E2 | Splice plate for barrier strip, 29x80 mm, stainless steel, material code: 1.4310 |