


**Cable Protection Duct**

with perforated bottom, incl. cover without barrier wall

**HKL1022.6**

EAN Code: 4011126211153  
 Smallest packaging unit: 110 m  
 quantity unit: m M

the photorealistic images are to be considered as reference images



**Article Description**

HKL-cable protection duct, with bottom perforation, 9,5x21,5x2000 mm, plastics PVC-hard, RAL 9001, cream white

**Additional Price Information**

Article group	K640
quantity unit	m

**Weight**

Weight per quantity unit	99 g / m
Weight in kg per 100	9,81 kg / 100m

# Technical Datasheet

## Cable routing duct

HKL1022.6

the photorealistic images are to be considered as reference images

### Physical Article Dimensions

Height	21.50 mm
Width	9.50 mm
Depth/length	2000 mm

### Packing Dimension

<b>2 meters = 1 piece</b>		✓ VP1-smallest packaging unit ( PU)			
Lenght	2000 mm	Width	10.00 mm	Height	22.00 mm
Gross weight	0,2 kg	Volume	0,000 m <sup>3</sup>		
Min. quantity	2.00 m	Max. Quantity	2.00 m		
<b>110 meters = 1</b>		✓ VP2-preferred PU			
Lenght	2010 mm	Width	110.00 mm	Height	110.00 mm
Gross weight	11 kg	Volume	0,024 m <sup>3</sup>		
Min. Quantity	110.00 m	Max. Quantity	110.00 m		
<b>5390 meters = 1 rack</b>					
Lenght	2090 mm	Width	1055 mm	Height	1090 mm
Gross weight	635 kg	Volume	2,403 m <sup>3</sup>		
Min. Quantity	5.390.00 m	Max. Quantity	5.390.00 m		

### Tender Text

Electrical installation trunking, with cover and single-row fixing holes in the base, without barrier wall, halogen-containing.  
 VDE certified!  
 Dimensions (approx. dimensions)  
 Height H x width W : 9.5 x 21.5 mm  
 single-row fixing hole in the bottom : 4.2 x 8 mm and Ø 2.7 mm  
 Base hole spacing grid spacing : 125 mm  
 Delivery length L : 2000 mm  
 Usable cross-section : 174 mm<sup>2</sup>  
 Material : PVC-hard (polyvinyl chloride)  
 Colour : cream white  
 RAL : 9001 (similar)  
 Kleinhuis Model no. : HKL1022.6  
 EP Material \_\_\_\_\_ EP Wage \_\_\_\_\_  
 Unit price/metre

### Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

### Origin & International Trade

Country of origin	DE
Customs tariff number	39259020

# Technical Datasheet

## Cable routing duct

HKL1022.6

the photorealistic images are to be considered as reference images

Related items