


**Cable Protection Duct**

with bottom perforation, with cover, with fixed barrier wall

**HKL2052.6**

EAN Code: 4011126361612  
 Smallest packaging unit: 48 m  
 quantity unit: m M

the photorealistic images are to be considered as reference images



**Article Description**

HKL-cable protection duct, with bottom perforation, 18x50x2000 mm, plastics PVC-hard, RAL 9001, cream white

**Additional Price Information**

Article group	K640
quantity unit	m

**Weight**

Weight per quantity unit	322 g / m
Weight in kg per 100	32 kg / 100m

# Technical Datasheet

## Cable routing duct

HKL2052.6

the photorealistic images are to be considered as reference images

### Physical Article Dimensions

Height	50.00 mm
Width	18.00 mm
Depth/length	2000 mm

### Packing Dimension

<b>2 meters = 1 piece</b>		✓ VP1-smallest packaging unit ( PU)			
Lenght	2000 mm	Width	18.00 mm	Height	50.00 mm
Gross weight	0,64 kg	Volume	0,002 m <sup>3</sup>		
Min. quantity	2.00 m	Max. Quantity	2.00 m		
<b>48 meters = 1</b>		✓ VP2-preferred PU			
Lenght	2010 mm	Width	155.00 mm	Height	150.00 mm
Gross weight	16 kg	Volume	0,047 m <sup>3</sup>		
Min. Quantity	48.00 m	Max. Quantity	48.00 m		
<b>1200 meters = 1 rack</b>					
Lenght	2090 mm	Width	1055 mm	Height	1090 mm
Gross weight	490 kg	Volume	2,403 m <sup>3</sup>		
Min. Quantity	1.200.00 m	Max. Quantity	1.200.00 m		

### Tender Text

Electrical installation trunking, with cover and single-row fixing holes in the base, with 2 fixed barrier walls, halogen-containing.  
 VDE certified!  
 Dimensions (approx. dimensions)  
 Height H x width W : 18 x 50 mm  
 single row bottom hole : 6.5 x 12 mm and Ø 2.7 mm  
 Bottom hole spacing grid dimension : 125 mm  
 Delivery length L : 2000 mm  
 Usable cross-section : 450 mm<sup>2</sup>  
 Material : PVC-hard (polyvinyl chloride)  
 Colour : cream white  
 RAL : 9001 (similar)  
 Kleinhuis Model No. : HKL2052.6  
 EP Material \_\_\_\_\_ EP Wage \_\_\_\_\_  
 Unit price/metre

### Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

### Origin & International Trade

Country of origin	DE
Customs tariff number	39259020

# Technical Datasheet

## Cable routing duct

HKL2052.6

the photorealistic images are to be considered as reference images

Related items