



### Elbow 45°

with unperforated side profiles, but with connector perforations, with integrated splice plates

### RBA 110.100 F

EAN Code: 4013339547401  
Smallest packaging unit: 1 pc.

the photorealistic images are to be considered as reference images



### Article Description

Elbow 45° for cable tray, 110x102 mm, with unperforated side beams, steel, hot dip galvanised DIN EN ISO 1461, incl. accessories

### Incl. accessories

<b>1 piece = 1 piece</b>		✓ lowest delivery unit	- preferred delivery unit
Model No.	Description	quantity	
FLM 6X12 F	Mushroom-head bolt M6, similar DIN 603, length 12 mm, steel, hot dip galvanised DIN EN ISO 1461	4 pcs.	
<b>60 piece = 1</b>		- lowest delivery unit	- preferred delivery unit
Model No.	Description	quantity	
FLM 6X12 F	Mushroom-head bolt M6, similar DIN 603, length 12 mm, steel, hot dip galvanised DIN EN ISO 1461	240 pcs.	

# Technical Datasheet

## Cable Tray System

RBA 110.100 F

the photorealistic images are to be considered as reference images

### Additional Price Information

Article group	N13
quantity unit	pcs.

### Weight

Weight per quantity unit	700 g / pcs.
Weight in kg per 100	70 kg / 100pcs.

### Physical Article Dimensions

Height	112.00 mm
Width	173.20 mm
Depth/length	240.70 mm

### Packing Dimension

<b>1 piece = 1 piece</b>		✓ VP1-smallest packaging unit ( PU)			
Lenght	241 mm	Width	174.00 mm	Height	112.00 mm
Gross weight	0,7 kg	Volume	0,005 m <sup>3</sup>		
Min. quantity	1.00 pcs.	Max. Quantity	1.00 pcs.		

<b>60 pieces = 1</b>					
Lenght	1230 mm	Width	840 mm	Height	970 mm
Gross weight	112 kg	Volume	1,002 m <sup>3</sup>		
Min. Quantity	60.00 pcs.	Max. Quantity	60.00 pcs.		

### Tender Text

Elbow 45°, with unperforated side beams, with connector perforation for the connection, for cable trays, for creating a 45° horizontally angled cable tray run, with integrated splice plates, including proportional fastening accessories in hot-dip galvanised.

for cable trays : 110 mm edge height

Dimensions (approx. dimensions) inside H x W : 110 x 102 mm

Material : steel, hot-dip galvanised acc. to DIN EN ISO 1461

NIEDAX Model No. : RBA 110.100 F

EP Material\_\_\_\_\_ EP Wage\_\_\_\_\_

Unit price/piece

### Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

# Technical Datasheet

## Cable Tray System

RBA 110.100 F

the photorealistic images are to be considered as reference images

### Origin & International Trade

Country of origin	DE
Federal State of Origin	RP
Customs tariff number	73089059

### Related items

#### Cover

Model No.	Description
RBAD 100 F	Cover for elbow 45° for cable tray, width 104 mm, steel, hot dip galvanised DIN EN ISO 1461
RBADV 100 F	Cover for elbow 45° for cable tray, width 104 mm, with turning bolt, steel, hot dip galvanised DIN EN ISO 1461
RDHK 110 E2	Cover retaining clamp, height 108 mm, stainless steel, material code: 1.4310
RDRS 2 E3	Turning bolt simply with locking nut acc. to DIN EN ISO 10511, stainless steel, material code: 1.4301, AISI 304, incl. accessories