

### Vertical Cable Ladder

rung spacing 300 mm, with continuously perforated side profiles




### STL 60.403/6 F

EAN Code: 4013339921744

Smallest packaging unit: 6 m

quantity unit: m M

the photorealistic images are to be considered as reference images



#### Article Description

Vertical cable ladder, 60x400x6000 mm, rung distance 300 mm, steel, hot dip galvanised DIN EN ISO 1461

#### Additional Price Information

Article group	N13
quantity unit	m

#### Weight

Weight per quantity unit	3,509 kg / m
Weight in kg per 100	351 kg / 100m

#### Physical Article Dimensions

Height	60.00 mm
Width	399 mm
Depth/length	6000 mm

# Technical Datasheet

## Vertical Cable Ladder System

STL 60.403/6 F

the photorealistic images are to be considered as reference images

### Packing Dimension

<b>6 meters = 1 piece</b>		✓ VP1-smallest packaging unit ( PU)		✓ VP1-preferred PU	
Lenght	6000 mm	Width	399 mm	Height	60.00 mm
Gross weight	21 kg	Volume	0,144 m <sup>3</sup>		
Min. quantity	6.00 m	Max. Quantity	6.00 m		

### Tender Text

Vertical cable ladder acc. to DIN EN 61537, for wall mounting, with continuously perforated and profiled side rails, with riveted rungs made of C-profiles with 16 mm slot width.  
 Corresponding U-clamps: B... and BK...  
 For use in function maintenance, please observe additional instructions!  
 Dimensions (approx. dimensions)  
 Height H x Width W : 60 x 400 mm  
 Material thickness side rail : 1.5 mm  
 Rung distance : 300 mm  
 Side rail perforation : 9 x 15 mm  
 Center distance : 25 mm  
 Base perforation : Ø 8.5 mm  
 Center distance : 100 mm  
 Load capacity with B/2 : 1.0 kN  
 Delivery length L : 6000 mm  
 Usable cross section : 17200 mm<sup>2</sup>  
 Material : steel, hot-dip galvanised acc. to DIN EN ISO 1461  
 NIEDAX Model No. : STL 60.403/6 F  
 EP material \_\_\_\_\_ EP wage \_\_\_\_\_  
 Unit price/meter

### Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

### Origin & International Trade

Country of origin	DE
Customs tariff number	73089059

### Related items

#### Cover

Model No.	Description
RDHFS 9 VZL	Cover clamp, steel, electro galvanised according to DIN EN ISO 2081, blue passivate
STVW 400 F	Vertical cable ladder cover, 203x409x3000 mm, wall mounting, steel, hot dip galvanised DIN EN ISO 1461, incl. accessories

# Technical Datasheet

## Vertical Cable Ladder System

STL 60.403/6 F

the photorealistic images are to be considered as reference images

### Related items

#### Barrier strip

Model No.	Description
KLWC 16 F	Barrier strip fastening clamp, for 16 mm slot width, steel, hot dip galvanised DIN EN ISO 1461, incl. accessories
RW 35 F	Barrier strip, 30x3000 mm, t=0,75 mm, steel, hot dip galvanised DIN EN ISO 1461, incl. accessories

#### Connector

Model No.	Description
KLVB 60/4	Splice plate, steel, hot dip galvanised DIN EN ISO 1461, incl. accessories
KSV 60 F	Splice plate for cable ladder, height 60 mm, steel, hot dip galvanised DIN EN ISO 1461, incl. accessories