


### Vertical Cable Ladder

rung spacing 300 mm, with continuously perforated side profiles

STM 60.203/3

EAN Code: 4013339886401  
 Smallest packaging unit: 3 m  
 quantity unit: m M

the photorealistic images are to be considered as reference images



### Article Description

Vertical cable ladder, 60x200x3000 mm, rung distance 300 mm, steel, pre-galvanised according to DIN EN 10346

### Additional Price Information

Article group	N13
quantity unit	m

### Weight

Weight per quantity unit	3,769 kg / m
Weight in kg per 100	377 kg / 100m

# Technical Datasheet

## Vertical Cable Ladder System

STM 60.203/3

the photorealistic images are to be considered as reference images

### Physical Article Dimensions

Height	60.00 mm
Width	199.00 mm
Depth/length	3000 mm

### Packing Dimension

<b>3 meters = 1 piece</b>		✓ VP1-smallest packaging unit ( PU)	✓ VP1-preferred PU		
Lenght	3000 mm	Width	199.00 mm	Height	60.00 mm
Gross weight	11 kg	Volume	0,036 m <sup>3</sup>		
Min. quantity	3.00 m	Max. Quantity	3.00 m		

### Tender Text

Vertical cable ladder acc. to DIN EN 61537, for wall mounting, with continuously perforated and profiled side rails, with riveted rungs made of C-profiles with 18 mm slot width. Corresponding U-clamps: BU... and BUK...  
Please observe additional regulations for use in functional maintenance!  
Dimensions (approx. dimensions)  
Height H x width W : 60 x 200 mm  
Material thickness side rail : 2 mm  
Rung distance : 300 mm  
Side rail perforation : 9 x 15 mm  
Center distance : 25 mm  
Base perforation : Ø 8.5 mm and Ø 5.4 mm  
Center distance : 100 mm and 50 mm  
Load capacity with B/2 : 1.75 kN  
Delivery length L : 3000 mm  
Usable cross-section : 7000 mm<sup>2</sup>  
Material : Steel, pre-galvanised acc. to DIN EN 10346  
NIEDAX Model No. : STM 60.203/3  
EP Material \_\_\_\_\_ EP Wage \_\_\_\_\_  
Unit price/meter

### Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

### Origin & International Trade

Country of origin	DE
Customs tariff number	73089059

# Technical Datasheet

## Vertical Cable Ladder System

STM 60.203/3

the photorealistic images are to be considered as reference images

### Related items

#### Cover

Model No.	Description
RDHFS 9 VZL	Cover clamp, steel, electro galvanised according to DIN EN ISO 2081, blue passivate
STVW 200 S	Vertical cable ladder cover, 203x209x3000 mm, wall mounting, steel, pre-galvanised according to DIN EN 10346, incl. accessories

#### Barrier strip

Model No.	Description
KLWC 18 F	Barrier strip fastening clamp, for 18 mm slot width, steel, hot dip galvanised DIN EN ISO 1461, incl. accessories
RW 35	Barrier strip, 30x3000 mm, t=0,75 mm, steel, pre-galvanised according to DIN EN 10346, incl. accessories

#### Connector

Model No.	Description
KLVB 60/4	Splice plate, steel, hot dip galvanised DIN EN ISO 1461, incl. accessories
KSV 60 S	Splice plate for cable ladder, height 60 mm, steel, pre-galvanised according to DIN EN 10346, incl. accessories