

Technical Datasheet

Cable Tray System

RFD 60.150

the photorealistic images are to be considered as reference images

Additional Price Information

Article group	N13
quantity unit	pcs.

Weight

Weight per quantity unit	855 g / pcs.
Weight in kg per 100	85 kg / 100pcs.

Physical Article Dimensions

Height	260.90 mm
Width	153.80 mm
Depth/length	260.90 mm

Packing Dimension

1 piece = 1 piece		✓ VP1-smallest packaging unit (PU)			
Lenght	261 mm	Width	154.00 mm	Height	261 mm
Gross weight	0,86 kg	Volume	0,010 m ³		
Min. quantity	1.00 pcs.	Max. Quantity	1.00 pcs.		

100 pieces = 1					
Lenght	1230 mm	Width	840 mm	Height	970 mm
Gross weight	156 kg	Volume	1,002 m ³		
Min. Quantity	100.00 pcs.	Max. Quantity	100.00 pcs.		

Tender Text

Vertical outside elbow, with unperforated side beams, with connector perforation for the connection, for cable trays, for creating 2 x 45° vertically falling cable tray runs, with integrated splice plates, including proportional fastening accessories.

for cable trays : 60 mm edge height Dimensions (approx. dimensions) inside H x W : 60 x 152 mm

Material : Steel, pre-galvanised acc. to DIN EN 10346

NIEDAX Model No. : RFD 60.150

EP Material _____ EP Wage _____ Unit price / piece

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Federal State of Origin	RP
Customs tariff number	73089059

Technical Datasheet

Cable Tray System

RFD 60.150

the photorealistic images are to be considered as reference images

Related items

Cover

Model No.	Description
RDRS 2	Turning bolt simply with locking nut acc. to DIN EN ISO 10511, steel, pre-galvanised according to DIN EN 10346, incl. accessories
RFSDDV 60.150	Cover for vertical inside-/outside elbow,width 156 mm,with turning loc, steel, pre-galvanised according to DIN EN 10346