


**Plug-In Conduit Elbow-IEC 90°**

**IESB 50 AL**

EAN Code: 4046933000980  
 Smallest packaging unit: 5 pcs.

the photorealistic images are to be considered as reference images



**Article Description**

Plug-in conduit elbow 90°, for conduit-Ø 50 mm, inner radius 125 mm, aluminium

**Additional Price Information**

Article group	FT-Rohr
quantity unit	pcs.

**Weight**

Weight per quantity unit	253 g / pcs.
Weight in kg per 100	25 kg / 100pcs.

**Physical Article Dimensions**

Height	52.60 mm
Width	310 mm
Depth/length	310 mm

# Technical Datasheet

## Electrical installation conduit

IESB 50 AL

the photorealistic images are to be considered as reference images

### Packing Dimension

<b>1 piece = 1 piece</b>		✓ VP1-smallest packaging unit ( PU)			
Lenght	310 mm	Width	310 mm	Height	53.00 mm
Gross weight	0,25 kg	Volume	0,005 m <sup>3</sup>		
Min. quantity	1.00 pcs.	Max. Quantity	1.00 pcs.		
<b>5 pieces = 1 carton</b>		✓ VP2-preferred PU			
Lenght	610 mm	Width	610 mm	Height	70.00 mm
Gross weight	1,26 kg	Volume	0,026 m <sup>3</sup>		
Min. Quantity	5.00 pcs.	Max. Quantity	5.00 pcs.		

### Tender Text

Plug-in conduit elbow 90° acc. to DIN EN 61386-1 / DIN EN 61386-21, for creating plug -in 90° elbow connections of plug-in and sleeve conduits, can be used for extreme mechanical requirements and fixed connections due to its heavy compressive strength and high temperature resistance.

Used for : plug-in conduit IESR ... AL

sleeve conduit-fm FM-MR ... AL

Dimensions (approx. dimensions)

for conduit-Ø : 50 mm

Inside-Ø Di : 47.1 mm

Material thickness t : 1.2 mm

Inner radius Ri : 125 mm

Classification : 4456 for heavy mechanical loads

Surface : pressed / bright-machined

Material : aluminium alloy, material No. EN AW 5049 T5

Fintech Model No. : IESB 50 AL

Material\_\_\_\_\_ EP Wage\_\_\_\_\_

Unit price/piece

### Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

### Origin & International Trade

Country of origin	BG
Customs tariff number	76090000