


**Cover for Wide Span Cable Tray/-Ladder**

with bumper guard and pre-assembled twist-lock fasteners

**WDV 200 F**

EAN Code: 4013339596003  
 Smallest packaging unit: 2 x 3 m  
 quantity unit: m M

the photorealistic images are to be considered as reference images



**Article Description**

Cover for WSL/WRL, w. joint strip, 204x3000 mm, with turning lock, steel, hot dip galvanised DIN EN ISO 1461

**Additional Price Information**

Article group	N13
quantity unit	m

**Weight**

Weight per quantity unit	1,660 kg / m
Weight in kg per 100	166 kg / 100m

# Technical Datasheet

## Long Span Cable Ladder

WDV 200 F

the photorealistic images are to be considered as reference images

### Physical Article Dimensions

Height	28.50 mm
Width	205.50 mm
Depth/length	3020 mm

### Packing Dimension

<b>6 meters = 1 bundle</b>		✓ VP1-smallest packaging unit ( PU)	✓ VP1-preferred PU		
Lenght	3020 mm	Width	211 mm	Height	34.00 mm
Gross weight	9,96 kg	Volume	0,021 m <sup>3</sup>		
Min. quantity	6.00 m	Max. Quantity	6.00 m		
<b>480 meters = 1 rack</b>					
Lenght	3020 mm	Width	1162 mm	Height	1120 mm
Gross weight	895 kg	Volume	3,930 m <sup>3</sup>		
Min. Quantity	480.00 m	Max. Quantity	480.00 m		

### Tender Text

Cover for wide span cable tray/ladder, with joint bar to reduce deflection at the cover joint, protection against penetration of dirt as well as increase stability with the adjacent cover, with captive pre-mounted turning bolt fasteners, height-independent cover for wide span cable trays and ladders Due to external influences, such as wind loads, outdoor use is only possible with an additional safety device (self-tapping screws, steel band, etc.).

For additional requirements, twist locks WDRS 20 F can be used.

Used for: wide span cable trays WRL ...

WRLM ...

WRU ...

wide span cable ladders WSL ...

WSLM ...

Dimensions (approx. dimension)

Width W (inside) : 204 mm

Delivery length L : 3000 mm

Material cover : Steel, hot-dip galvanised according to DIN EN ISO 1461

Material of turning bolt fasteners : Steel, hot-dip galvanised according to DIN EN ISO 1461

NIEDAX Model no. : WDV 200 F

EP Material \_\_\_\_\_ EP Wage \_\_\_\_\_

Unit price/metre

### Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

# Technical Datasheet

## Long Span Cable Ladder

WDV 200 F

the photorealistic images are to be considered as reference images

### Origin & International Trade

Country of origin	DE
Federal State of Origin	RP
Customs tariff number	73089059