


Cover for Wide Span Cable Tray/-Ladder

with bumper guard and pre-assembled twist-lock fasteners

WDV 300 F

EAN Code: 4013339596102
 Smallest packaging unit: 2 x 3 m
 quantity unit: m M

the photorealistic images are to be considered as reference images



Article Description

Cover for WSL/WRL, w. joint strip, 304x3000 mm, with turning lock, steel, hot dip galvanised DIN EN ISO 1461

Additional Price Information

Article group	N13
quantity unit	m

Weight

Weight per quantity unit	2,770 kg/ m
Weight in kg per 100	277 kg/ 100m

Technical Datasheet

Long Span Cable Ladder

WDV 300 F

the photorealistic images are to be considered as reference images

Physical Article Dimensions

Height	28.50 mm
Width	305.80 mm
Depth/length	3020 mm

Packing Dimension

6 meters = 1 bundle		✓ VP1-smallest packaging unit (PU)	✓ VP1-preferred PU		
Lenght	3020 mm	Width	311 mm	Height	34.00 mm
Gross weight	17 kg	Volume	0,031 m ³		
Min. quantity	6.00 m	Max. Quantity	6.00 m		

360 meters = 1 rack					
Lenght	3020 mm	Width	1162 mm	Height	1120 mm
Gross weight	1095 kg	Volume	3,930 m ³		
Min. Quantity	360.00 m	Max. Quantity	360.00 m		

Tender Text

Cover for wide span cable tray/ladder, with joint bar to reduce deflection at the cover joint, protection against penetration of dirt as well as increase stability with the adjacent cover, with captive pre-mounted turning bolt fasteners, height-independent cover for wide span cable trays and ladders Due to external influences, such as wind loads, outdoor use is only possible with an additional safety device (self-tapping screws, steel band, etc.).

For additional requirements, twist locks WDRS 20 F can be used.

Used for: wide span cable trays WRL ...

WRLM ...

WRU ...

wide span cable ladders WSL ...

WSLM ...

Dimensions (approx. dimension)

Width W (inside) : 304 mm

Delivery length L : 3000 mm

Material cover : Steel, hot-dip galvanised according to DIN EN ISO 1461

Material of turning bolt fasteners : Steel, hot-dip galvanised according to DIN EN ISO 1461

NIEDAX Model no. : WDV 300 F

EP Material _____ EP Wage _____

Unit price/metre

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Technical Datasheet

Long Span Cable Ladder

WDV 300 F

the photorealistic images are to be considered as reference images

Origin & International Trade

Country of origin	DE
Federal State of Origin	RP
Customs tariff number	73089059