


Turning Bolt

incl. locking nut acc. to DIN EN ISO 10511

RDRS 2 E3

EAN Code: 4013339337606
 Smallest packaging unit: 20 pcs.

the photorealistic images are to be considered as reference images



Article Description

Turning bolt simply with locking nut acc. to DIN EN ISO 10511, stainless steel, material code: 1.4301, AISI 304, incl. accessories

Incl. accessories

1 FL 6X12-S E3, 1 SMS 6 E3

Technical Datasheet

Cable Tray System

RDRS 2 E3

the photorealistic images are to be considered as reference images

Additional Price Information

Article group	N13
quantity unit	pcs.

Weight

Weight per quantity unit	15 g / pcs.
Weight in kg per 100	1,5 kg / 100pcs.

Physical Article Dimensions

Height	15.00 mm
Width	14.00 mm
Depth/length	32.00 mm

Packing Dimension

20 pieces = 1 ✓ VP1-smallest packaging unit (PU) ✓ VP1-preferred PU					
Lenght	71.00 mm	Width	70.00 mm	Height	42.00 mm
Gross weight	0,31 kg	Volume	0,000 m ³		
Min. quantity	20.00 pcs.	Max. Quantity	20.00 pcs.		

200 pieces = 1 covering box					
Lenght	218 mm	Width	150.00 mm	Height	74.00 mm
Gross weight	3,19 kg	Volume	0,002 m ³		
Min. Quantity	200.00 pcs.	Max. Quantity	200.00 pcs.		

18200 pieces = 1					
Lenght	750 mm	Width	750 mm	Height	730 mm
Gross weight	330 kg	Volume	0,411 m ³		
Min. Quantity	18.200.00 pcs.	Max. Quantity	18.200.00 pcs.		

Tender Text

Turning lock, for subsequent or additional installation in fitting covers of cable trays as well as for fitting covers of the walkable cable tray system and for distributor tray covers, including mushroom head screw with slot FL 6X12-S E3 DIN 603 and safety nut SMS 6 E3 DIN EN ISO 10511 made of stainless steel, material no. 1.4301, AISI 304.

Outdoor use, due to external influences such as wind loads, is only possible with an additional securing device (self-tapping screws, steel band, etc.). When fastening, please note that a minimum distance of ≥ 50 mm to the cover start/end must be maintained.

Furthermore, it must be ensured that the screw head slot is mounted flush with the fastening lug of the turnbuckle plate. This ensures that all twist-locks on the cover are properly closed (position of the screw head slot) at a later date.

Used for : Fitting covers of cable trays

Fitting covers of the walkable cable tray system

Distribution trough cover RDSV 50, RDSV 100

Wide span mounting T-piece cover WTARDV ...

Delivery : unassembled and loose

Technical Datasheet

Cable Tray System

RDRS 2 E3

the photorealistic images are to be considered as reference images

Tender Text

Material lock : stainless steel, Material No. 1.4571, AISI 316Ti
NIEDAX Model No. : RDRS 2 E3
EP Material_____ EP Wage_____
Unit price/piece

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Customs tariff number	83024900